

2013 School Status

LEA Number	School Name	Overall Status 2013	Met Percent Tested 2013?	Achieving Literacy?	Acheiving Math?	Achieving Graduation Rate?	Met 2012 Exit Criteria?	Met 2013 Exit Criteria?	Percent Proficient and Advanced Literacy All Students	Percent Proficient and Advanced Literacy TAGG
0101001	DEWITT ELEMENTARY SCHOOL	Needs Improvement School	Y	Y	N	NA			81.17	75
0101003	DEWITT MIDDLE SCHOOL	Needs Improvement Focus School	Y	Y	N	NA	Y	N	72.61	65.91
0101004	DEWITT HIGH SCHOOL	Needs Improvement School	Y	N	N	N			61.86	50
0101008	GILLETT ELEMENTARY SCHOOL	Achieving School	Y	Y	Y	NA			97.3	95.45
0104021	PARK AVENUE ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			76.71	70.22
0104023	MEEKINS MIDDLE SCHOOL	Needs Improvement Focus School	Y	Y	N	NA	N	N	76.56	66.27
0104025	STUTTGART HIGH SCHOOL	Needs Improvement School	Y	N	Y	Y			65.12	48.61
0104026	STUTTGART JUNIOR HIGH SCHOOL	Needs Improvement Focus School	Y	N	N	NA	N	N	63	51.98
0201001	CROSSETT ELEMENTARY SCHOOL	Needs Improvement School	Y	N	Y	NA			79.79	74.5
0201006	CROSSETT HIGH SCHOOL	Needs Improvement School	N	N	N	Y			58.88	43.75
0201008	CROSSETT MIDDLE SCHOOL	Needs Improvement School	Y	N	N	NA			68.69	58.67
0203017	HAMBURG MIDDLE SCHOOL	Needs Improvement School	Y	Y	N	NA			75.28	71.9
0203018	HAMBURG HIGH SCHOOL	Needs Improvement School	N	N	N	Y			71.77	53.03
0203019	WILMOT ELEMENTARY SCHOOL	Needs Improvement Focus School	Y	Y	N	NA	Y	N	72.41	66.67
0203020	NOBLE/ALLBRITTON ELEMENTARY SC	Needs Improvement School	Y	N	N	NA			87.11	83.78
0203027	PORTLAND ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			80.95	78.57
0302006	AMANDA GIST ELEMENTARY SCHOOL	Needs Improvement School	Y	Y	N	NA			87.22	84.17
0302007	COTTER HIGH SCHOOL	Needs Improvement School	Y	N	N	N			80.85	76.09
0303013	NELSON WILKS HERRON ELEMENTARY	Needs Improvement School	Y	N	N	NA			88.29	83.62
0303014	PINKSTON MIDDLE SCHOOL	Needs Improvement School	Y	Y	N	NA			83.45	77.97
0303018	MOUNTAIN HOME KINDERGARTEN	Needs Improvement School	Y	N	N	NA			88.29	83.62
0303019	MOUNTAIN HOME JR. HIGH SCHOOL	Needs Improvement School	Y	N	Y	NA			87.78	82
0303024	HACKLER INTERMEDIATE SCHOOL	Needs Improvement School	Y	N	N	NA			88.29	83.62
0303703	MTN HOME HIGH CAREER ACADEMICS	Needs Improvement School	Y	N	N	Y			76.58	61.94
0304021	NORFORK ELEMENTARY SCHOOL	Achieving School	Y	Y	Y	NA			95.54	95.88
0304022	NORFORK HIGH SCHOOL	Achieving School	Y	Y	Y	Y			78.64	76.19
0401001	THOMAS JEFFERSON ELEM. SCHOOL	Needs Improvement School	Y	N	N	NA			81.25	67.86
0401002	WASHINGTON JUNIOR HIGH SCHOOL	Needs Improvement School	Y	Y	N	NA			93.45	85.09
0401003	BENTONVILLE HIGH SCHOOL	Needs Improvement School	N	Y	N	N			88.88	74.6
0401004	R.E. BAKER ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			90.95	66.67
0401005	OLD HIGH MIDDLE SCHOOL	Needs Improvement School	Y	N	N	NA			84.71	70.85
0401006	SUGAR CREEK ELEMENTARY SCHOOL	Achieving School	Y	Y	Y	NA			86.34	73.91
0401007	APPLE GLEN ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			86.51	75.89

2013 School Status

0401008	ARDIS ANN MIDDLE SCHOOL	Needs Improvement School	Y	N	N	NA		86.91	71.95
0401009	ELM TREE ELEMENTARY SCHOOL	Achieving School	Y	Y	Y	NA		97.19	94.12
0401010	LINCOLN JUNIOR HIGH SCHOOL	Achieving School	Y	Y	Y	NA		89.93	82.59
0401011	MARY MAE JONES ELEM. SCHOOL	Achieving School	Y	Y	Y	NA		88.29	83.9
0401012	CENTRAL PARK AT MORNING STAR	Achieving School	Y	Y	Y	NA		91.91	75.31
0401013	RUTH BARKER MIDDLE SCHOOL	Needs Improvement School	Y	Y	N	NA		89.28	78.21
0401014	CENTERTON GAMBLE ELEMENTARY	Needs Improvement School	Y	Y	N	NA		91.1	84.21
0401015	COOPER ELEMENTARY SCHOOL	Needs Improvement School	Y	Y	N	NA		92.06	82.8
0401016	WILLOWBROOK ELEMENTARY SCHOOL	Needs Improvement School	Y	Y	N	NA		90.18	77.5
0401017	BRIGHT FIELD MIDDLE SCHOOL	Needs Improvement School	Y	Y	N	NA		93.17	80.95
0402008	DECATUR NORTHSIDE ELEMENTARY	Needs Improvement School	Y	N	N	NA		64.05	59.38
0402009	DECATUR HIGH SCHOOL	Needs Improvement School	Y	N	N	N		66.67	60.29
0403013	GENTRY INTERMEDIATE SCHOOL	Needs Improvement School	Y	N	N	NA		80.2	73.76
0403014	GENTRY HIGH SCHOOL	Needs Improvement School	Y	N	Y	N		84.71	72.92
0403015	GENTRY MIDDLE SCHOOL	Needs Improvement School	Y	N	N	NA		84.41	80
0403016	GENTRY PRIMARY SCHOOL	Needs Improvement School	Y	N	N	NA		80.2	73.76
0404022	GRAVETTE HIGH SCHOOL	Needs Improvement School	Y	Y	N	Y		82.2	70.73
0404023	GLENN DUFFY ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA		82.51	75
0404024	GRAVETTE MIDDLE SCHOOL	Needs Improvement School	Y	N	N	NA		82.27	73.45
0404025	GRAVETTE UPPER ELEMENTARY	Needs Improvement School	Y	N	N	NA		82.51	75
0405031	EASTSIDE ELEMENTARY SCHOOL	Achieving School	Y	Y	Y	NA		93.92	92.66
0405032	GARFIELD ELEMENTARY SCHOOL	Needs Improvement School	Y	Y	N	NA		81.48	74.36
0405033	LOWELL ELEMENTARY SCHOOL	Needs Improvement School	Y	Y	N	NA		91.87	88.44
0405034	NORTHSIDE ELEMENTARY SCHOOL	Needs Improvement School	Y	Y	N	NA		90.99	86.54
0405036	WESTSIDE ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA		87.92	83.45
0405037	ELMWOOD MIDDLE SCHOOL	Needs Improvement School	Y	Y	N	NA		87.65	82.17
0405039	OAKDALE MIDDLE SCHOOL	Needs Improvement School	Y	Y	N	NA		84.13	80.66
0405040	GRACE HILL ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA		87.67	86.07
0405041	BONNIE GRIMES ELEM. SCHOOL	Needs Improvement School	Y	Y	N	NA		90.48	88.8
0405042	REAGAN ELEMENTARY SCHOOL	Achieving School	Y	Y	Y	NA		91.07	86.39
0405043	FRANK TILLERY ELEM. SCHOOL	Achieving School	Y	Y	Y	NA		88.93	86.18
0405044	JOE MATHIAS ELEMENTARY SCHOOL	Achieving School	Y	Y	Y	NA		88.37	87.37
0405045	KIRKSEY MIDDLE SCHOOL	Needs Improvement School	Y	Y	N	NA		89.65	84.47
0405046	LINGLE MIDDLE SCHOOL	Needs Improvement School	Y	Y	N	NA		85.79	81.41
0405047	BELLVIEW ELEMENTARY	Needs Improvement School	Y	Y	N	NA		94.12	75.93
0405048	ROGERS HIGH SCHOOL	Needs Improvement School	Y	Y	N	Y		77.42	65.62
0405049	JONES ELEMENTARY SCHOOL	Needs Improvement School	Y	Y	N	NA		89.37	89.23
0405050	ELZA R. TUCKER ELEM. SCHOOL	Needs Improvement School	Y	Y	N	NA		93.16	88.64
0405051	OLD WIRE ELEMENTARY SCHOOL	Achieving School	Y	Y	Y	NA		93.88	93.91
0405052	ROGERS HERITAGE HIGH SCHOOL	Needs Improvement School	Y	N	N	N		69.69	56.7

2013 School Status

0406046	NORTHSIDE ELEMENTARY SCHOOL	Needs Improvement School	Y	Y	N	NA			82.78	76.21
0406047	SOUTHSIDE ELEMENTARY SCHOOL	Needs Improvement School	Y	Y	N	NA			82.78	76.21
0406048	"DELBERT ""PETE"" & PAT ALLEN ELE"	Needs Improvement School	Y	Y	N	NA			82.78	76.21
0406049	SILLOAM SPRINGS MIDDLE SCHOOL	Needs Improvement School	Y	Y	N	NA			83.8	75.39
0406050	SILLOAM SPRINGS HIGH SCHOOL	Needs Improvement School	Y	Y	N	N			83.85	71.43
0407025	PEA RIDGE PRIMARY SCHOOL	Needs Improvement School	Y	Y	N	NA			86.52	80.43
0407026	PEA RIDGE INTERMEDIATE SCHOOL	Needs Improvement School	Y	Y	N	NA			86.52	80.43
0407027	PEA RIDGE HIGH SCHOOL	Needs Improvement School	Y	N	N	Y			77.39	70.45
0407028	PEA RIDGE MIDDLE SCHOOL	Needs Improvement School	Y	N	Y	NA			87.86	80
0440701	BENTON COUNTY SCHOOL OF ARTS	Needs Improvement School	Y	N	Y	NA			88.34	76.47
0440703	BENTON CTY SCHOOL OF ARTS HIGH	Needs Improvement School	Y	Y	N	N			91.3	80
0501001	ALPENA ELEMENTARY SCHOOL	Needs Improvement School	Y	Y	N	NA			86.98	81.42
0501002	ALPENA HIGH SCHOOL	Needs Improvement School	Y	N	N	N			78.79	66.67
0502006	BERGMAN ELEMENTARY SCHOOL	Achieving School	Y	Y	Y	NA			95.71	94.12
0502007	BERGMAN HIGH SCHOOL	Needs Improvement School	Y	Y	Y	N			77.33	72.5
0502008	BERGMAN MIDDLE SCHOOL	Needs Improvement School	Y	Y	N	NA			90.21	83.33
0503011	EAGLE HEIGHTS ELEM. SCHOOL	Achieving School	Y	Y	Y	NA			92.45	88.57
0503012	FOREST HEIGHTS ELEM. SCHOOL	Achieving School	Y	Y	Y	NA			98.61	97.1
0503013	SKYLINE HEIGHTS ELEM. SCHOOL	Needs Improvement School	Y	N	N	NA			93.75	90
0503014	WOODLAND HEIGHTS ELEM. SCHOOL	Achieving School	Y	Y	Y	NA			95.35	94.59
0503015	HARRISON JR. HIGH SCHOOL	Needs Improvement School	Y	N	N	NA			86.83	79.71
0503016	HARRISON HIGH SCHOOL	Needs Improvement School	N	N	N	Y			78.38	58.02
0503018	HARRISON MIDDLE SCHOOL	Needs Improvement School	Y	Y	N	NA			90.02	84.23
0504022	OMAHA ELEMENTARY SCHOOL	Needs Improvement School	Y	Y	N	NA			82.14	77.53
0504023	OMAHA HIGH SCHOOL	Achieving School	Y	Y	Y	Y			81.11	78.26
0505026	VALLEY SPRINGS ELEM. SCHOOL	Needs Improvement School	Y	Y	N	NA			90.48	83.12
0505027	VALLEY SPRINGS HIGH SCHOOL	Needs Improvement School	Y	Y	N	N			90.48	75
0505028	VALLEY SPRINGS MIDDLE SCHOOL	Needs Improvement School	Y	Y	N	NA			91.51	87.5
0506031	LEAD HILL ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			68.09	62.82
0506032	LEAD HILL HIGH SCHOOL	Needs Improvement School	Y	N	N	N			66.25	64.18
0601006	HERMITAGE ELEMENTARY SCHOOL	Needs Improvement Focus School	Y	Y	N	NA	N	N	75.57	71.03
0601007	HERMITAGE HIGH SCHOOL	Needs Improvement Focus School	Y	N	N	N	Y	N	49.44	38.89
0602012	EASTSIDE PRIMARY SCHOOL	Needs Improvement School	N	N	N	NA			NA	NA
0602013	THOMAS C. BRUNSON ELEM. SCHOOL	Needs Improvement School	Y	Y	N	NA			74.6	66.85
0602014	WARREN HIGH SCHOOL	Needs Improvement School	Y	N	Y	Y			63.54	53.62
0602015	WARREN MIDDLE SCHOOL	Needs Improvement School	Y	Y	N	NA			69.69	61.65
0602701	EASTSIDE NEW VISION CHARTER SC	Needs Improvement School	Y	Y	N	NA			70.59	65.71
0701001	HAMPTON ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			64.05	56.8
0701002	HAMPTON HIGH SCHOOL	Needs Improvement School	Y	N	N	N			64.86	55.41
0801001	BERRYVILLE ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			85.55	80.84

2013 School Status

0801002	BERRYVILLE HIGH SCHOOL	Needs Improvement School	Y	N	Y	N			79.56	68.06
0801003	BERRYVILLE MIDDLE SCHOOL	Needs Improvement School	Y	N	N	NA			79.41	72.27
0801004	BERRYVILLE INTERMEDIATE SCH	Needs Improvement School	Y	N	N	NA			85.55	80.84
0802006	EUREKA SPRINGS ELEM. SCHOOL	Needs Improvement School	Y	N	Y	NA			79.73	75.86
0802007	EUREKA SPRINGS HIGH SCHOOL	Needs Improvement School	Y	N	N	Y			75	77.27
0802008	EUREKA SPRINGS MIDDLE SCHOOL	Needs Improvement School	Y	Y	N	NA			86.19	80.92
0803011	GREEN FOREST ELEMENTARY SCHOOL	Needs Improvement School	Y	N	Y	NA			81.31	80.2
0803012	GREEN FOREST HIGH SCHOOL	Needs Improvement School	Y	Y	N	Y			80.88	79.17
0803013	GREEN FOREST INTERMED SCHOOL	Needs Improvement School	Y	Y	N	NA			84.23	81.56
0901001	DERMOTT ELEMENTARY SCHOOL	Needs Improvement Focus School	Y	Y	N	NA	Y	N	58.88	58.88
0901003	DERMOTT HIGH SCHOOL	Needs Improvement Priority School	Y	Y	N	N	N	N	56.82	56.82
0903007	EUDORA ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			78.95	78.95
0903016	LAKESIDE ELEMENTARY SCHOOL	Needs Improvement Focus School	Y	Y	N	NA	N	N	76.7	76.7
0903017	LAKESIDE MIDDLE SCHOOL	Needs Improvement School	Y	N	N	NA			69.68	69.68
0903018	LAKESIDE HIGH SCHOOL	Needs Improvement Priority School	Y	Y	Y	Y	N	Y	61.76	61.76
1002006	CENTRAL PRIMARY SCHOOL	Achieving School	Y	Y	Y	NA			74.1	64.65
1002007	LOUISA PERRITT PRIMARY	Achieving School	Y	Y	Y	NA			74.1	64.65
1002008	PEAKE ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			81.09	73.12
1002009	GOZA MIDDLE SCHOOL	Needs Improvement School	Y	N	N	NA			75.97	65.75
1002010	ARKADELPHIA HIGH SCHOOL	Needs Improvement School	Y	Y	N	Y			70.14	52.94
1003016	GURDON PRIMARY SCHOOL	Needs Improvement School	Y	N	N	NA			78.45	76
1003017	CABE MIDDLE SCHOOL	Needs Improvement School	Y	Y	N	NA			83.9	79.74
1003018	GURDON HIGH SCHOOL	Needs Improvement Focus School	Y	Y	N	N	N	N	61.9	53.57
1101004	CORNING HIGH SCHOOL	Needs Improvement School	Y	Y	Y	N			83.61	82.89
1101005	CENTRAL ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			80.07	76.06
1101006	PARK ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			80.07	76.06
1104017	PIGGOTT ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			83.71	76.36
1104018	PIGGOTT HIGH SCHOOL	Needs Improvement School	Y	Y	N	N			74.19	60.2
1106022	RECTOR ELEMENTARY SCHOOL	Needs Improvement School	Y	Y	N	NA			75.58	69.67
1106023	RECTOR HIGH SCHOOL	Needs Improvement School	N	Y	N	Y			70.31	60.27
1201001	CONCORD ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			82.76	74.47
1201002	CONCORD HIGH SCHOOL	Needs Improvement School	Y	N	Y	N			77.98	70.31
1202005	HEBER SPRINGS ELEM. SCHOOL	Needs Improvement School	Y	N	N	NA			82.6	75.11
1202006	HEBER SPRINGS HIGH SCHOOL	Needs Improvement School	Y	Y	N	N			82.46	73.47
1202007	HEBER SPRINGS MIDDLE SCHOOL	Needs Improvement School	Y	N	N	NA			77.64	66.81
1203010	QUITMAN ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			81.42	72.22
1203011	QUITMAN HIGH SCHOOL	Needs Improvement School	Y	N	N	N			71.88	58.7
1204014	WEST SIDE ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			82.54	78.31
1204015	WEST SIDE HIGH SCHOOL	Needs Improvement School	Y	N	N	Y			74.73	68.63
1304014	WOODLAWN ELEMENTARY SCHOOL	Achieving School	Y	Y	Y	NA			84.93	74.65

2013 School Status

1304015	WOODLAWN HIGH SCHOOL	Needs Improvement School	Y	N	N	N			68.94	56.36
1305001	KINGSLAND ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			74.36	68.85
1305009	RISON ELEMENTARY SCHOOL	Needs Improvement School	Y	Y	N	NA			79.89	70.3
1305010	RISON HIGH SCHOOL	Needs Improvement School	Y	N	N	Y			73.02	66.99
1402006	CENTRAL ELEMENTARY SCHOOL	Needs Improvement Focus School	Y	N	N	NA	N	N	71.38	62.47
1402007	EAST SIDE ELEMENTARY SCHOOL	Needs Improvement Focus School	Y	Y	Y	NA	N	Y	68.42	61.54
1402008	MAGNOLIA JR. HIGH SCHOOL	Needs Improvement Focus School	Y	N	N	NA	N	N	69.57	58.82
1402009	MAGNOLIA HIGH SCHOOL	Needs Improvement Focus School	Y	Y	N	Y	N	N	70.31	59.46
1408001	EMERSON ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			82.67	77.5
1408002	EMERSON HIGH SCHOOL	Needs Improvement School	Y	Y	N	N			78.79	67.65
1408018	TAYLOR ELEMENTARY SCHOOL	Needs Improvement School	Y	Y	N	NA			87.37	78.38
1408019	TAYLOR HIGH SCHOOL	Needs Improvement School	Y	N	Y	Y			81.82	64.29
1503016	NEMO VISTA ELEMENTARY SCHOOL	Needs Improvement School	Y	Y	N	NA			90.53	86.76
1503017	NEMO VISTA HIGH SCHOOL	Needs Improvement School	Y	Y	N	Y			77.78	72.73
1503018	NEMO VISTA MIDDLE SCHOOL	Needs Improvement School	Y	Y	N	NA			83.93	79.22
1505025	WONDERVIEW ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			83.06	73.68
1505026	WONDERVIEW HIGH SCHOOL	Needs Improvement School	Y	Y	N	Y			75.86	60.87
1507029	MORRILTON ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			87.5	83.76
1507031	MORRILTON INTERMEDIATE SCHOOL	Needs Improvement School	Y	N	N	NA			81.89	76.47
1507032	MORRILTON PRIMARY SCHOOL	Needs Improvement School	Y	N	N	NA			87.5	83.76
1507036	MORRILTON SR. HIGH SCHOOL	Needs Improvement School	Y	Y	N	Y			73.08	63.41
1507037	MORRILTON JUNIOR HIGH SCHOOL	Needs Improvement School	Y	Y	N	NA			75.16	68.06
1601001	BAY ELEMENTARY SCHOOL	Needs Improvement School	Y	Y	N	NA			87.98	85.27
1601002	BAY HIGH SCHOOL	Needs Improvement School	Y	N	Y	Y			69.91	56.72
1602055	WESTSIDE HIGH SCHOOL	Needs Improvement School	Y	Y	N	N			78.9	68.1
1602056	WESTSIDE ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			84.21	80.25
1602058	WESTSIDE MIDDLE SCHOOL	Needs Improvement School	Y	Y	N	NA			85.64	80.58
1603006	BROOKLAND ELEMENTARY SCHOOL	Achieving School	Y	Y	Y	NA			92.41	88.16
1603007	BROOKLAND HIGH SCHOOL	Needs Improvement School	Y	N	N	N			71	51.28
1603009	BROOKLAND MIDDLE SCHOOL	Achieving School	Y	Y	Y	NA			90.3	79.79
1603010	BROOKLAND JUNIOR HIGH SCHOOL	Needs Improvement School	Y	N	N	NA			81.37	69.81
1605060	BUFFALO IS. CENTRAL WEST ELEM.	Needs Improvement School	Y	Y	N	NA			93.44	89.55
1605061	BUFFALO IS. CENTRAL EAST ELEM.	Needs Improvement School	Y	Y	N	NA			88.06	87.38
1605062	BUFFALO IS. CENTRAL JHS	Needs Improvement School	Y	N	Y	NA			72.36	62.5
1605063	BUFFALO IS. CENTRAL HS	Needs Improvement School	Y	Y	N	N			81.58	70.83
1608017	MATH & SCIENCE MAGNET SCHOOL	Needs Improvement School	Y	N	N	NA			64.57	63.03
1608019	VISUAL & PERFORMING ART MAGNET	Needs Improvement School	Y	Y	N	NA			82.13	73.33
1608020	HEALTH/WELLNESS ENVI MAGNET	Needs Improvement Focus School	Y	N	Y	NA	N	N	72.21	68.64
1608021	INTERNATIONAL STUDIES MAGNET	Needs Improvement School	Y	N	N	NA			83.39	69.48
1608022	MICROSOCIETY MAGNET SCHOOL	Needs Improvement Focus School	Y	N	N	NA	N	N	49.17	48.99

2013 School Status

1608023	ANNIE CAMP JR. HIGH SCHOOL	Needs Improvement Focus School	Y	N	N	NA	N	N	67.42	56.69
1608024	DOUGLAS MACARTHUR JHS	Needs Improvement Focus School	Y	N	N	NA	N	N	67.04	57.74
1608025	JONESBORO HIGH SCHOOL	Needs Improvement Focus School	Y	N	N	N	N	N	69.33	54.84
1608026	KINDERGARTEN CENTER	Needs Improvement School	Y	N	N	NA			83.39	69.48
1611039	FOX MEADOW ELEMENTARY	Needs Improvement School	Y	N	N	NA			84.97	80.09
1611040	UNIVERSITY HGTS. ELEM. SCHOOL	Needs Improvement School	Y	Y	N	NA			82.02	73.75
1611041	NETTLETON JUNIOR HIGH SCHOOL	Needs Improvement School	Y	N	N	NA			73.71	64.55
1611042	NETTLETON HIGH SCHOOL	Needs Improvement School	Y	Y	N	Y			78.89	71.31
1611043	NETTLETON INTERMEDIATE CENTER	Needs Improvement School	Y	Y	N	NA			82.02	73.75
1611045	FOX MEADOW INTERMEDIATE CENTER	Needs Improvement School	Y	N	N	NA			84.97	80.09
1611046	NETTLETON MIDDLE SCHOOL	Needs Improvement School	Y	N	Y	NA			80.8	72.22
1612047	VALLEY VIEW ELEMENTARY SCHOOL	Achieving School	Y	Y	Y	NA			94.44	85.45
1612048	VALLEY VIEW HIGH SCHOOL	Needs Improvement School	Y	Y	Y	N			93.41	81.16
1613010	RIVERSIDE EAST ELEM. SCHOOL	Needs Improvement School	Y	Y	N	NA			81.05	78.67
1613021	RIVERSIDE HIGH SCHOOL	Needs Improvement School	Y	N	N	Y			72.59	64.62
1613031	RIVERSIDE WEST ELEM. SCHOOL	Needs Improvement School	Y	N	N	NA			82.35	73.63
1701001	ALMA INTERMEDIATE SCHOOL	Needs Improvement School	Y	Y	N	NA			83.68	75.3
1701002	ALMA HIGH SCHOOL	Needs Improvement School	N	N	N	Y			72.73	59.43
1701003	ALMA MIDDLE SCHOOL	Needs Improvement School	Y	Y	N	NA			77.19	67.32
1701004	ALMA PRIMARY SCHOOL	Needs Improvement School	Y	Y	N	NA			83.68	75.3
1702008	CEDARVILLE ELEMENTARY SCHOOL	Achieving School	Y	Y	Y	NA			81.15	81.15
1702009	CEDARVILLE HIGH SCHOOL	Needs Improvement Focus School	Y	Y	N	Y	N	N	75.81	75.81
1702010	CEDARVILLE MIDDLE SCHOOL	Needs Improvement School	Y	Y	N	NA			78.93	78.93
1703012	MOUNTAINBURG ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			78.79	72.37
1703013	MOUNTAINBURG HIGH SCHOOL	Needs Improvement School	Y	N	Y	N			62.26	45.16
1703022	MOUNTAINBURG MIDDLE SCHOOL	Needs Improvement School	Y	N	N	NA			73.49	72.09
1704016	MARVIN PRIMARY SCHOOL	Achieving School	Y	Y	Y	NA	Y	Y	84.09	80.65
1704017	MULBERRY HIGH SCHOOL	Needs Improvement Focus School	Y	N	N	Y	N	N	41.38	44
1704018	PLEASANT VIEW JUNIOR HIGH	Needs Improvement Focus School	Y	Y	N	NA	N	N	65	66.67
1704022	MILLSAP INTERMEDIATE SCHOOL	Needs Improvement School	Y	Y	N	NA			70	65.71
1705020	CITY HEIGHTS ELEMENTARY SCHOOL	Needs Improvement School	Y	Y	N	NA			86.96	81.18
1705022	KING ELEMENTARY SCHOOL	Needs Improvement School	Y	N	Y	NA			72.77	69.15
1705025	CENTRAL ELEMENTARY SCHOOL	Needs Improvement School	Y	N	Y	NA			77.08	73.5
1705026	BUTTERFIELD TRAIL MIDDLE SCHOO	Needs Improvement School	Y	N	N	NA			72.78	67.68
1705027	VAN BUREN HIGH SCHOOL	Needs Improvement School	Y	Y	N	N			69.82	59.24
1705028	CENTRAL MIDDLE SCHOOL	Needs Improvement School	N	N	N	NA			NA	NA
1705029	JAMES R. TATE ELEM. SCHOOL	Needs Improvement School	Y	N	N	NA			75.88	72.41
1705030	PARKVIEW ELEMENTARY SCHOOL	Needs Improvement School	Y	Y	N	NA			80.82	69.78
1705031	COLEMAN JUNIOR HIGH SCHOOL	Needs Improvement School	N	Y	N	NA			NA	NA
1705032	RENA ELEMENTARY SCHOOL	Achieving School	Y	Y	Y	NA			82.09	72.48

2013 School Status

1705033	NORTHRIDGE MIDDLE SCHOOL	Needs Improvement School	Y	N	N	NA			78.98	67.87
1802005	EARLE ELEMENTARY SCHOOL	Needs Improvement School	Y	Y	N	NA			78.95	78.95
1802007	EARLE HIGH SCHOOL	Needs Improvement Priority School	Y	Y	N	Y	N	N	62.4	62.4
1803025	BRAGG ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			83.26	79.25
1803026	FAULK ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			78.47	75.3
1803027	JACKSON ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			73.47	73.44
1803028	MADDUX ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			73.05	72.02
1803029	RICHLAND ELEMENTARY SCHOOL	Achieving School	Y	Y	Y	NA			96.44	93.8
1803030	WEAVER ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			72.63	70.37
1803031	WEDLOCK ELEMENTARY SCHOOL	Needs Improvement School	N	N	N	NA			NA	NA
1803032	WONDER ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			77.45	76
1803033	EAST JUNIOR HIGH SCHOOL	Achieving School	Y	Y	Y	NA	Y	Y	69.55	66.84
1803034	WEST JUNIOR HIGH SCHOOL	Needs Improvement School	Y	Y	N	NA			83.44	76.02
1803035	WONDER JUNIOR HIGH SCHOOL	Needs Improvement Priority School	Y	Y	N	NA	Y	N	66.02	64.66
1803036	WEST MEMPHIS HIGH SCHOOL	Needs Improvement Focus School	Y	N	N	N	N	N	52.9	47.25
1804011	AVONDALE ELEMENTARY SCHOOL	Achieving School	Y	Y	Y	NA			82.62	76.89
1804012	MARION ELEMENTARY SCHOOL	Achieving School	Y	Y	Y	NA			82.62	76.89
1804014	MARION JUNIOR HIGH SCHOOL	Needs Improvement School	Y	N	Y	NA			79.17	67.21
1804015	MARION HIGH SCHOOL	Needs Improvement Focus School	Y	N	N	Y	N	N	71.47	55.77
1804016	MARION MIDDLE SCHOOL	Needs Improvement School	Y	Y	N	NA			78.43	69.58
1804017	MARION INTERMEDIATE SCHOOL	Needs Improvement School	Y	Y	N	NA			88.01	82.93
1901701	CROSS COUNTY ELE TECH ACADEMY	Needs Improvement School	Y	Y	N	NA			73.71	68.18
1901703	CROSS CNTY HIGH A NEW TECH SCH	Needs Improvement School	Y	N	N	N			63.49	59.18
1905014	WYNNE PRIMARY SCHOOL	Needs Improvement School	Y	Y	N	NA			88.87	84.28
1905015	WYNNE INTERMEDIATE SCHOOL	Needs Improvement School	Y	Y	N	NA			88.87	84.28
1905016	WYNNE JUNIOR HIGH SCHOOL	Needs Improvement School	Y	Y	N	NA			76.33	67.92
1905017	WYNNE HIGH SCHOOL	Needs Improvement School	Y	N	N	Y			72.77	58.18
2002007	FORDYCE HIGH SCHOOL	Needs Improvement Focus School	Y	N	N	Y	N	N	52.24	30
2002008	FORDYCE ELEMENTARY SCHOOLS	Needs Improvement School	Y	Y	N	NA			82.3	77.91
2002009	FORDYCE MIDDLE SCHOOL	Needs Improvement Focus School	Y	Y	N	NA	N	N	67.23	58.05
2104017	CENTRAL ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			65.98	61.6
2104020	DUMAS JUNIOR HIGH SCHOOL	Needs Improvement Focus School	Y	N	N	NA	Y	N	63.52	60.73
2104021	DUMAS HIGH SCHOOL	Needs Improvement Focus School	Y	N	N	N	N	N	44.55	34.15
2104024	REED ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			65.98	61.6
2105026	MCGEHEE ELEMENTARY SCHOOL	Achieving School	Y	Y	Y	NA			81.5	77.95
2105028	MCGEHEE HIGH SCHOOL	Needs Improvement School	Y	N	N	N			60.18	53.53
2202004	DREW CENTRAL ELEM. SCHOOL	Needs Improvement School	Y	N	N	NA			81.4	79.05
2202005	DREW CENTRAL HIGH SCHOOL	Needs Improvement School	Y	Y	N	N			63.64	60.42
2202007	DREW CENTRAL MIDDLE SCHOOL	Needs Improvement School	Y	Y	N	NA			79.14	75.71
2203010	MONTICELLO ELEMENTARY SCHOOL	Needs Improvement School	Y	Y	N	NA			84.82	78.46

2013 School Status

2203011	MONTICELLO MIDDLE SCHOOL	Needs Improvement School	Y	N	N	NA			80.04	72.14
2203012	MONTICELLO HIGH SCHOOL	Needs Improvement Focus School	Y	N	N	Y	N	N	71.65	46.15
2203014	MONTICELLO INTERMEDIATE SCHOOL	Needs Improvement School	Y	Y	N	NA			84.82	78.46
2301001	IDA BURNS ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			87.5	82.83
2301002	SALLIE CONE ELEMENTARY SCHOOL	Needs Improvement School	N	N	N	NA			NA	NA
2301003	ELLEN SMITH ELEMENTARY SCHOOL	Achieving School	Y	Y	Y	NA			95.45	91.03
2301004	CARL STUART MIDDLE SCHOOL	Needs Improvement School	Y	Y	N	NA			87.54	73.33
2301006	CONWAY HIGH SCHOOL	Needs Improvement School	Y	N	N	Y			77.1	56.52
2301008	JULIA LEE MOORE ELEM. SCHOOL	Needs Improvement School	N	N	Y	NA			85.71	60.98
2301009	FLORENCE MATTISON ELEM. SCHOOL	Needs Improvement School	Y	Y	N	NA			86.43	84
2301010	MARGUERITE VANN ELEM. SCHOOL	Needs Improvement School	Y	N	N	NA			82.93	76.85
2301011	JIM STONE ELEMENTARY SCHOOL	Needs Improvement School	Y	N	Y	NA			91.67	81.01
2301012	THEODORE JONES ELEM. SCHOOL	Needs Improvement School	Y	Y	N	NA			81.75	77.88
2301013	BOB COURTWAY MIDDLE SCHOOL	Needs Improvement School	Y	Y	N	NA			86.73	80.45
2301016	RUTH DOYLE MIDDLE SCHOOL	Needs Improvement School	Y	N	N	NA			84.91	71.97
2301017	RAY/PHYLLIS SIMON MIDDLE SCHOO	Needs Improvement School	Y	Y	N	NA			80.3	68.18
2301018	WOODROW CUMMINS ELEMENTARY SCH	Needs Improvement School	Y	Y	N	NA			94.62	89.09
2301019	CAROLYN LEWIS ELEMENTARY SCHOO	Achieving School	Y	Y	Y	NA			93.43	90.24
2301020	CONWAY JUNIOR HIGH SCHOOL	Needs Improvement School	Y	N	N	NA			78.82	62.92
2303016	GREENBRIER EASTSIDE ELEMENTARY	Needs Improvement School	Y	N	N	NA			85.47	73.97
2303017	GREENBRIER HIGH SCHOOL	Needs Improvement School	Y	Y	N	N			82.19	68.57
2303018	GREENBRIER MIDDLE SCHOOL	Needs Improvement School	Y	Y	N	NA			90.45	81.86
2303019	GREENBRIER WESTSIDE ELEMENTARY	Needs Improvement School	Y	N	N	NA			90.91	82.18
2303020	GREENBRIER JUNIOR HIGH SCHOOL	Needs Improvement School	Y	Y	N	NA			87.55	78.95
2303021	GREENBRIER WOOSTER ELEMENTARY	Needs Improvement School	Y	N	N	NA			84.94	67.37
2304021	GUY-PERKINS ELEMENTARY SCHOOL	Needs Improvement School	Y	Y	N	NA			90.09	84.29
2304022	GUY-PERKINS HIGH SCHOOL	Needs Improvement School	Y	N	N	N			70.21	60.61
2305025	MAYFLOWER ELEMENTARY SCHOOL	Achieving School	Y	Y	Y	NA			80.41	76.53
2305026	MAYFLOWER HIGH SCHOOL	Needs Improvement School	N	N	Y	Y			63.33	61.36
2305027	MAYFLOWER MIDDLE SCHOOL	Needs Improvement School	Y	N	N	NA			65.71	57.87
2306029	MT. VERNON/ENOLA ELEM. SCHOOL	Needs Improvement School	Y	Y	N	NA			90.41	87.76
2306030	MT. VERNON/ENOLA HIGH SCHOOL	Needs Improvement School	Y	Y	N	N			86.36	81.13
2307033	VILONIA ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			86.26	76.97
2307034	VILONIA HIGH SCHOOL	Needs Improvement School	Y	Y	Y	N			80.84	57.69
2307035	VILONIA PRIMARY SCHOOL	Needs Improvement School	Y	N	N	NA			83.65	74.71
2307036	VILONIA JUNIOR HIGH SCHOOL	Needs Improvement School	Y	Y	N	NA			89.59	80.61
2307037	VILONIA MIDDLE SCHOOL	Needs Improvement School	Y	N	N	NA			85.56	76.58
2307701	ACADEMY OF TECHNOLOGY	Achieving School	Y	Y	Y	NA			98.08	95.45
2307702	ACADEMY OF SERVICE & TECH	Needs Improvement School	Y	N	N	NA			88.89	77.78
2402006	CHARLESTON ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			85.43	76.34

2013 School Status

2402007	CHARLESTON HIGH SCHOOL	Needs Improvement School	Y	Y	N	N			80.32	66.23
2403011	COUNTY LINE ELEMENTARY SCHOOL	Needs Improvement School	Y	Y	N	NA			89.17	85.19
2403012	COUNTY LINE HIGH SCHOOL	Needs Improvement School	N	N	N	Y			71.43	62.75
2404004	OZARK MIDDLE SCHOOL	Needs Improvement School	Y	Y	N	NA			85.71	79.25
2404005	OZARK KINDERGARTEN SCHOOL	Needs Improvement School	Y	N	N	NA			83.54	78.31
2404015	ELGIN B. MILTON ELEM. SCHOOL	Needs Improvement School	Y	N	N	NA			83.54	78.31
2404016	OZARK JUNIOR HIGH SCHOOL	Needs Improvement School	Y	N	N	NA			81.34	71.01
2404017	OZARK HIGH SCHOOL	Needs Improvement School	N	N	N	Y			72.5	71.64
2501001	MAMMOTH SPRING ELEM. SCHOOL	Needs Improvement School	Y	Y	N	NA			91.6	89.77
2501002	MAMMOTH SPRING HIGH SCHOOL	Needs Improvement School	Y	Y	N	Y			79.61	70.59
2502005	SALEM ELEMENTARY SCHOOL	Achieving School	Y	Y	Y	NA			91.78	87.77
2502006	SALEM HIGH SCHOOL	Needs Improvement School	Y	Y	N	Y			79.79	75.74
2503009	VIOLA ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			86.09	78.26
2503010	VIOLA HIGH SCHOOL	Needs Improvement School	Y	Y	N	Y			80.95	70
2601001	CUTTER-MORNING STAR ELEM. SCH.	Needs Improvement School	Y	N	N	NA			84.18	81.15
2601002	CUTTER-MORNING STAR HIGH SCH.	Needs Improvement School	Y	Y	N	Y			76.87	70.65
2602005	FOUNTAIN LAKE ELEMENTARY	Needs Improvement School	Y	N	N	NA			87.36	81.82
2602006	FOUNTAIN LAKE HIGH SCHOOL	Needs Improvement School	Y	N	Y	N			76	59.09
2602007	FOUNTAIN LAKE MIDDLE SCHOOL	Needs Improvement School	Y	Y	N	NA			82.47	76.31
2603011	GARDNER MAGNET SCHOOL	Needs Improvement School	Y	Y	N	NA			83.8	83.21
2603013	SUMMIT SCHOOL	Needs Improvement Priority School	N	N	N	N	N	N	19.35	20
2603015	OAKLAWN MAGNET SCHOOL	Achieving School	Y	Y	Y	NA			88.18	86.53
2603016	PARK MAGNET SCHOOL	Achieving School	Y	Y	Y	NA			98.81	100
2603020	HOT SPRINGS MIDDLE SCHOOL	Needs Improvement Focus School	Y	N	N	NA	N	N	64.85	59.83
2603021	HOT SPRINGS HIGH SCHOOL	Needs Improvement School	Y	N	N	Y			67.14	61.11
2603023	LANGSTON MAGNET SCHOOL	Needs Improvement Focus School	Y	N	Y	NA	N	N	69.72	69.44
2603024	HOT SPRINGS INTERMEDIATE SCHOO	Needs Improvement School	Y	N	N	NA			70.97	65.94
2604029	JESSIEVILLE ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			81.1	77.45
2604030	JESSIEVILLE HIGH SCHOOL	Needs Improvement School	Y	N	N	N			60.66	46.67
2604031	JESSIEVILLE MIDDLE SCHOOL	Needs Improvement School	Y	N	N	NA			78.6	75
2605033	LAKE HAMILTON ELEMENTARY SCH	Needs Improvement School	Y	N	N	NA			85.67	81.69
2605034	LAKE HAMILTON HIGH SCHOOL	Needs Improvement School	N	N	Y	Y			70.51	60.87
2605035	LAKE HAMILTON JR. HIGH SCHOOL	Needs Improvement School	Y	N	N	NA			84.11	79.1
2605036	LAKE HAMILTON INTERM. SCHOOL	Needs Improvement School	Y	N	N	NA			88.49	83.33
2605037	LAKE HAMILTON MIDDLE SCHOOL	Needs Improvement School	Y	Y	N	NA			84.17	80.05
2605038	LAKE HAMILTON PRIMARY SCHOOL	Needs Improvement School	Y	N	N	NA			85.67	81.69
2606039	LAKESIDE PRIMARY SCHOOL	Needs Improvement School	Y	N	N	NA			89.23	83.6
2606042	LAKESIDE INTERMEDIATE SCHOOL	Needs Improvement School	Y	N	N	NA			89.23	83.6
2606043	LAKESIDE MIDDLE SCHOOL	Needs Improvement School	Y	N	N	NA			88.58	79.47
2606044	LAKESIDE HIGH SCHOOL	Needs Improvement School	Y	Y	N	Y			87.23	75.5

2013 School Status

2607046	MOUNTAIN PINE ELEM. SCHOOL	Needs Improvement School	Y	N	N	NA		67.11	62.7
2607047	MOUNTAIN PINE HIGH SCHOOL	Needs Improvement School	Y	Y	Y	N		67.54	63.16
2703009	POYEN ELEMENTARY SCHOOL	Needs Improvement School	Y	Y	N	NA		84.21	79
2703010	POYEN HIGH SCHOOL	Needs Improvement School	Y	N	Y	Y		68.94	68.83
2705018	EAST END ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA		84	77.66
2705019	SHERIDAN ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA		85.88	77.65
2705020	SHERIDAN MIDDLE SCHOOL	Needs Improvement School	Y	Y	N	NA		82.18	71.17
2705021	SHERIDAN HIGH SCHOOL	Needs Improvement School	Y	Y	Y	N		77.01	67.83
2705023	SHERIDAN INTERMEDIATE SCHOOL	Needs Improvement School	Y	N	N	NA		85.88	77.65
2705024	EAST END INTERMEDIATE SCHOOL	Needs Improvement School	Y	N	N	NA		84	77.66
2803016	MARMADUKE ELEMENTARY SCHOOL	Needs Improvement School	Y	Y	N	NA		80.61	75.91
2803017	MARMADUKE HIGH SCHOOL	Needs Improvement School	Y	N	N	Y		75.69	70.24
2807004	GREENE CTY TECH ELEM. SCHOOL	Needs Improvement School	Y	N	Y	NA		78.85	70.52
2807007	GREENE CO. TECH MIDDLE SCHOOL	Needs Improvement School	Y	N	N	NA		73.39	59.93
2807008	GREENE CO. TECH HIGH SCHOOL	Needs Improvement School	Y	N	N	Y		69.92	55.24
2807009	GREEN CO. TECH JR. HIGH SCHOOL	Needs Improvement School	Y	N	N	NA		71.6	59.29
2807010	GREENE CO. TECH PRIMARY SCHOOL	Needs Improvement School	Y	N	Y	NA		78.85	70.52
2807011	GREENE CTY TECH INTERMEDIATE	Needs Improvement School	Y	Y	N	NA		84.89	76.51
2808024	BALDWIN ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA		67.55	57.89
2808027	WOODROW WILSON ELEM. SCHOOL	Needs Improvement School	Y	Y	N	NA		70	65.38
2808028	OAK GROVE MIDDLE SCHOOL	Needs Improvement School	Y	N	N	NA		72.84	65.53
2808042	PARAGOULD JUNIOR HIGH	Needs Improvement School	Y	Y	N	NA		76.71	70
2808043	PARAGOULD HIGH SCHOOL	Needs Improvement School	Y	N	Y	N		71.2	54.95
2808701	OAK GROVE ELEM HEALTH WELLNESS	Needs Improvement School	Y	Y	N	NA		78.74	73.98
2901001	BLEVINS ELEMENTARY SCHOOL	Needs Improvement School	Y	Y	N	NA		74.07	70.8
2901002	BLEVINS HIGH SCHOOL	Achieving School	Y	Y	Y	Y		63.89	61.05
2903007	WM. JEFFERSON CLINTON PRIMARY	Needs Improvement School	Y	Y	N	NA		71.01	68.99
2903008	BERYL HENRY UPPER ELEM. SCHOOL	Needs Improvement School	Y	N	N	NA		59.44	55.71
2903011	YERGER JUNIOR HIGH SCHOOL	Needs Improvement School	Y	Y	N	NA		62.72	59.48
2903012	HOPE HIGH SCHOOL	Needs Improvement School	Y	N	Y	N		50.37	42.31
2903013	GARLAND LEARNING CENTER	Needs Improvement School	N	Y	N	N		NA	NA
2906025	SPRING HILL ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA		87.1	82.42
2906026	SPRING HILL HIGH SCHOOL	Needs Improvement School	Y	N	N	Y		79.58	74.67
3001001	BISMARCK ELEMENTARY SCHOOL	Needs Improvement School	Y	Y	N	NA		86.62	84.69
3001002	BISMARCK MIDDLE SCHOOL	Needs Improvement School	Y	Y	N	NA		84.16	76.77
3001003	BISMARCK HIGH SCHOOL	Needs Improvement School	Y	Y	N	Y		83.56	76.32
3002007	GLEN ROSE ELEMENTARY SCHOOL	Needs Improvement School	Y	Y	N	NA		84.33	75.68
3002009	GLEN ROSE HIGH SCHOOL	Needs Improvement School	Y	N	N	N		73.24	65.79
3002010	GLEN ROSE MIDDLE SCHOOL	Achieving School	Y	Y	Y	NA		75.17	69.02
3003013	MAGNET COVE ELEMENTARY SCHOOL	Achieving School	Y	Y	Y	NA		91.44	86.79

2013 School Status

3003014	MAGNET COVE HIGH SCHOOL	Needs Improvement School	Y	Y	N	Y			78.52	71.43
3004021	MALVERN ELEMENTARY SCHOOL	Needs Improvement School	Y	Y	N	NA			83.39	78.85
3004022	MALVERN MIDDLE SCHOOL	Needs Improvement School	Y	N	N	NA			72.66	65.58
3004023	MALVERN HIGH SCHOOL	Needs Improvement School	Y	Y	N	Y			71.7	66.67
3004025	WILSON INTERMEDIATE SCHOOL	Needs Improvement School	Y	Y	N	NA			79.93	75.23
3005029	OUACHITA ELEMENTARY SCHOOL	Needs Improvement School	Y	Y	N	NA			86.96	79.22
3005030	OUACHITA HIGH SCHOOL	Needs Improvement School	Y	Y	N	Y			76.07	68.52
3102001	JOANN WALTERS ELEMENTARY SCH	Achieving School	Y	Y	Y	NA			81.25	77
3102002	DIERKS HIGH SCHOOL	Achieving School	Y	Y	Y	Y			81.75	73.97
3104005	MINERAL SPRINGS ELEM. SCHOOL	Needs Improvement School	Y	Y	N	NA			68.97	67.95
3104006	MINERAL SPRINGS HIGH SCHOOL	Needs Improvement School	Y	N	N	Y			46.32	45.88
3104021	SARATOGA ELEMENTARY SCHOOL	Needs Improvement Focus School	Y	Y	N	NA	N	N	64.29	62.96
3104022	SARATOGA HIGH SCHOOL	Needs Improvement Priority School	N	N	N	Y	N	N	NA	NA
3105009	NASHVILLE ELEMENTARY SCHOOL	Needs Improvement School	Y	Y	N	NA			85.82	81.82
3105010	NASHVILLE JUNIOR HIGH SCHOOL	Needs Improvement School	Y	Y	N	NA			80	72.67
3105011	NASHVILLE HIGH SCHOOL	Needs Improvement School	Y	N	N	N			64.62	47.14
3105012	NASHVILLE PRIMARY SCHOOL	Needs Improvement School	Y	Y	N	NA			87.68	82.98
3201001	CENTRAL ELEMENTARY SCHOOL	Achieving School	Y	Y	Y	NA			79.43	71.3
3201003	WEST ELEMENTARY SCHOOL	Achieving School	Y	Y	Y	NA			86.88	83.8
3201004	BATESVILLE JUNIOR HIGH SCHOOL	Achieving School	Y	Y	Y	NA			84.39	72.6
3201005	BATESVILLE HIGH SCHOOL	Needs Improvement School	Y	Y	N	Y			77.37	67.92
3201009	EAGLE MOUNTAIN ELEM SCHOOL	Needs Improvement School	Y	N	N	NA			83.33	70.83
3201042	SULPHUR ROCK ELEMENTARY	Needs Improvement School	Y	Y	N	NA			78.74	71.43
3209038	SOUTHSIDE ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			83.86	76.76
3209039	SOUTHSIDE HIGH SCHOOL	Needs Improvement School	Y	Y	N	Y			80.61	80.77
3209041	SOUTHSIDE MIDDLE SCHOOL	Needs Improvement School	Y	Y	N	NA			83.83	80.74
3209042	SOUTHSIDE JUNIOR HIGH SCHOOL	Needs Improvement School	Y	N	N	NA			74.64	64.66
3211022	MIDLAND ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			72.61	70.94
3211035	MIDLAND HIGH SCHOOL	Needs Improvement School	Y	N	N	Y			70.97	67.65
3212010	CORD-CHARLOTTE ELEM. SCHOOL	Needs Improvement School	Y	N	N	NA			71.43	64.29
3212026	NEWARK ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			83.78	79.63
3212027	CEDAR RIDGE HIGH SCHOOL	Needs Improvement School	Y	Y	N	Y			72.2	60.63
3301001	CALICO ROCK ELEMENTARY SCHOOL	Needs Improvement School	Y	Y	N	NA			82.2	78.75
3301002	CALICO ROCK HIGH SCHOOL	Achieving School	Y	Y	Y	Y			81.18	74.58
3302005	MELBOURNE ELEMENTARY SCHOOL	Needs Improvement School	Y	Y	N	NA			82.39	79.07
3302006	MELBOURNE HIGH SCHOOL	Needs Improvement School	Y	N	Y	N			81.44	70.21
3302010	MOUNT PLEASANT ELEM. SCHOOL	Achieving School	Y	Y	Y	NA			97.7	95.65
3306014	IZARD CO. CONS. ELEM. SCHOOL	Needs Improvement School	Y	N	N	NA			71.43	64.58
3306015	IZARD CO. CONS. HIGH SCHOOL	Needs Improvement School	Y	N	Y	Y			61.11	55
3306016	IZARD COUNTY CONS MIDDLE SCH	Needs Improvement School	Y	Y	N	NA			77.27	73.79

2013 School Status

3403012	NEWPORT JUNIOR HIGH SCHOOL	Achieving School	Y	Y	Y	NA	Y	Y	79.39	73.81
3403013	NEWPORT HIGH SCHOOL	Needs Improvement School	Y	N	Y	Y			58.06	52.38
3403014	NEWPORT ELEMENTARY SCHOOL	Needs Improvement School	Y	Y	N	NA			78.45	74.56
3405019	SWIFTON MIDDLE SCHOOL	Needs Improvement School	Y	Y	N	NA			77.13	71.32
3405024	TUCKERMAN ELEMENTARY SCHOOL	Needs Improvement School	Y	N	Y	NA			86.4	80.77
3405025	TUCKERMAN HIGH SCHOOL	Needs Improvement School	Y	N	Y	Y			69.9	65.28
3502005	ALTHEIMER-MARTIN ELEMENTARY	Needs Improvement Priority School	Y	Y	Y	NA	N	Y	63.89	63.89
3502006	MATTHEWS ELEMENTARY SCHOOL	Needs Improvement School	Y	Y	N	NA			64.73	62.56
3502009	ROBERT F MOREHEAD MIDDLE SCHOO	Needs Improvement Priority School	Y	Y	N	NA	Y	N	59.17	56.98
3502010	DOLLARWAY HIGH SCHOOL	Needs Improvement Priority School	N	N	N	N	N	N	27.17	24.1
3502011	TOWNSEND PARK ELEMENTARY SCHOO	Needs Improvement School	Y	Y	N	NA			64.73	62.56
3505025	BELAIR MIDDLE SCHOOL	Needs Improvement Priority School	Y	N	N	NA	N	N	45.55	42.53
3505026	BROADMOOR ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			60.32	58.29
3505030	GREENVILLE ELEMENTARY SCHOOL	Needs Improvement Priority School	Y	N	N	NA	N	N	58.02	57.69
3505034	OAK PARK ELEMENTARY SCHOOL	Needs Improvement Priority School	Y	Y	N	NA	N	N	54.66	54.49
3505036	THIRTY-FOURTH AVE. ELEM. SCH.	Needs Improvement School	Y	Y	N	NA			70.1	68.28
3505037	SOUTHWOOD ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			66.25	63.83
3505041	SOUTHEAST MIDDLE SCHOOL	Needs Improvement School	Y	N	N	NA			54.81	51.69
3505042	PINE BLUFF HIGH SCHOOL	Needs Improvement Priority School	N	Y	N	N	N	N	48.56	43.98
3505044	JACK ROBEY JR. HIGH SCHOOL	Needs Improvement Priority School	Y	Y	N	NA	Y	N	55.78	51.72
3505046	W. T. CHENEY ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			68	64.79
3509063	EDGEWOOD ELEMENTARY SCHOOL	Needs Improvement School	Y	Y	N	NA			75.9	71.09
3509064	L. L. OWEN ELEMENTARY SCHOOL	Needs Improvement School	Y	Y	N	NA			75.9	71.09
3509066	COLEMAN ELEMENTARY SCHOOL	Needs Improvement School	Y	Y	N	NA			68.16	64.48
3509067	WATSON CHAPEL HIGH SCHOOL	Needs Improvement Focus School	N	N	N	N	N	N	55.32	46.88
3509068	WATSON CHAPEL JR. HIGH SCHOOL	Needs Improvement School	Y	N	N	NA			61.26	54.93
3510076	WHITE HALL HIGH SCHOOL	Needs Improvement School	Y	Y	N	N			66.98	50.63
3510077	REDFIELD MIDDLE SCHOOL	Achieving School	Y	Y	Y	NA			85.34	86.36
3510078	HARDIN ELEMENTARY SCHOOL	Achieving School	Y	Y	Y	NA			95.58	91.94
3510079	MOODY ELEMENTARY SCHOOL	Achieving School	Y	Y	Y	NA			93.44	84.29
3510080	TAYLOR ELEMENTARY SCHOOL	Needs Improvement School	Y	Y	N	NA			88.44	81.72
3510081	WHITE HALL MIDDLE SCHOOL	Needs Improvement School	Y	N	N	NA			83.73	73.39
3510084	GANDY ELEMENTARY SCHOOL	Needs Improvement School	Y	Y	N	NA			89.31	82.93
3541701	PINE BLUFF LIGHTHOUSE ACADEMY	Needs Improvement School	Y	N	Y	NA			51.79	50.94
3541702	PB LIGHTHOUSE UPPER ACADEMY	Achieving School	Y	Y	Y	NA			75	73.68
3601001	PYRON ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			80.2	75.64
3601002	KRAUS MIDDLE SCHOOL	Needs Improvement School	Y	N	N	NA			84.28	78.87
3601003	CLARKSVILLE PRIMARY SCHOOL	Needs Improvement School	Y	N	N	NA			80.2	75.64
3601004	CLARKSVILLE JUNIOR HIGH SCHOOL	Needs Improvement School	Y	N	N	NA			83.96	77.95
3601005	CLARKSVILLE HIGH SCHOOL	Needs Improvement School	Y	N	N	Y			70.07	59.14

2013 School Status

3604018	LAMAR ELEMENTARY SCHOOL	Needs Improvement School	Y	Y	N	NA			84.34	79.66
3604019	LAMAR HIGH SCHOOL	Needs Improvement School	N	N	N	N			79.1	67.5
3604020	LAMAR MIDDLE SCHOOL	Needs Improvement School	Y	Y	N	NA			78.05	73.86
3606025	WESTSIDE ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			65.59	65.59
3606026	WESTSIDE HIGH SCHOOL	Achieving School	Y	Y	Y	Y			79.53	79.53
3701001	BRADLEY ELEMENTARY SCHOOL	Needs Improvement School	Y	Y	N	NA			76.42	70.89
3701002	BRADLEY HIGH SCHOOL	Needs Improvement School	Y	N	Y	N			65.88	63.08
3704007	LAFAYETTE COUNTY ELEMENTARY	Needs Improvement School	Y	Y	N	NA			73.13	71.1
3704013	LAFAYETTE COUNTY HIGH SCHOOL	Achieving School	Y	Y	Y	Y	Y	Y	63.24	58.42
3804009	HOXIE ELEMENTARY SCHOOL	Needs Improvement School	Y	Y	N	NA			89.3	85.71
3804010	HOXIE HIGH SCHOOL	Needs Improvement School	Y	Y	N	Y			74.21	67.63
3806018	SLOAN-HENDRIX ELEM. SCHOOL	Needs Improvement School	Y	N	N	NA			77.5	71.43
3806019	SLOAN-HENDRIX HIGH SCHOOL	Needs Improvement School	Y	Y	N	N			71.58	68.85
3806020	SLOAN-HENDRIX MIDDLE SCHOOL	Needs Improvement School	Y	Y	N	NA			78.32	74.47
3809014	HILLCREST ELEMENTARY SCHOOL	Needs Improvement School	Y	Y	N	NA			80.19	72.97
3809023	HILLCREST HIGH SCHOOL	Needs Improvement School	Y	N	N	Y			62.92	58.73
3810001	BLACK ROCK ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			73.56	69.44
3810002	BLACK ROCK HIGH SCHOOL	Needs Improvement School	N	Y	Y	Y			76.67	70
3810026	WALNUT RIDGE ELEMENTARY SCHOOL	Needs Improvement School	Y	Y	N	NA			80.49	71.23
3810027	WALNUT RIDGE HIGH SCHOOL	Needs Improvement School	Y	Y	N	Y			70.98	66.04
3840701	IMBODEN AREA CHARTER SCHOOL	Needs Improvement School	N	N	Y	NA			66.67	66.67
3904005	WHITTEN ELEMENTARY SCHOOL	Needs Improvement Priority School	N	Y	N	NA	N	N	NA	NA
3904010	ANNA STRONG INTERMEDIATE SCHOO	Needs Improvement Priority School	Y	Y	N	NA			54.47	54.47
3904011	LEE HIGH SCHOOL	Needs Improvement Priority School	Y	N	Y	NA			47.85	47.85
4003014	BROWN ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			73.8	67.1
4003015	STAR CITY MIDDLE SCHOOL	Needs Improvement School	Y	N	N	NA			72.7	63.8
4003016	STAR CITY HIGH SCHOOL	Needs Improvement School	Y	Y	N	Y			70.64	58.06
4101001	L.F. HENDERSON INTERM. SCH.	Needs Improvement Focus School	Y	N	N	NA	N	N	78.47	71.54
4101002	C. D. FRANKS ELEMENTARY SCHOOL	Needs Improvement School	Y	Y	N	NA			70.71	66.67
4101003	ASHDOWN JUNIOR HIGH SCHOOL	Needs Improvement Focus School	Y	Y	N	NA	Y	N	69.31	61.83
4101004	ASHDOWN HIGH SCHOOL	Needs Improvement Focus School	Y	N	N	Y	N	N	54.29	37.74
4101005	MARGARET DANIELS PRIMARY	Needs Improvement School	Y	Y	N	NA			70.71	66.67
4102008	OSCAR HAMILTON ELEMENTARY SCH	Needs Improvement School	Y	Y	N	NA			76.77	69.03
4102010	FOREMAN HIGH SCHOOL	Needs Improvement Focus School	Y	Y	N	N	N	N	72.58	64.63
4201001	BOONEVILLE ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			83.38	79.71
4201002	BOONEVILLE HIGH SCHOOL	Needs Improvement School	Y	N	N	Y			75	64.41
4201003	BOONEVILLE JR HIGH SCHOOL	Achieving School	Y	Y	Y	NA			81.63	75
4202007	MAGAZINE ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			81.38	76.79
4202008	J.D. LEFTWICH HIGH SCHOOL	Needs Improvement School	Y	Y	N	Y			73.58	68.67
4203011	PARIS ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			80.37	74.6

2013 School Status

4203012	PARIS HIGH SCHOOL	Needs Improvement School	Y	N	N	Y			69.23	55.77
4203013	PARIS MIDDLE SCHOOL	Needs Improvement School	Y	Y	N	NA			84.24	78.64
4204016	SCRANTON ELEMENTARY SCHOOL	Achieving School	Y	Y	Y	NA			81.95	75.68
4204019	SCRANTON HIGH SCHOOL	Needs Improvement School	Y	N	N	Y			78.89	66.67
4301027	LONOKE ELEMENTARY SCHOOL	Needs Improvement School	Y	Y	N	NA			77.42	72.41
4301028	LONOKE MIDDLE SCHOOL	Needs Improvement School	Y	N	N	NA			79.6	71.13
4301029	LONOKE HIGH SCHOOL	Needs Improvement School	Y	N	Y	Y			76.12	66.67
4301030	LONOKE PRIMARY SCHOOL	Needs Improvement School	Y	Y	N	NA			77.42	72.41
4302017	ENGLAND ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			70.3	65.43
4302018	ENGLAND HIGH SCHOOL	Needs Improvement School	Y	N	N	Y			62.21	55.65
4303012	CARLISLE ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			83.51	77.24
4303013	CARLISLE HIGH SCHOOL	Needs Improvement School	Y	Y	N	Y			71.59	62.5
4304001	EASTSIDE ELEMENTARY SCHOOL	Needs Improvement School	Y	Y	N	NA			93.51	86.76
4304002	CENTRAL ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			83.05	76.71
4304004	CABOT JUNIOR HIGH SOUTH	Needs Improvement School	Y	Y	N	NA			84.43	72.93
4304005	CABOT HIGH SCHOOL	Needs Improvement School	Y	N	Y	Y			80.26	62.09
4304006	WESTSIDE ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			85.33	81.48
4304007	SOUTHSIDE ELEMENTARY SCHOOL	Achieving School	Y	Y	Y	NA			91.58	82.26
4304008	NORTHSIDE ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			85.92	78.05
4304009	WARD CENTRAL ELEMENTARY	Needs Improvement School	Y	Y	N	NA			81.78	75.82
4304010	CABOT MIDDLE SCHOOL SOUTH	Needs Improvement School	Y	Y	N	NA			87.85	75.9
4304011	CABOT JUNIOR HIGH NORTH	Needs Improvement School	Y	N	N	NA			84.97	72.76
4304012	CABOT MIDDLE SCHOOL NORTH	Needs Improvement School	Y	N	N	NA			86.75	76.88
4304013	MAGNESS CREEK ELEMENTARY	Needs Improvement School	Y	N	N	NA			91.18	78
4304014	STAGECOACH ELEMENTARY SCHOOL	Needs Improvement School	Y	N	Y	NA			88.46	73.44
4304015	MOUNTAIN SPRINGS ELEM SCHOOL	Needs Improvement School	Y	Y	N	NA			94.55	80
4304016	CABOT LEARNING(IALE) ACADEMY	Needs Improvement School	Y	N	N	NA			14.29	14.29
4304703	ACADEMIC CENTER FOR EXCELLENCE	Needs Improvement Focus School	Y	N	N	N	N	N	78.95	55.56
4401001	WATSON PRIMARY SCHOOL	Needs Improvement School	Y	Y	N	NA			84.31	79.93
4401002	HUNTSVILLE MIDDLE SCHOOL	Needs Improvement School	Y	Y	N	NA			87.27	81.68
4401003	HUNTSVILLE HIGH SCHOOL	Needs Improvement School	Y	N	Y	Y			72.66	60
4401004	HUNTSVILLE INTERMEDIATE SCH	Needs Improvement School	Y	Y	N	NA			84.31	79.93
4401011	ST. PAUL ELEMENTARY SCHOOL	Achieving School	Y	Y	Y	NA			90	87.76
4401012	ST. PAUL HIGH SCHOOL	Needs Improvement School	Y	Y	Y	N			56.41	52.94
4501001	FLIPPIN ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			79.52	77.52
4501002	FLIPPIN HIGH SCHOOL	Needs Improvement School	N	N	Y	Y			66.67	61.76
4501003	FLIPPIN MIDDLE SCHOOL	Needs Improvement School	Y	N	N	NA			75.34	69.37
4502005	YELLVILLE-SUMMIT ELEM. SCHOOL	Needs Improvement School	Y	N	N	NA			80.54	74.82
4502006	YELLVILLE-SUMMIT HIGH SCHOOL	Needs Improvement School	Y	N	N	N			78.14	72.22
4602005	GENOA CENTRAL ELEM. SCHOOL	Achieving School	Y	Y	Y	NA			91.24	84.29

2013 School Status

4602006	GENOA CENTRAL HIGH SCHOOL	Needs Improvement School	Y	N	N	N			64.29	43.33
4602007	GARY E. COBB MIDDLE SCHOOL	Needs Improvement School	Y	Y	N	NA			89.61	85.16
4603009	FOUKE ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			86.76	85.21
4603010	FOUKE HIGH SCHOOL	Needs Improvement School	Y	N	Y	N			69.01	68.42
4603011	PAULETTE SMITH MIDDLE SCHOOL	Needs Improvement School	Y	N	N	NA			74.14	67.41
4605019	COLLEGE HILL ELEMENTARY SCHOOL	Achieving School	Y	Y	Y	NA			95.45	93.85
4605020	FAIRVIEW ELEMENTARY SCHOOL	Achieving School	Y	Y	Y	NA			74.19	72.09
4605021	VERA KILPATRICK ELEM. SCHOOL	Needs Improvement School	Y	Y	N	NA			83.09	81.45
4605022	UNION ELEMENTARY SCHOOL	Needs Improvement Focus School	Y	Y	Y	NA	N	Y	85.9	84.72
4605024	COLLEGE HILL MIDDLE	Needs Improvement Focus School	Y	N	N	NA	Y	N	65.06	58.58
4605025	NORTH HEIGHTS JR. HIGH SCHOOL	Achieving School	Y	Y	Y	NA	Y	Y	67.67	63.24
4605026	ARKANSAS HIGH SCHOOL	Needs Improvement Priority School	Y	N	N	Y	N	N	54.55	40.54
4605027	EDWARD D. TRICE ELEM. SCHOOL	Needs Improvement School	Y	N	N	NA			79.55	74.84
4701001	ARMOREL ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			89.6	80
4701002	ARMOREL HIGH SCHOOL	Needs Improvement School	Y	Y	N	Y			87.61	77.08
4702006	CENTRAL ELEMENTARY SCHOOL	Needs Improvement School	Y	Y	N	NA			63.01	63.01
4702008	BLYTHEVILLE PRIMARY SCHOOL	Needs Improvement School	Y	Y	N	NA			63.01	63.01
4702011	BLYTHEVILLE INTERMEDIATE SCH	Needs Improvement Priority School	Y	N	N	NA	N	N	52	52
4702012	BLYTHEVILLE MIDDLE SCHOOL	Needs Improvement Focus School	Y	Y	N	NA	Y	N	54.76	54.76
4702013	BLYTHEVILLE HIGH SCHOOL	Needs Improvement Focus School	Y	N	N	N	N	N	43.67	43.67
4702703	BLYTHEVILLE CHARTER SCHOOL&ALC	Needs Improvement Priority School	N	N	Y	N	N	N	13.79	13.79
4706039	SO MISS COUNTY ELEM AT LUXORA	Needs Improvement School	Y	Y	N	NA			77.14	77.14
4706040	SOUTH MISS CTY ELEM @ WILSON	Needs Improvement School	Y	Y	N	NA			78.77	75.21
4706059	SO MISS COUNTY ELEM AT KEISER	Needs Improvement School	Y	Y	N	NA			85.14	82
4706066	RIVERCREST HIGH SCHOOL	Needs Improvement School	Y	N	N	Y			65.59	61.4
4708028	GOSNELL ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			81.17	74.91
4708031	GOSNELL HIGH SCHOOL	Achieving School	Y	Y	Y	Y			78.59	72.91
4712043	MANILA ELEMENTARY SCHOOL	Achieving School	Y	Y	Y	NA			88.28	84.09
4712044	MANILA HIGH SCHOOL	Needs Improvement School	Y	N	Y	N			71.01	59.52
4712045	MANILA MIDDLE SCHOOL	Needs Improvement School	Y	Y	N	NA			76.09	69.04
4713050	OSCEOLA MIDDLE SCHOOL	Needs Improvement Priority School	N	N	N	NA	Y	N	NA	NA
4713051	OSCEOLA HIGH SCHOOL	Needs Improvement Priority School	Y	N	Y	Y	N	N	49.33	49.33
4713052	NORTH ELEMENTARY SCHOOL	Achieving School	Y	Y	Y	NA			78.67	78.67
4713053	CARROLL SMITH ELEMENTARY SCHOO	Achieving School	Y	Y	Y	NA			78.67	78.67
4713054	OSCEOLA ACADEMIC CENTER	Needs Improvement School	N	N	N	NA			NA	NA
4713705	OSCEOLA STEM CHARTER	Needs Improvement Priority School	Y	Y	N	NA			67.14	67.14
4801001	C.B. PARTEE ELEMENTARY SCHOOL	Needs Improvement School	Y	N	Y	NA			83.92	83.92
4801003	BRINKLEY HIGH SCHOOL	Needs Improvement Focus School	Y	N	N	Y	N	N	59.83	59.83
4802008	CLARENDON ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			68.31	66.67
4802010	CLARENDON HIGH SCHOOL	Needs Improvement Focus School	Y	Y	N	Y	N	N	65.85	60.58

2013 School Status

4901001	CADDO HILLS ELEMENTARY SCHOOL	Needs Improvement School	Y	Y	N	NA			87.5	85.38
4901003	CADDO HILLS HIGH SCHOOL	Needs Improvement School	N	Y	Y	N			79.82	75.56
4902006	MOUNT IDA ELEMENTARY SCHOOL	Needs Improvement School	Y	Y	N	NA			85.21	80.81
4902007	MOUNT IDA HIGH SCHOOL	Needs Improvement School	Y	Y	N	Y			79.09	73.85
5006022	PRESCOTT ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			89.12	86.99
5006023	MCRAE MIDDLE SCHOOL	Achieving School	Y	Y	Y	NA	Y	Y	82.48	80.91
5006024	PRESCOTT HIGH SCHOOL	Needs Improvement School	Y	N	N	Y			68.45	59.73
5008013	NEVADA ELEMENTARY SCHOOL	Needs Improvement School	Y	Y	N	NA			78.57	74.16
5008014	NEVADA HIGH SCHOOL	Needs Improvement Focus School	Y	Y	Y	Y	N	Y	68.97	63.64
5102005	JASPER ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			82	76.99
5102006	JASPER HIGH SCHOOL	Achieving School	Y	Y	Y	Y			78.57	78.95
5102007	KINGSTON ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			76	70.59
5102008	KINGSTON HIGH SCHOOL	Needs Improvement School	Y	Y	N	Y			84	83.33
5102023	OARK ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			74.29	71.88
5102024	OARK HIGH SCHOOL	Needs Improvement Focus School	Y	Y	Y	Y	N	Y	70.83	70.27
5106001	DEER ELEMENTARY SCHOOL	Needs Improvement School	N	N	N	NA			72.41	65.96
5106002	DEER HIGH SCHOOL	Needs Improvement School	Y	N	N	Y			71.43	72.22
5106009	MOUNT JUDEA ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			56.52	51.28
5106010	MOUNT JUDEA HIGH SCHOOL	Needs Improvement Focus School	Y	N	N	N	N	N	48.48	44.83
5201001	BEARDEN ELEMENTARY SCHOOL	Needs Improvement School	Y	Y	N	NA			75.16	70.77
5201002	BEARDEN HIGH SCHOOL	Needs Improvement School	Y	N	N	N			67.91	63.04
5204021	FAIRVIEW ELEMENTARY SCHOOL	Needs Improvement School	Y	Y	N	NA			73.65	67.91
5204023	CAMDEN FAIRVIEW HIGH SCHOOL	Needs Improvement Focus School	Y	N	N	N	N	N	56.88	46.55
5204025	IVORY PRIMARY SCHOOL	Needs Improvement School	Y	Y	N	NA			73.65	67.91
5204026	CAMDEN FAIRVIEW INTERMEDIATE	Needs Improvement School	Y	Y	N	NA			82.78	78.76
5204028	CAMDEN FAIRVIEW MIDDLE SCHOOL	Needs Improvement Focus School	Y	N	N	NA	N	N	62.63	57.07
5205011	SPARKMAN ELEMENTARY SCHOOL	Needs Improvement School	Y	Y	N	NA			78.18	71.43
5205012	SPARKMAN HIGH SCHOOL	Needs Improvement Focus School	N	N	N	N	N	N	60	50
5205028	HARMONY GROVE ELEM. SCHOOL	Needs Improvement School	Y	Y	N	NA			78.45	71.53
5205029	HARMONY GROVE HIGH SCHOOL	Needs Improvement School	Y	N	N	Y			72.22	55.1
5206032	STEPHENS ELEMENTARY SCHOOL	Needs Improvement Focus School	Y	N	N	NA	N	N	62.22	60.71
5206033	STEPHENS HIGH SCHOOL	Needs Improvement Priority School	N	Y	N	N	N	N	51.39	50
5301001	ANNE WATSON ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			76	66.96
5301002	BIGELOW HIGH SCHOOL	Needs Improvement School	Y	Y	Y	N			79.17	69.33
5303010	PERRYVILLE ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			83.27	76.36
5303011	PERRYVILLE HIGH SCHOOL	Needs Improvement School	Y	Y	N	N			77.73	70.21
5401002	BARTON ELEMENTARY SCHOOL	Needs Improvement School	Y	Y	N	NA			79.74	76.85
5401003	BARTON HIGH SCHOOL	Achieving School	Y	Y	Y	Y			64.82	60
5403011	BEECH CREST ELEMENTARY SCHOOL	Needs Improvement School	N	N	N	NA			NA	NA
5403015	J.F. WAHL ELEMENTARY SCHOOL	Needs Improvement Focus School	N	N	N	NA	N	N	NA	NA

2013 School Status

5403016	WEST SIDE ELEMENTARY SCHOOL	Needs Improvement School	N	N	N	NA			NA	NA
5403018	MILLER JUNIOR HIGH SCHOOL	Needs Improvement Focus School	N	N	N	NA	Y	N	NA	NA
5403019	CENTRAL HIGH SCHOOL	Needs Improvement Priority School	Y	Y	N	Y	N	N	47.93	46.93
5403020	ELIZA MILLER PRIMARY SCHOOL	Needs Improvement School	Y	N	Y	NA			64.6	63.3
5403021	ELIZA MILLER ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			61.22	60.53
5404030	MARVELL-ELAINE ELEMENTARY SCH	Achieving School	Y	Y	Y	NA	Y	Y	81.05	81.05
5404032	MARVELL-ELAINE HIGH SCHOOL	Achieving School	Y	Y	Y	Y	Y	Y	55.08	53.51
5440701	KIPP DELTA ELEM LITERACY ACAD	Needs Improvement School	Y	Y	N	NA			79.53	79.17
5440702	KIPP:DELTA COLLEGE PREP SCHOOL	Needs Improvement School	Y	Y	N	NA			80.07	78.01
5440703	KIPP:DELTA COLLEGIATE HIGH SCH	Needs Improvement School	Y	Y	N	N			73.47	69.77
5440705	KIPP: BLYTHEVILLE COLLEGE PREP	Achieving School	Y	Y	Y	NA			78.61	77.5
5502006	CENTERPOINT PRIMARY SCHOOL	Achieving School	Y	Y	Y	NA			95.59	94.23
5502008	CENTERPOINT INTERMEDIATE SCH	Needs Improvement School	Y	Y	N	NA			87.94	84.38
5502010	CENTERPOINT HIGH SCHOOL	Needs Improvement School	Y	N	N	N			70.52	65.26
5503010	KIRBY ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			84.88	78.33
5503011	KIRBY HIGH SCHOOL	Needs Improvement Focus School	Y	Y	Y	N	N	N	76.34	71.67
5504001	DELIGHT ELEMENTARY SCHOOL	Achieving School	Y	Y	Y	NA			86.44	82.93
5504014	MURFREESBORO ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			68.32	61.61
5504015	MURFREESBORO HIGH SCHOOL	Needs Improvement School	Y	N	N	N			69.7	60
5602005	HARRISBURG ELEMENTARY SCHOOL	Achieving School	Y	Y	Y	NA			85.61	85.61
5602007	HARRISBURG HIGH SCHOOL	Needs Improvement School	N	N	N	N			67.61	67.61
5602008	HARRISBURG MIDDLE SCHOOL	Needs Improvement School	Y	N	N	NA			66.27	66.27
5602031	WEINER ELEMENTARY	Needs Improvement School	Y	Y	N	NA			83.33	76.6
5602032	WEINER HIGH SCHOOL	Needs Improvement School	N	Y	Y	Y			77.78	79.49
5604015	MARKED TREE ELEMENTARY SCHOOL	Needs Improvement School	Y	Y	N	NA			82.18	77.78
5604017	MARKED TREE HIGH SCHOOL	Needs Improvement School	Y	Y	Y	N			60.98	58.82
5604018	MARKED TREE MIDDLE SCHOOL	Achieving School	Y	Y	Y	NA			78.83	74.11
5605001	TRUMANN INTERMEDIATE SCH 5-6	Needs Improvement School	Y	Y	N	NA			65.64	60.66
5605021	CEDAR PARK ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			78.11	71.9
5605023	TRUMANN HIGH SCHOOL	Needs Improvement School	Y	N	N	Y			50.62	38.46
5605024	TRUMANN INTERMEDIATE SCHOOL7-8	Needs Improvement School	Y	N	N	NA			67.14	58.06
5608034	LEPANTO ELEMENTARY	Needs Improvement School	Y	Y	N	NA			80.56	75.93
5608035	TYRONZA ELEMENTARY	Needs Improvement School	Y	Y	N	NA			77.08	72.88
5608037	EAST POINSETT CO. HIGH SCHOOL	Needs Improvement School	Y	Y	Y	N			68.83	62.07
5703009	LOUISE DURHAM ELEM. SCHOOL	Needs Improvement School	Y	Y	N	NA			89.78	86.27
5703010	HOLLY HARSHMAN ELEM. SCHOOL	Needs Improvement School	Y	Y	N	NA			89.78	86.27
5703011	MENA MIDDLE SCHOOL	Needs Improvement School	Y	N	N	NA			72.36	67.16
5703012	MENA HIGH SCHOOL	Needs Improvement School	Y	N	N	N			71.54	64
5706001	ACORN ELEMENTARY SCHOOL	Needs Improvement School	Y	Y	N	NA			82.55	80.17
5706002	ACORN HIGH SCHOOL	Needs Improvement School	Y	Y	N	Y			79.35	77.59

2013 School Status

5706010	ODEN MADDOX ELEMENTARY SCHOOL	Needs Improvement School	Y	N	Y	NA			79.25	76.09
5706011	ODEN HIGH SCHOOL	Needs Improvement School	Y	Y	N	N			73.58	70.21
5707016	UMPIRE ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			85	85
5707017	UMPIRE HIGH SCHOOL	Achieving School	Y	Y	Y	NA			75.76	75.76
5707018	VAN COVE HIGH SCHOOL	Needs Improvement Focus School	Y	Y	Y	NA	N	Y	69.23	69.23
5707019	VAN COVE ELEMENTARY SCHOOL	Achieving School	Y	Y	Y	NA			89.8	89.8
5707021	WICKES ELEMENTARY SCHOOL	Achieving School	Y	Y	Y	NA			87.36	87.36
5707022	WICKES HIGH SCHOOL	Needs Improvement School	Y	N	N	NA			68.29	68.29
5801001	ATKINS ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			88.57	86.67
5801002	ATKINS HIGH SCHOOL	Needs Improvement School	N	Y	N	N			69.84	65.71
5801003	ATKINS MIDDLE SCHOOL	Needs Improvement School	Y	N	N	NA			82.13	72.41
5802006	DOVER HIGH SCHOOL	Needs Improvement School	Y	N	Y	N			72.94	64.71
5802008	DOVER MIDDLE SCHOOL	Needs Improvement School	Y	Y	N	NA			84.57	79
5802009	DOVER ELEMENTARY SCHOOL	Achieving School	Y	Y	Y	NA			94.08	90.72
5803009	HECTOR ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			85.71	82.27
5803010	HECTOR HIGH SCHOOL	Needs Improvement School	Y	Y	N	N			84.17	80.39
5804013	POTTSVILLE ELEMENTARY SCHOOL	Needs Improvement School	Y	N	Y	NA			93.6	88.24
5804014	POTTSVILLE HIGH SCHOOL	Needs Improvement School	Y	N	Y	N			78	67.74
5804015	POTTSVILLE MIDDLE GRADE	Needs Improvement School	Y	Y	N	NA			94.57	90.11
5804016	POTTSVILLE JUNIOR HIGH SCHOOL	Needs Improvement School	Y	N	N	NA			87.59	78.03
5805017	CRAWFORD ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			85.5	86.09
5805018	DWIGHT ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			79.52	74.55
5805019	LONDON ELEMENTARY SCHOOL	Achieving School	Y	Y	Y	NA			93.88	90
5805020	OAKLAND HEIGHTS ELEM. SCHOOL	Needs Improvement School	Y	N	N	NA			76.83	72.79
5805021	SEQUOYAH ELEMENTARY SCHOOL	Achieving School	Y	Y	Y	NA			90.12	83.1
5805022	RUSSELLVILLE MIDDLE SCHOOL	Needs Improvement School	Y	N	N	NA			78.34	70.74
5805023	RUSSELLVILLE JR. HIGH SCHOOL	Needs Improvement School	Y	N	Y	NA			80.24	70.16
5805024	RUSSELLVILLE HIGH SCHOOL	Needs Improvement School	Y	N	N	N			74.17	57.83
5805025	CENTER VALLEY ELEM. SCHOOL	Needs Improvement School	Y	N	Y	NA			89.68	80.3
5805026	RUSSELLVILLE UPPER ELEM. SCH.	Needs Improvement School	Y	Y	N	NA			87.6	82.55
5901001	DES ARC ELEMENTARY SCHOOL	Achieving School	Y	Y	Y	NA			89.1	85.84
5901002	DES ARC HIGH SCHOOL	Needs Improvement School	Y	Y	N	Y			72.31	65.96
5903011	HAZEN ELEMENTARY SCHOOL	Needs Improvement School	Y	Y	N	NA			78.37	71.08
5903012	HAZEN HIGH SCHOOL	Needs Improvement School	N	N	Y	Y			47.73	32.14
6001001	CENTRAL HIGH SCHOOL	Needs Improvement Focus School	Y	Y	N	Y	N	N	75.42	55.2
6001002	HALL HIGH SCHOOL	Needs Improvement Priority School	N	N	N	Y	N	N	41.36	38.6
6001003	MANN MAGNET MIDDLE SCHOOL	Needs Improvement School	Y	N	N	NA			74.25	67.84
6001005	PARKVIEW MAGNET HIGH SCHOOL	Achieving School	Y	Y	Y	Y			79.92	69.16
6001006	BOOKER ARTS MAGNET ELEM. SCH.	Needs Improvement School	Y	N	N	NA			76.3	71.89
6001007	DUNBAR MAGNET MIDDLE SCHOOL	Needs Improvement Focus School	Y	N	N	NA	N	N	70.03	67.02

2013 School Status

6001009	FOREST HEIGHTS MIDDLE SCHOOL	Needs Improvement School	Y	N	N	NA			51.22	48.17
6001010	PULASKI HEIGHTS MIDDLE SCHOOL	Needs Improvement Focus School	Y	N	N	NA	Y	N	81.23	64.57
6001013	HENDERSON MIDDLE SCHOOL	Needs Improvement Priority School	Y	N	N	NA	Y	N	47.17	45.11
6001017	BALE ELEMENTARY SCHOOL	Needs Improvement Focus School	Y	N	N	NA	Y	N	52.56	51.45
6001018	BRADY ELEMENTARY SCHOOL	Achieving School	Y	Y	Y	NA	Y	Y	76.72	76.09
6001020	MCDERMOTT ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			75.74	72.11
6001021	CARVER MAGNET ELEM. SCHOOL	Needs Improvement School	Y	Y	N	NA			81.73	78.38
6001024	FOREST PARK ELEMENTARY SCHOOL	Achieving School	Y	Y	Y	NA			96.71	92.16
6001025	FRANKLIN INCENTIVE ELEM. SCH.	Needs Improvement Focus School	Y	Y	N	NA	N	N	72	69.44
6001027	GIBBS MAGNET ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			84.44	74.24
6001029	WESTERN HILLS ELEM. SCHOOL	Needs Improvement School	Y	N	N	NA			64.44	61.54
6001030	JEFFERSON ELEMENTARY SCHOOL	Achieving School	Y	Y	Y	NA			94.3	82
6001033	MEADOWCLIFF ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			69.17	67.33
6001035	M.L. KING MAGNET ELEM. SCHOOL	Needs Improvement Focus School	Y	N	N	NA	N	N	65.5	61.62
6001038	PULASKI HEIGHTS ELEM. SCHOOL	Needs Improvement School	Y	N	N	NA			82.91	68.22
6001040	ROMINE INTERDIST. ELEM. SCHOOL	Needs Improvement Focus School	Y	Y	N	NA	N	N	52.98	51.13
6001041	STEPHENS ELEMENTARY	Needs Improvement Focus School	Y	Y	N	NA	N	N	69.14	68.09
6001042	WASHINGTON MAGNET ELEM. SCHOOL	Needs Improvement School	Y	Y	N	NA			64.41	62.73
6001043	WILLIAMS MAGNET ELEM. SCHOOL	Needs Improvement School	Y	N	N	NA			92.08	88.46
6001044	WILSON ELEMENTARY SCHOOL	Achieving School	Y	Y	Y	NA	Y	Y	71.15	70.41
6001047	TERRY ELEMENTARY SCHOOL	Achieving School	Y	Y	Y	NA			83.12	81.02
6001048	FULBRIGHT ELEMENTARY SCHOOL	Needs Improvement School	Y	Y	N	NA			84.74	72
6001050	ROCKEFELLER INCENTIVE ELEM.	Needs Improvement School	Y	N	N	NA			54.78	52.29
6001052	BASELINE ELEMENTARY SCHOOL	Needs Improvement Priority School	Y	N	N	NA	N	N	42.86	41.44
6001055	DAVID O'DODD ELEMENTARY SCHOOL	Needs Improvement School	Y	Y	N	NA			67.46	65.52
6001056	GEYER SPRINGS ELEM. SCHOOL	Needs Improvement Priority School	Y	N	N	NA	N	N	59.18	59.3
6001057	MABELVALE ELEMENTARY SCHOOL	Needs Improvement School	Y	Y	N	NA			74.52	71.93
6001058	OTTER CREEK ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			80.99	78.01
6001059	WAKEFIELD ELEMENTARY SCHOOL	Needs Improvement Focus School	Y	Y	N	NA	N	N	75.7	75.26
6001062	MABELVALE MIDDLE SCHOOL	Needs Improvement School	Y	N	N	NA			53.95	50.99
6001063	J.A. FAIR HIGH SCHOOL	Needs Improvement Priority School	N	N	N	N	N	N	35.59	33.64
6001064	MCCLELLAN MAGNET HIGH SCHOOL	Needs Improvement Priority School	N	Y	N	Y	N	N	43.85	43.11
6001067	ALTERNATIVE AGENCIES	Needs Improvement School	N	N	N	NA			6.67	6.67
6001068	ACCELERATED LEARNING PROGRAM	Needs Improvement School	N	N	N	Y			0	0
6001070	W.D. HAMILTON LEARNING ACADEMY	Needs Improvement School	N	N	N	NA			0	0
6001071	WATSON INTERMEDIATE SCHOOL	Needs Improvement School	Y	N	N	NA			55.37	53.53
6001072	CHICOT PRIMARY SCHOOL	Needs Improvement School	Y	N	N	NA			55.37	53.53
6001073	DON ROBERTS ELEMENTARY SCHOOL	Achieving School	Y	Y	Y	NA			93.44	80.95
6001074	FELDER MIDDLE SCH LEARN ACADEM	Needs Improvement School	N	N	N	NA			NA	NA
6001702	CLOVERDALE AEROSPACE TECH CHAR	Needs Improvement Priority School	Y	Y	N	NA	N	N	46.23	45.26

2013 School Status

6002050	AMBOY ELEMENTARY SCHOOL	Needs Improvement School	Y	Y	N	NA			72.67	71.13
6002053	BELWOOD ELEMENTARY SCHOOL	Needs Improvement Focus School	N	N	N	NA	Y	N	NA	NA
6002054	BOONE PARK ELEMENTARY SCHOOL	Achieving School	Y	Y	Y	NA	Y	Y	73.13	72.73
6002055	CRESTWOOD ELEMENTARY SCHOOL	Needs Improvement Focus School	Y	N	N	NA	N	N	88.84	74.71
6002056	GLENVIEW ELEMENTARY SCHOOL	Achieving School	Y	Y	Y	NA			79.37	79.37
6002057	INDIAN HILLS ELEMENTARY SCHOOL	Needs Improvement Focus School	Y	N	N	NA	N	N	83.05	65.18
6002058	LAKEWOOD ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			88.07	77.08
6002059	POPLAR STREET MIDDLE SCHOOL	Needs Improvement Focus School	N	N	N	NA	N	N	NA	NA
6002060	LYNCH DRIVE ELEMENTARY SCHOOL	Needs Improvement Focus School	Y	N	N	NA	Y	N	69.79	69.15
6002061	MEADOW PARK ELEMENTARY SCHOOL	Needs Improvement School	Y	Y	N	NA			84.15	83.95
6002063	NO. HEIGHTS ELEMENTARY SCHOOL	Needs Improvement Focus School	Y	Y	N	NA	Y	N	75.42	74.12
6002064	PARK HILL ELEMENTARY SCHOOL	Needs Improvement School	Y	Y	N	NA			83.19	82.86
6002065	PIKE VIEW ELEMENTARY SCHOOL	Needs Improvement Focus School	Y	N	N	NA	Y	N	66.43	63.85
6002069	SEVENTH STREET ELEM. SCHOOL	Needs Improvement Focus School	Y	Y	Y	NA	N	Y	79.07	79.07
6002070	LAKEWOOD MIDDLE SCHOOL	Needs Improvement Focus School	Y	N	N	NA	N	N	71.5	56.7
6002077	ROSE CITY MIDDLE SCHOOL	Needs Improvement Priority School	N	N	N	NA	N	N	NA	NA
6002080	NORTH LITTLE ROCK ACADEMY	Needs Improvement School	N	N	N	NA			18.18	18.18
6002081	RIDGEROAD MIDDLE SCHOOL	Needs Improvement School	Y	N	N	NA			53.85	51.99
6002082	NORTH LITTLE ROCK HIGH SCHOOL	Needs Improvement School	N	N	N	NA			75.04	59.04
6003092	BAKER INTERDISTRICT ELEM. SCH.	Needs Improvement School	Y	N	N	NA			92.72	74.19
6003093	CRYSTAL HILL ELEMENTARY	Needs Improvement School	Y	N	N	NA			84.7	70.7
6003094	BAYOU METO ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			81.29	76.85
6003095	CLINTON ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			84.31	76.69
6003099	WARREN DUPREE ELEM. SCHOOL	Needs Improvement School	Y	N	N	NA			78.32	75.86
6003102	HARRIS ELEMENTARY SCHOOL	Needs Improvement Priority School	Y	Y	N	NA	N	N	58.02	57.5
6003104	LANDMARK ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			75.51	72.5
6003105	LAWSON ELEMENTARY SCHOOL	Needs Improvement School	Y	Y	N	NA			78.3	69.86
6003106	TOLLESON ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			81.2	73.17
6003108	OAK GROVE ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			74.12	69.57
6003110	JOE T. ROBINSON ELEM. SCHOOL	Needs Improvement School	N	Y	Y	NA			91.78	89.29
6003111	SCOTT ELEMENTARY SCHOOL	Needs Improvement School	Y	Y	N	NA			74.14	76.47
6003112	SHERWOOD ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			78.4	68.27
6003113	SYLVAN HILLS ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			84.62	80.17
6003119	JACKSONVILLE MIDDLE SCHOOL	Needs Improvement School	Y	N	N	NA			43.15	37.91
6003120	FULLER MIDDLE SCHOOL	Needs Improvement Focus School	Y	N	N	NA	N	N	56.98	48.33
6003122	SYLVAN HILLS MIDDLE SCHOOL	Needs Improvement School	Y	N	N	NA			69.86	57.92
6003123	JACKSONVILLE HIGH SCHOOL	Needs Improvement Priority School	N	N	Y	Y	N	N	45.21	38.61
6003125	WILBUR D. MILLS HIGH SCHOOL	Needs Improvement Priority School	N	N	N	Y	N	N	51.55	38.2
6003127	JOE T. ROBINSON HIGH SCHOOL	Needs Improvement School	N	N	N	Y			67.29	63.46
6003128	SYLVAN HILLS HIGH SCHOOL	Needs Improvement School	N	Y	N	N			68.68	55.06

2013 School Status

6003129	CATO ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			77.87	74.23
6003130	PINEWOOD ELEMENTARY SCHOOL	Needs Improvement School	Y	Y	N	NA			81.54	80.67
6003135	COLLEGE STATION ELEM. SCHOOL	Achieving School	Y	Y	Y	NA			87.29	83.7
6003136	NORTH PULASKI HIGH SCHOOL	Needs Improvement School	Y	N	N	N			56.25	42.47
6003137	ARNOLD DRIVE ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			88.1	83.78
6003139	OAKBROOKE ELEMENTARY SCHOOL	Needs Improvement School	N	Y	Y	NA			88.1	82.35
6003140	NORTHWOOD MIDDLE SCHOOL	Needs Improvement School	Y	N	N	NA			70.76	60.92
6003141	MURRELL TAYLOR ELEM. SCHOOL	Needs Improvement Focus School	Y	Y	N	NA	N	N	80.75	78.57
6003142	PINE FOREST ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			85.77	72.8
6003143	JOE T. ROBINSON MIDDLE SCHOOL	Needs Improvement School	Y	N	N	NA			71.57	60.63
6003146	BATES ELEMENTARY SCHOOL	Needs Improvement School	Y	Y	N	NA			66	62.92
6003149	MAUMELLE MIDDLE SCHOOL	Needs Improvement Focus School	Y	Y	N	NA	N	N	76.38	64.08
6003150	CHENAL ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			91.32	77.57
6003151	MAUMELLE HIGH SCHOOL	Needs Improvement School	Y	N	N	NA			62.26	40.51
6040702	ACADEMICS PLUS	Achieving School	Y	Y	Y	NA			86.83	79.52
6040703	ACADEMICS PLUS	Needs Improvement School	Y	Y	N	Y			81.03	66.67
6041702	LISA ACADEMY	Needs Improvement School	Y	N	N	N			84.34	73.37
6041703	LISA ACADEMY HIGH	Needs Improvement School	Y	Y	N	Y			100	100
6042701	DREAMLAND ACADEMY	Needs Improvement School	N	Y	N	NA			NA	NA
6043701	ARK VIRTUAL ACADEMY ELEMENTARY	Needs Improvement School	Y	Y	N	NA			73.17	65.69
6043702	ARK VIRTUAL ACADEMY MIDDLE SCH	Needs Improvement School	Y	Y	N	NA			72.17	64.1
6044702	COVENANT KEEPERS CHARTER	Needs Improvement Priority School	Y	N	N	NA	Y	N	55.21	53.76
6044703	COVENANT KEEPERS HIGH	Needs Improvement School	N	N	N	NA			42.11	31.25
6045701	ESTEM ELEMENTARY CHARTER	Achieving School	Y	Y	Y	NA			84.57	71.62
6046702	ESTEM MIDDLE SCHOOL	Needs Improvement School	Y	Y	N	NA			84.43	73.4
6047703	ESTEM HIGH CHARTER	Needs Improvement School	Y	Y	N	NA			82.73	73.53
6048701	LISA ACADEMY NORTH ELEM	Needs Improvement School	Y	Y	N	NA			82.91	78.05
6048702	LISA ACADEMY NORTH MIDDLE	Needs Improvement School	Y	N	N	NA			79.58	62.96
6048703	LISA ACADEMY-NLR HIGH SCHOOL	Needs Improvement School	Y	N	Y	NA			81.25	50
6049701	LITTLE PREP ACADEMY ELEMENTARY	Needs Improvement School	Y	Y	N	NA			62.5	64.06
6049702	LITTLE ROCK PREP ACADEMY	Needs Improvement School	Y	Y	N	NA			54.55	51.14
6050701	JACKSONVILLE LIGHTHOUSE CHARTE	Needs Improvement School	Y	Y	N	NA			76.09	75
6050702	JACKSONVILLE LIGHTHOUSE MIDDLE	Needs Improvement School	Y	Y	N	NA			74.6	70.4
6050703	COLLEGE PREP ACADEMY	Needs Improvement School	N	NA	N	NA			NA	NA
6050705	FLIGHTLINE UPPER ACADEMY	Needs Improvement School	Y	N	N	NA			80.37	71.88
6052703	SIATECH HIGH CHARTER	Needs Improvement School	N	N	N	NA			3.57	3.57
6091001	ARK. SCHOOL FOR THE BLIND ELEM	Needs Improvement School	N	N	N	NA			40.91	40.91
6091002	ARK. SCHOOL FOR THE BLIND H.S.	Needs Improvement School	N	N	N	N			28.57	28.57
6092001	ARK. SCHOOL FOR THE DEAF ELEM.	Needs Improvement School	Y	N	N	NA			0	0
6092002	ARK. SCHOOL FOR THE DEAF H.S.	Needs Improvement School	N	N	N	N			0	0

2013 School Status

6094001	DIV OF YOUTH SERVICE SCHOOL	Needs Improvement School	N	N	N	NA			NA	NA
6102005	MAYNARD ELEMENTARY SCHOOL	Needs Improvement School	Y	Y	N	NA			63.28	63.28
6102006	MAYNARD HIGH SCHOOL	Needs Improvement Focus School	Y	Y	N	Y	Y	N	71.13	71.13
6103009	ALMA SPIKES ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			83.3	78.09
6103010	POCAHONTAS HIGH SCHOOL	Needs Improvement School	Y	N	N	N			64.29	53.03
6103011	POCAHONTAS UPPER ELEM. SCHOOL	Needs Improvement School	Y	N	N	NA			83.3	78.09
6103012	POCAHONTAS JUNIOR HIGH SCHOOL	Needs Improvement School	Y	Y	N	NA			82.78	75
6201003	CENTRAL ELEMENTARY SCHOOL	Needs Improvement Focus School	Y	N	N	NA	Y	N	56.25	56.25
6201010	FORREST CITY JR. HIGH	Needs Improvement Priority School	Y	Y	Y	NA	N	Y	51.4	51.4
6201011	FORREST CITY HIGH SCHOOL	Needs Improvement Priority School	Y	N	N	N	N	N	37.72	37.72
6201014	STEWART ELEMENTARY SCHOOL	Needs Improvement Focus School	Y	N	N	NA	Y	N	56.25	56.25
6201702	LINCOLN ACADEMY OF EXCELLENCE	Needs Improvement Focus School	Y	N	N	NA	N	N	46.71	46.71
6202022	MILDRED JACKSON ELEM. SCHOOL	Needs Improvement Focus School	Y	Y	N	NA	N	N	61.22	61.22
6202024	HUGHES HIGH SCHOOL	Needs Improvement Priority School	N	Y	N	N	N	N	60.81	60.81
6205027	PALESTINE-WHEATLEY ELEM. SCH.	Needs Improvement School	Y	Y	N	NA			80.23	80
6205028	PALESTINE-WHEATLEY SENIOR HIGH	Needs Improvement Focus School	Y	Y	Y	N	N	N	70.45	70.45
6205031	PALESTINE-WHEATLEY MIDDLE SCH.	Needs Improvement Focus School	Y	Y	N	NA	N	N	67.66	67.66
6301001	PINE HAVEN ELEMENTARY SCHOOL	Needs Improvement School	Y	N	Y	NA			83.78	78.33
6301002	BAUXITE HIGH SCHOOL	Needs Improvement School	Y	N	N	N			77.68	71.43
6301003	BAUXITE MIDDLE SCHOOL	Needs Improvement School	Y	N	N	NA			81.54	74.6
6302006	CALDWELL ELEMENTARY SCHOOL	Needs Improvement School	Y	Y	N	NA			91.37	76.47
6302007	ANGIE GRANT ELEMENTARY SCHOOL	Needs Improvement School	Y	Y	N	NA			84.58	78.4
6302008	PERRIN ELEMENTARY SCHOOL	Needs Improvement School	Y	Y	N	NA			92.17	86.82
6302009	RINGGOLD ELEMENTARY SCHOOL	Needs Improvement School	Y	Y	N	NA			87.98	78.69
6302010	BENTON JUNIOR HIGH SCHOOL	Needs Improvement School	Y	N	Y	NA			84.66	72.48
6302011	BENTON MIDDLE SCHOOL	Needs Improvement School	Y	Y	N	NA			86.28	73.87
6302012	BENTON HIGH SCHOOL	Needs Improvement School	Y	N	Y	Y			81.99	69.92
6303018	HILL FARM ELEMENTARY SCHOOL	Needs Improvement School	Y	Y	N	NA			91.84	85.71
6303020	BRYANT ELEMENTARY SCHOOL	Needs Improvement School	Y	Y	N	NA			88.76	79.37
6303022	BRYANT HIGH SCHOOL	Needs Improvement School	Y	N	N	N			78.36	59.45
6303023	SALEM ELEMENTARY SCHOOL	Needs Improvement School	Y	Y	N	NA			92.88	86.36
6303024	ROBERT L. DAVIS ELEM. SCHOOL	Needs Improvement School	Y	N	N	NA			86.58	77.42
6303025	SPRINGHILL ELEMENTARY SCHOOL	Needs Improvement School	Y	Y	N	NA			92.66	79.8
6303026	BRYANT MIDDLE SCHOOL	Needs Improvement School	Y	Y	N	NA			82.41	71.62
6303027	COLLEGEVILLE ELEMENTARY SCHOOL	Needs Improvement School	Y	Y	N	NA			92.94	83.18
6303028	BETHEL MIDDLE SCHOOL	Achieving School	Y	Y	Y	NA	Y	Y	89.18	75.88
6303029	HURRICANE CREEK ELEMENTARY	Needs Improvement School	Y	Y	N	NA			94.17	90
6303036	PARON ELEMENTARY SCHOOL	Needs Improvement School	Y	Y	N	NA			93.75	91.3
6304029	WESTBROOK ELEMENTARY SCHOOL	Needs Improvement School	Y	N	Y	NA			80.54	67.57
6304030	HARMONY GROVE HIGH SCHOOL	Needs Improvement School	N	N	N	Y			63.64	51.61

2013 School Status

6304031	HARMONY GROVE MIDDLE SCHOOL	Needs Improvement School	Y	Y	N	NA			71	61.05
6401001	WALDRON ELEMENTARY SCHOOL	Needs Improvement School	Y	N	Y	NA			74.89	71.68
6401003	WALDRON HIGH SCHOOL	Needs Improvement School	Y	N	N	Y			71.74	63.46
6401004	WALDRON MIDDLE SCHOOL	Achieving School	Y	Y	Y	NA			72.15	67.49
6502001	LESLIE ELEMENTARY SCHOOL	Needs Improvement School	Y	Y	N	NA			82.76	75
6502005	MARSHALL ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			85	83.17
6502006	MARSHALL HIGH SCHOOL	Achieving School	Y	Y	Y	Y			86.1	81.58
6505009	ST. JOE ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			77.5	72.73
6505010	ST. JOE HIGH SCHOOL	Needs Improvement School	Y	Y	Y	N			82.35	75
6505011	BRUNO-PYATT HIGH SCHOOL	Needs Improvement School	Y	Y	N	Y			80.85	74.29
6505012	BRUNO-PYATT ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			78.85	77.27
6505013	WESTERN GROVE ELEM. SCHOOL	Needs Improvement School	Y	N	N	NA			69.74	66.13
6505014	WESTERN GROVE HIGH SCHOOL	Needs Improvement Focus School	Y	Y	Y	N	Y	N	76	69.44
6601001	BALLMAN ELEMENTARY SCHOOL	Needs Improvement School	Y	Y	N	NA			85.54	80.33
6601002	BARLING ELEMENTARY SCHOOL	Needs Improvement School	Y	Y	N	NA			83.15	77.87
6601003	BEARD ELEMENTARY SCHOOL	Needs Improvement School	Y	Y	N	NA			84.62	77.42
6601005	BELLE POINT ALTERNATIVE CENTER	Needs Improvement Priority School	N	N	N	N	N	N	41.67	45.45
6601006	BONNEVILLE ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			88.89	86.96
6601007	CARNALL ELEMENTARY SCHOOL	Needs Improvement School	Y	N	Y	NA			82.44	80.51
6601008	CAVANAUGH ELEMENTARY SCHOOL	Needs Improvement School	Y	Y	N	NA			87.05	84.76
6601010	FAIRVIEW ELEMENTARY SCHOOL	Achieving School	Y	Y	Y	NA			86.78	84.12
6601011	HOWARD ELEMENTARY SCHOOL	Needs Improvement School	Y	Y	N	NA			64.33	64.24
6601012	RAYMOND F. ORR ELEM. SCHOOL	Achieving School	Y	Y	Y	NA			84.1	76.92
6601014	ALBERT PIKE ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			70.64	70.14
6601016	SPRADLING ELEMENTARY SCHOOL	Needs Improvement School	Y	Y	N	NA			79.25	79.13
6601017	SUNNYMEDE ELEMENTARY SCHOOL	Achieving School	Y	Y	Y	NA			81.53	80.92
6601018	SUTTON ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			72.05	71.02
6601019	TRUSTY ELEMENTARY SCHOOL	Needs Improvement Priority School	Y	N	N	NA	Y	N	67.05	66.47
6601020	L. A. CHAFFIN JR. HIGH SCHOOL	Needs Improvement School	Y	Y	N	NA			88.29	80.14
6601021	WILLIAM O. DARBY JR. HIGH SCH.	Achieving School	Y	Y	Y	NA	Y	Y	63.36	61.64
6601022	DORA KIMMONS JR. HIGH SCHOOL	Needs Improvement School	Y	Y	N	NA			64.78	62.9
6601023	RAMSEY JUNIOR HIGH SCHOOL	Needs Improvement School	Y	Y	N	NA			83.6	74.31
6601024	NORTHSIDE HIGH SCHOOL	Needs Improvement School	Y	N	N	N			59.15	51.26
6601025	SOUTHSIDE HIGH SCHOOL	Needs Improvement School	Y	Y	N	N			84.55	67.98
6601029	JOHN P. WOODS ELEM. SCHOOL	Needs Improvement School	Y	Y	N	NA			94.16	88.42
6601030	HARRY C. MORRISON ELEM. SCHOOL	Achieving School	Y	Y	Y	NA	Y	Y	74.75	74.75
6601031	ELMER H. COOK ELEM. SCHOOL	Needs Improvement School	Y	Y	N	NA			89.69	82.27
6601032	TILLES ELEMENTARY SCHOOL	Achieving School	Y	Y	Y	NA	Y	Y	67.51	66.84
6601033	EUPER LANE ELEMENTARY SCHOOL	Achieving School	Y	Y	Y	NA			85.95	74.81
6602042	GREENWOOD JUNIOR HIGH SCHOOL	Achieving School	Y	Y	Y	NA			90.35	79.05

2013 School Status

6602043	GREENWOOD HIGH SCHOOL	Needs Improvement School	Y	N	N	Y		80.85	60.27
6602044	WESTWOOD ELEMENTARY SCHOOL	Needs Improvement School	Y	Y	N	NA		90.03	81.41
6602045	EAST HILLS MIDDLE SCHOOL	Needs Improvement School	Y	N	N	NA		85.52	69.55
6602046	EAST POINTE ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA		87.06	78.61
6603047	HACKETT ELEMENTARY SCHOOL	Achieving School	Y	Y	Y	NA		81.5	77.88
6603048	HACKETT HIGH SCHOOL	Needs Improvement School	Y	Y	N	Y		65.97	59.78
6604051	HARTFORD ELEMENTARY SCHOOL	Needs Improvement School	Y	Y	N	NA		76.09	72.97
6604052	HARTFORD HIGH SCHOOL	Needs Improvement School	N	N	N	Y		45.45	43.86
6605056	LAVACA ELEMENTARY SCHOOL	Needs Improvement School	Y	Y	N	NA		91.54	85.33
6605057	LAVACA HIGH SCHOOL	Needs Improvement School	Y	Y	N	Y		85.96	79.31
6605058	LAVACA MIDDLE SCHOOL	Needs Improvement School	Y	Y	N	NA		76.65	65.08
6606060	MANSFIELD ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA		79.13	72.6
6606061	MANSFIELD MIDDLE SCHOOL	Needs Improvement School	Y	Y	N	NA		77.78	69.57
6606062	MANSFIELD HIGH SCHOOL	Needs Improvement School	Y	N	N	Y		82.14	74.29
6701001	DEQUEEN ELEMENTARY SCHOOL	Achieving School	Y	Y	Y	NA		90.84	89.85
6701002	DEQUEEN PRIMARY	Achieving School	Y	Y	Y	NA		90.84	89.85
6701003	DEQUEEN HIGH SCHOOL	Needs Improvement School	Y	Y	N	Y		77.7	72
6701004	DEQUEEN MIDDLE SCHOOL	Needs Improvement School	Y	Y	N	NA		83.91	80.97
6701005	DEQUEEN JUNIOR HIGH SCHOOL	Achieving School	Y	Y	Y	NA		87.27	83.59
6701016	LOCKESBURG ELEMENTARY SCHOOL	Needs Improvement School	Y	Y	N	NA		82.76	75
6703012	HORATIO ELEMENTARY SCHOOL	Needs Improvement School	Y	Y	N	NA		83.4	78.49
6703013	HORATIO HIGH SCHOOL	Achieving School	Y	Y	Y	Y		80.5	77.56
6802001	CAVE CITY ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA		84.93	82.73
6802002	CAVE CITY HIGH SCHOOL	Needs Improvement School	N	N	N	N		76.47	67.35
6802005	EVENING SHADE ELEM. SCHOOL	Needs Improvement School	Y	N	Y	NA		81.08	80
6802007	CAVE CITY MIDDLE SCHOOL	Needs Improvement School	Y	Y	N	NA		80.1	74.83
6802008	CAVE CITY INTERMEDIATE SCHOOL	Needs Improvement School	Y	Y	N	NA		79.46	74.65
6804009	CHEROKEE ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA		83.82	80.85
6804010	HIGHLAND HIGH SCHOOL	Needs Improvement School	Y	N	N	Y		77.33	72.48
6804011	HIGHLAND MIDDLE SCHOOL	Needs Improvement School	Y	N	N	NA		79.76	77.14
6901005	MOUNTAIN VIEW ELEM. SCHOOL	Needs Improvement School	Y	N	Y	NA		85.82	80.75
6901006	MOUNTAIN VIEW MIDDLE SCHOOL	Needs Improvement School	Y	N	N	NA		84.34	80.35
6901007	MOUNTAIN VIEW HIGH SCHOOL	Needs Improvement School	N	N	N	Y		81.58	69.44
6901011	RURAL SPECIAL ELEM. SCHOOL	Needs Improvement School	Y	Y	N	NA		86.67	80
6901012	RURAL SPECIAL HIGH SCHOOL	Needs Improvement School	Y	N	Y	N		67.57	42.11
6901015	TIMBO ELEMENTARY SCHOOL	Needs Improvement School	Y	Y	N	NA		84.81	83.58
6901016	TIMBO HIGH SCHOOL	Achieving School	Y	Y	Y	Y		77.55	73.68
7001001	HUGH GOODWIN ELEMENTARY SCHOOL	Achieving School	Y	Y	Y	NA		88.24	82.5
7001004	NORTHWEST ELEMENTARY SCHOOL	Needs Improvement School	Y	N	Y	NA		84.78	75.25
7001005	RETTA BROWN ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA		54.17	53.33

2013 School Status

7001009	YOCUM ELEMENTARY SCHOOL	Needs Improvement School	Y	Y	N	NA			75.24	71.52
7001010	BARTON JR. HIGH SCHOOL	Needs Improvement School	Y	Y	N	NA			80.74	71.39
7001011	WASHINGTON MIDDLE SCHOOL	Needs Improvement Focus School	Y	Y	N	NA	N	N	79.07	70.3
7001012	EL DORADO HIGH SCHOOL	Needs Improvement Focus School	N	N	N	N	N	N	67.91	51.81
7001056	UNION ELEMENTARY SCHOOL	Needs Improvement School	N	N	N	NA			NA	NA
7003027	JUNCTION CITY ELEM. SCHOOL	Needs Improvement School	Y	Y	N	NA			76.3	71.32
7003028	JUNCTION CITY HIGH SCHOOL	Needs Improvement School	Y	Y	N	N			65.45	60.18
7006035	NORPHLET ELEMENTARY SCHOOL	Needs Improvement School	Y	Y	N	NA			70.1	63.79
7006036	NORPHLET HIGH SCHOOL	Needs Improvement School	Y	Y	N	N			80.73	73.33
7007039	PARKERS CHAPEL ELEM. SCHOOL	Needs Improvement School	Y	N	N	NA			85.48	70.93
7007040	PARKERS CHAPEL HIGH SCHOOL	Needs Improvement School	Y	Y	N	Y			82.88	74
7008043	SMACKOVER ELEMENTARY SCHOOL	Needs Improvement Focus School	Y	Y	Y	NA	N	Y	86.43	80.15
7008045	SMACKOVER HIGH SCHOOL	Needs Improvement School	Y	N	N	Y			69.14	52.81
7009048	GARDNER-STRONG ELEM. SCHOOL	Achieving School	Y	Y	Y	NA			63.39	60.78
7009049	STRONG HIGH SCHOOL	Needs Improvement Priority School	Y	Y	Y	Y	N	Y	54.08	53.01
7102005	COWSERT ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			82.65	78.67
7102006	CLINTON HIGH SCHOOL	Needs Improvement School	Y	Y	N	N			69.31	62.12
7102007	CLINTON INTERMEDIATE SCHOOL	Needs Improvement School	Y	Y	N	NA			88.49	85.15
7102008	CLINTON JR HIGH SCHOOL	Needs Improvement School	Y	Y	N	NA			77.84	70.63
7104014	SHIRLEY ELEMENTARY SCHOOL	Needs Improvement School	Y	Y	N	NA			77.36	73.91
7104015	SHIRLEY HIGH SCHOOL	Needs Improvement School	Y	N	N	N			67.35	58.9
7105018	SOUTH SIDE ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			74.31	67.65
7105019	SOUTH SIDE HIGH SCHOOL	Needs Improvement School	Y	Y	N	Y			74.53	66.15
7201001	ELKINS ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			79.32	71.59
7201002	ELKINS HIGH SCHOOL	Needs Improvement School	Y	N	N	Y			72.41	60.78
7201003	ELKINS MIDDLE SCHOOL	Needs Improvement School	Y	Y	N	NA			83.33	75.79
7201004	ELKINS ELEM. PRIMARY SCHOOL	Needs Improvement School	Y	N	N	NA			79.32	71.59
7202005	GEORGE R LEDBETTER INTERMEDIAT	Needs Improvement School	Y	N	N	NA			86.04	77.51
7202006	FARMINGTON HIGH SCHOOL	Needs Improvement School	Y	N	N	Y			76.51	58.06
7202007	RANDALL G. LYNCH MIDDLE SCHOOL	Needs Improvement School	Y	N	N	NA			80.31	65.96
7202008	"JERRY ""POP"" WILLIAMS ELEM SCH "	Needs Improvement School	Y	N	N	NA			86.17	70
7202009	BOB FOLSOM ELEMENTARY SCHOOL	Achieving School	Y	Y	Y	NA			87.67	82.98
7203010	ASBELL ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			73.54	71.34
7203012	BUTTERFIELD ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			89.64	80.87
7203013	HAPPY HOLLOW ELEMENTARY SCHOOL	Achieving School	Y	Y	Y	NA			91.04	87.72
7203015	LEVERETT ELEMENTARY SCHOOL	Achieving School	Y	Y	Y	NA			92.47	91.21
7203016	ROOT ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			92.16	77.03
7203017	WASHINGTON ELEMENTARY SCHOOL	Achieving School	Y	Y	Y	NA	Y	Y	77.33	68
7203018	RAMAY JUNIOR HIGH SCHOOL	Needs Improvement School	Y	N	N	NA			78.32	69.78
7203019	WOODLAND JUNIOR HIGH SCHOOL	Needs Improvement School	Y	N	Y	NA			87.64	65.77

2013 School Status

7203020	FAYETTEVILLE HIGH SCHOOL EAST	Needs Improvement Focus School	Y	N	Y	Y	N	N	82.34	64.18
7203022	HOLCOMB ELEMENTARY SCHOOL	Achieving School	Y	Y	Y	NA			90.37	83.87
7203023	VANDERGRIFF ELEMENTARY SCHOOL	Needs Improvement School	N	Y	N	NA			97.41	87.5
7203024	MCNAIR MIDDLE SCHOOL	Achieving School	Y	Y	Y	NA			91.25	77.93
7203025	HOLT MIDDLE SCHOOL	Needs Improvement School	Y	Y	N	NA			82.54	73.26
7203027	OWL CREEK SCHOOL	Achieving School	Y	Y	Y	NA			79.83	75.62
7204027	GREENLAND ELEMENTARY SCHOOL	Needs Improvement School	Y	Y	N	NA			79.61	74.7
7204028	GREENLAND HIGH SCHOOL	Needs Improvement School	Y	Y	N	Y			75.47	66.67
7204029	GREENLAND MIDDLE SCHOOL	Needs Improvement School	Y	Y	N	NA			72.31	64.74
7205031	LINCOLN ELEMENTARY SCHOOL	Needs Improvement School	Y	N	Y	NA			77.33	72.41
7205033	LINCOLN MIDDLE SCHOOL	Achieving School	Y	Y	Y	NA			80.66	75.85
7205703	LINCOLN ACADEMIC CENTER OF EXC	Needs Improvement School	N	N	N	N			NA	NA
7205706	LINCOLN NEW TECH HIGH SCHOOL	Needs Improvement School	N	N	N	NA			67.38	61.15
7206035	PRAIRIE GROVE ELEM. SCHOOL	Needs Improvement School	Y	N	N	NA			86.31	78.95
7206036	PRAIRIE GROVE HIGH SCHOOL	Needs Improvement School	Y	Y	N	N			85.21	69.49
7206038	PRAIRIE GROVE MIDDLE SCHOOL	Needs Improvement School	Y	N	N	NA			83.3	73.63
7206039	PRAIRIE GROVE INTERMEDIATE	Needs Improvement School	Y	N	N	NA			86.31	78.95
7207040	ELMDALE ELEMENTARY SCHOOL	Achieving School	Y	Y	Y	NA			79.37	77.78
7207041	JONES ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			72.3	72.73
7207042	ROBERT E. LEE ELEM. SCHOOL	Achieving School	Y	Y	Y	NA			78.71	77.54
7207044	JOHN TYSON ELEMENTARY SCHOOL	Achieving School	Y	Y	Y	NA			92.31	90.16
7207046	WESTWOOD ELEMENTARY SCHOOL	Achieving School	Y	Y	Y	NA			78.37	76.27
7207047	CENTRAL JUNIOR HIGH SCHOOL	Needs Improvement Focus School	Y	N	Y	NA	Y	N	86.79	76.3
7207048	SOUTHWEST JUNIOR HIGH SCHOOL	Needs Improvement Focus School	Y	N	N	NA	Y	N	70.85	62.83
7207049	SPRINGDALE HIGH SCHOOL	Needs Improvement Focus School	Y	N	N	Y	N	N	62.15	53.64
7207050	PARSON HILLS ELEM. SCHOOL	Needs Improvement Focus School	Y	N	N	NA	Y	N	65.55	64.96
7207051	THURMAN G. SMITH ELEM. SCHOOL	Needs Improvement School	Y	N	Y	NA			75.99	70.45
7207052	WALKER ELEMENTARY SCHOOL	Achieving School	Y	Y	Y	NA			93.23	88.37
7207053	GEORGE ELEMENTARY SCHOOL	Achieving School	Y	Y	Y	NA	Y	Y	73.08	70.04
7207054	J. O. KELLY MIDDLE SCHOOL	Needs Improvement School	Y	Y	N	NA			76	73.55
7207055	HELEN TYSON MIDDLE SCHOOL	Achieving School	Y	Y	Y	NA	Y	Y	82.88	78.27
7207057	BERNICE YOUNG ELEMENTARY	Needs Improvement School	Y	Y	N	NA			93.02	77.94
7207058	HARP ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			81.88	78.54
7207059	BAYYARI ELEMENTARY SCHOOL	Achieving School	Y	Y	Y	NA			76.38	75.9
7207060	GEORGE JUNIOR HIGH SCHOOL	Needs Improvement School	Y	N	N	NA			74.59	70.81
7207061	HELLSTERN MIDDLE SCHOOL	Needs Improvement School	Y	N	N	NA			80.82	68.32
7207062	HAR-BER HIGH SCHOOL	Needs Improvement Focus School	N	Y	N	Y	N	N	77.36	52.75
7207063	HUNT ELEMENTARY SCHOOL	Needs Improvement School	Y	Y	N	NA			95.89	88.79
7207064	TURNBOW ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			76.21	72.48
7207065	MONITOR ELEMENTARY	Needs Improvement Focus School	Y	Y	Y	NA	N	Y	77.05	73.49

2013 School Status

7207066	WILLIS SHAW ELEMENTARY SCH	Needs Improvement School	Y	Y	N	NA			88	78.23
7207067	SPRINGDALE ALTERNATIVE SCHOOL	Needs Improvement Priority School	N	N	N	N	N	N	30.77	26.09
7207068	SONORA ELEMENTARY SCHOOL	Needs Improvement School	Y	N	Y	NA			80.71	78.63
7207069	SONORA MIDDLE SCHOOL	Needs Improvement School	Y	N	N	NA			66.12	60.62
7208060	WEST FORK ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			72.05	63.83
7208061	WEST FORK MIDDLE SCHOOL	Needs Improvement School	Y	N	N	NA			75.91	65.09
7208062	WEST FORK HIGH SCHOOL	Needs Improvement School	Y	N	N	N			77.17	76.09
7240703	HAAS HALL ACADEMY	Achieving School	Y	Y	Y	Y			100	NA
7301001	H.L. LUBKER ELEMENTARY SCHOOL	Needs Improvement School	Y	Y	N	NA			77.94	74
7301003	BALD KNOB HIGH SCHOOL	Needs Improvement School	Y	N	N	Y			72.06	68.18
7301004	BALD KNOB MIDDLE SCHOOL	Needs Improvement School	Y	Y	N	NA			79.87	73.85
7302008	BEEBE ELEMENTARY SCHOOL	Needs Improvement School	Y	N	Y	NA			86.49	80.62
7302009	BEEBE JUNIOR HIGH SCHOOL	Needs Improvement School	Y	N	N	NA			79.17	70.71
7302010	BEEBE HIGH SCHOOL	Needs Improvement School	Y	N	Y	Y			73.06	55.32
7302011	BEEBE MIDDLE SCHOOL	Needs Improvement School	Y	Y	N	NA			85.03	79.25
7302013	BADGER ELEMENTARY	Needs Improvement School	Y	N	N	NA			81.82	73.39
7302014	BEEBE EARLY CHILDHOOD	Needs Improvement School	Y	N	N	NA			81.82	73.39
7302703	BADGER ACADEMY	Needs Improvement School	Y	Y	N	N			28.57	33.33
7303014	BRADFORD ELEMENTARY SCHOOL	Needs Improvement School	Y	Y	N	NA			81.58	75.61
7303015	BRADFORD HIGH SCHOOL	Needs Improvement School	Y	Y	N	Y			76.58	75.61
7304018	WHITE CO. CENTRAL ELEM. SCHOOL	Needs Improvement School	Y	N	N	NA			76.26	72.85
7304019	WHITE CO. CENTRAL HIGH SCHOOL	Needs Improvement School	Y	Y	N	Y			79.2	75
7307026	JUDSONIA ELEMENTARY SCHOOL	Needs Improvement School	Y	Y	N	NA			81.76	76.23
7307030	KENSETT ELEMENTARY SCHOOL	Needs Improvement School	Y	Y	N	NA			77.01	74.66
7307032	RIVERVIEW HIGH SCHOOL	Needs Improvement School	Y	N	N	Y			75.82	70
7307033	RIVERVIEW JUNIOR HIGH SCHOOL	Needs Improvement School	Y	Y	N	NA			79.29	76.51
7309038	PANGBURN ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA			89.13	84.78
7309039	PANGBURN HIGH SCHOOL	Needs Improvement School	Y	Y	N	N			83.93	78.26
7310042	ROSE BUD ELEMENTARY SCHOOL	Needs Improvement School	Y	Y	N	NA			88.74	84.21
7310043	ROSE BUD HIGH SCHOOL	Needs Improvement School	Y	Y	N	N			74.63	69.37
7311046	SIDNEY DEENER ELEM. SCHOOL	Needs Improvement School	Y	N	N	NA			73.81	65.08
7311047	MCRAE ELEMENTARY SCHOOL	Needs Improvement School	Y	Y	N	NA			86.46	80.95
7311051	AHLF JUNIOR HIGH SCHOOL	Achieving School	Y	Y	Y	NA			91.29	83.67
7311052	SEARCY HIGH SCHOOL	Needs Improvement School	Y	N	N	Y			77.78	65.14
7311053	WESTSIDE ELEMENTARY SCHOOL	Achieving School	Y	Y	Y	NA			94.62	83.33
7311054	SOUTHWEST MIDDLE SCHOOL	Needs Improvement School	Y	N	N	NA			86.72	79.13
7401001	AUGUSTA ELEMENTARY SCHOOL	Needs Improvement Focus School	Y	Y	N	NA	N	N	75.7	72.63
7401003	AUGUSTA HIGH SCHOOL	Needs Improvement Priority School	Y	Y	N	Y	N	N	53.85	51.09
7401007	COTTON PLANT ELEMENTARY SCHOOL	Needs Improvement School	Y	Y	N	NA			66.67	66.67
7403012	MCCRORY ELEMENTARY SCHOOL	Achieving School	Y	Y	Y	NA			87.03	82.79

2013 School Status

7403013	MCCRORY HIGH SCHOOL	Needs Improvement School	Y	Y	N	Y		71.21	64.84
7503005	S.C. TUCKER ELEMENTARY SCHOOL	Needs Improvement School	Y	N	N	NA		88.08	85.53
7503006	DANVILLE HIGH SCHOOL	Needs Improvement School	Y	N	N	N		75.93	62.5
7503007	DANVILLE MIDDLE SCHOOL	Needs Improvement School	Y	N	N	NA		70.3	63.98
7504009	DARDANELLE ELEMENTARY SCHOOL	Needs Improvement School	Y	Y	N	NA		84.01	80.74
7504010	DARDANELLE MIDDLE SCHOOL	Needs Improvement School	Y	N	N	NA		78.85	72.4
7504011	DARDANELLE HIGH SCHOOL	Needs Improvement School	Y	N	Y	N		76.67	64.29
7504013	DARDANELLE PRIMARY SCHOOL	Needs Improvement School	Y	Y	N	NA		84.01	80.74
7509030	WESTERN YELL CO. ELEM. SCHOOL	Needs Improvement School	Y	Y	N	NA		82.95	80.56
7509033	WESTERN YELL CO. HIGH SCHOOL	Needs Improvement School	Y	N	N	Y		72.04	69.33
7510019	TWO RIVERS HIGH SCHOOL	Needs Improvement School	Y	N	N	Y		61.89	56.96
7510024	TWO RIVERS ELEMENTARY SCHOOL	Achieving School	Y	Y	Y	NA		77.53	76.25
7510028	PLAINVIEW-ROVER ELEM. SCHOOL	Needs Improvement School	N	Y	N	NA		NA	NA

2013 School Status

Percent Proficient and Advanced Math All Students	Percent Proficient and Advanced Math TAGG	Graduation Rate All Students	Graduation Rate TAGG	Literacy Percent Meeting Growth All Students	Literacy Percent Meeting Growth TAGG	Math Percent Meeting Growth All Students	Math Percent Meeting Growth TAGG	Literacy Met Percent Tested? Combined, 2013	Literacy Met Percent Tested? TAGG, 2013	Math Met Percent Tested? Combined, 2013	Math Met Percent Tested? TAGG, 2013	Proficient and Advanced Literacy All Students AMO	Proficient and Advanced Literacy TAGG AMO	Proficient and Advanced Math All Students AMO	Proficient and Advanced Math TAGG AMO
79.37	73.75	NA	NA	79.14	75.47	41.01	34.91	Y	Y	Y	Y	77.28	72.08	84.24	77.93
61.78	52.27	NA	NA	72.28	65.98	56.84	47.94	Y	Y	Y	Y	67.77	58.13	70.38	60.21
74.42	70.24	82.22	78.43	NA	NA	NA	NA	Y	Y	Y	Y	77.48	67.18	75.21	75.83
94.59	90.91	NA	NA	72.73	64.29	45.45	57.14	Y	Y	Y	Y	90.48	84.85	100	100
79.92	73.03	NA	NA	68.38	63.86	47.01	44.58	Y	Y	Y	Y	77.09	70.03	85.39	80.81
71.88	60.24	NA	NA	75.66	68.18	60.18	49.35	Y	Y	Y	Y	71.57	63.58	76.47	68.57
80.2	72.31	82.69	80	NA	NA	NA	NA	Y	Y	Y	Y	67.9	58.33	75.17	69.33
56.08	44.92	NA	NA	61.73	51.57	51.03	42.14	Y	Y	Y	Y	74.26	64.14	74.7	64.71
82.98	79	NA	NA	58.57	55	61.43	60	Y	Y	Y	Y	81.56	74.95	84.19	79.04
40.18	31.94	77.33	72.6	NA	NA	NA	NA	Y	No(94.29%)	No(94.53%)	No(92.86%)	72.7	62.42	62.55	56.18
56.97	46.26	NA	NA	68.36	59.05	43.41	33.65	Y	Y	Y	Y	72.73	64.78	72.96	64.91
69.61	66.01	NA	NA	73.51	70.41	63.01	58.84	Y	Y	Y	Y	70.01	70.01	69.67	69.67
57.89	53.97	88.37	81.25	NA	NA	NA	NA	Y	Y	No(90.35%)	No(87.18%)	69.83	69.57	79.27	78.07
75.86	75	NA	NA	68.42	60	52.63	46.67	Y	Y	Y	Y	79.63	79.63	77.78	77.78
84.31	80.69	NA	NA	75.79	74.72	47.22	43.82	Y	Y	Y	Y	90.59	88.75	90.59	89.06
73.02	71.43	NA	NA	78.05	79.31	17.07	17.24	Y	Y	Y	Y	88.4	88.4	84.18	84.18
91.11	88.49	NA	NA	70.77	68.63	76.92	72.55	Y	Y	Y	Y	86.52	83.23	95.51	94.05
83.33	77.97	79.49	76.92	83.52	80.33	79.12	72.13	Y	Y	Y	Y	82.72	79.85	87.12	85.37
87.5	83.05	NA	NA	82.08	77.71	58.6	55.41	Y	Y	Y	Y	89.4	85.27	91.91	88.12
80.91	73.86	NA	NA	81.5	75.47	77.47	69.88	Y	Y	Y	Y	80.31	73.33	86.63	81.4
87.5	83.05	NA	NA	82.08	77.71	58.6	55.41	Y	Y	Y	Y	89.4	85.27	91.91	88.12
85.65	78.76	NA	NA	90.69	85.61	82.19	78.03	Y	Y	Y	Y	90.61	84.8	86.55	78.63
87.5	83.05	NA	NA	82.08	77.71	58.6	55.41	Y	Y	Y	Y	89.4	85.27	91.91	88.12
79.01	71.43	85.49	78.52	NA	NA	NA	NA	Y	Y	Y	Y	85.49	75.81	81.69	73.2
94.64	94.85	NA	NA	93.75	94.2	82.5	82.61	Y	Y	Y	Y	94.91	94.05	91.73	91.08
77.7	74.56	91.89	95.24	83.33	80.36	72.73	71.43	Y	Y	Y	Y	75.73	73.96	75.49	71.65
89.77	82.14	NA	NA	78.75	74.29	35	31.43	Y	Y	Y	Y	87.38	74.64	95.49	92.75
87.92	73.37	NA	NA	93.61	86.1	86.79	73.56	Y	Y	Y	Y	91.38	81.8	94.44	87.43
92.77	84.28	85.21	71.95	NA	NA	NA	NA	Y	Y	No(90.59%)	No(85.26%)	88.19	71.02	93.86	88.97
93.53	76.47	NA	NA	83.19	73.33	47.79	46.67	Y	Y	Y	Y	91.06	79.76	93.92	84.53
81.68	67.21	NA	NA	84.23	73.58	65.19	54.25	Y	Y	Y	Y	87.2	74.64	94.64	86.31
87.67	79.13	NA	NA	86.61	83.02	56.25	50.94	Y	Y	Y	Y	84.51	76.08	85.76	76.85
90.23	83.04	NA	NA	87.76	84.78	68.37	56.52	Y	Y	Y	Y	88.45	79.7	93.81	85.04

2013 School Status

84.4	73.58	NA	NA	88.36	78.67	68.89	56.87	Y	Y	Y	Y	85.95	77.63	93.86	90.6
97.19	90.2	NA	NA	80.8	70	40.8	53.33	Y	Y	Y	Y	94.03	80.88	95.08	84.98
84.74	76.08	NA	NA	91.3	85.13	82.8	74.62	Y	Y	Y	Y	90.8	82.58	94.6	88.5
95.12	91.53	NA	NA	86.32	80.36	68.42	67.86	Y	Y	Y	Y	81.7	73.54	93.38	91.4
95.96	88.89	NA	NA	92.37	85.29	68.64	55.88	Y	Y	Y	Y	93.53	75.88	96.31	85.74
87.43	76.5	NA	NA	89.38	79.13	73.96	64.56	Y	Y	Y	Y	89.71	79.02	95.03	90.71
93.22	86.84	NA	NA	75.21	72.58	58.68	59.68	Y	Y	Y	Y	86.48	80.13	92.14	87.82
94.84	87.1	NA	NA	87.3	80.43	58.73	54.35	Y	Y	Y	Y	89.54	82.08	94.47	89.25
93.75	83.75	NA	NA	92.08	88.89	74.26	86.11	Y	Y	Y	Y	88.94	78.14	93.95	87.88
89.3	74.83	NA	NA	91.93	76.47	76.01	55.46	Y	Y	Y	Y	88.94	78.14	93.95	87.88
63.4	60.16	NA	NA	64.15	56.1	48.11	43.9	Y	Y	Y	Y	69.13	67.55	74.69	73.45
61.82	58.51	80	81.82	73.47	68.29	51.02	43.9	Y	Y	Y	Y	70.59	73.08	74.86	74.64
81.57	75.74	NA	NA	85.42	80	54.69	47.2	Y	Y	Y	Y	82.55	77.53	81.81	77.87
86.67	82.42	83.33	78.57	NA	NA	NA	NA	Y	Y	Y	Y	80.33	76.19	84.85	78.53
78.92	71.55	NA	NA	85.9	81.94	75.32	67.59	Y	Y	Y	Y	86.36	81.93	80.38	73.08
81.57	75.74	NA	NA	85.42	80	54.69	47.2	Y	Y	Y	Y	82.55	77.53	81.81	77.87
87.45	81.98	87.59	84.21	NA	NA	NA	NA	Y	Y	Y	Y	79.34	66.27	88.27	86.39
81.98	76.82	NA	NA	80.09	75.38	67.1	60.77	Y	Y	Y	Y	83.5	75.98	83.5	76.35
81.37	68.91	NA	NA	82.9	73.85	81.35	68.72	Y	Y	Y	Y	85.05	77.75	86.28	79.08
81.98	76.82	NA	NA	80.09	75.38	67.1	60.77	Y	Y	Y	Y	83.5	75.98	83.5	76.35
93.54	92.66	NA	NA	95.76	94.78	78.18	76.12	Y	Y	Y	Y	94.08	92.09	95.66	94.73
75.93	69.23	NA	NA	81.82	80	39.39	30	Y	Y	Y	Y	79.84	72.23	86.56	81.48
87.56	83.67	NA	NA	90.44	88.17	54.41	48.39	Y	Y	Y	Y	91.82	88.33	91.44	88.33
88.41	84.62	NA	NA	86.52	80.23	53.19	45.35	Y	Y	Y	Y	88.65	82.72	94.68	91.98
86.47	80.69	NA	NA	83.97	77.78	51.15	40	Y	Y	Y	Y	89.54	83.33	92.1	88.77
80.92	72.91	NA	NA	87.4	81.98	76.75	68.02	Y	Y	Y	Y	86.86	80.08	86.48	78.58
71.03	64.36	NA	NA	86.25	82.93	67.23	61.2	Y	Y	Y	Y	81.86	78.05	82.75	78.58
88.11	87.06	NA	NA	83.46	82.2	47.37	42.37	Y	Y	Y	Y	90.74	89.81	94.77	94.24
87.76	86.4	NA	NA	85.79	84.02	47.21	46.75	Y	Y	Y	Y	91.1	89.83	91.45	90.24
91.07	87.07	NA	NA	87.01	84.54	70.78	62.89	Y	Y	Y	Y	89.1	80.27	89.48	81.73
87.45	84.79	NA	NA	85.8	84.96	48.77	45.86	Y	Y	Y	Y	85.64	83.16	84.24	81.38
86.98	85.86	NA	NA	85.61	84.17	53.03	50.83	Y	Y	Y	Y	77.55	74.95	83.59	82.66
81.64	72.67	NA	NA	91.35	86.95	77.46	66.95	Y	Y	Y	Y	90.39	84.82	88.88	81.78
74.55	67.74	NA	NA	86.63	82.58	69.69	63.11	Y	Y	Y	Y	85.63	80.35	86.43	81.74
94.46	74.07	NA	NA	87.29	66.67	75.14	58.33	Y	Y	Y	Y	92.38	71.02	94.43	78.26
81.19	73.88	85.84	81.89	NA	NA	NA	NA	Y	Y	Y	Y	75.88	59.53	82.4	76.23
87.44	86.67	NA	NA	80.3	80.8	47.73	46.4	Y	Y	Y	Y	89	88.03	90.69	90.33
92.83	89.2	NA	NA	88.89	84.47	73.33	66.02	Y	Y	Y	Y	88.61	81.35	94.9	91.84
89.39	89.13	NA	NA	82.98	82.84	53.19	53.73	Y	Y	Y	Y	90.23	89.34	88.52	87.89
78.59	73.18	79.96	75.16	NA	NA	NA	NA	Y	Y	Y	Y	74.78	60.38	84.01	78.66

2013 School Status

84.04	76.92	NA	NA	83.05	79.4	61.02	50.45	Y	Y	Y	Y	82.16	75.13	87.5	82.06
84.04	76.92	NA	NA	83.05	79.4	61.02	50.45	Y	Y	Y	Y	82.16	75.13	87.5	82.06
84.04	76.92	NA	NA	83.05	79.4	61.02	50.45	Y	Y	Y	Y	82.16	75.13	87.5	82.06
79.84	70.12	NA	NA	85.48	77.14	78.51	68.5	Y	Y	Y	Y	77.83	66.94	84.13	75.18
72.86	63.79	88.12	84.73	NA	NA	NA	NA	Y	Y	Y	Y	76.69	61.93	88.51	83.65
87.71	80.85	NA	NA	76.92	73.79	72.03	64.83	Y	Y	Y	Y	84.75	78.63	90.72	86.48
87.71	80.85	NA	NA	76.92	73.79	72.03	64.83	Y	Y	Y	Y	84.75	78.63	90.72	86.48
74.53	66.13	91.43	84	NA	NA	NA	NA	Y	Y	Y	Y	77.97	73.04	82.91	82.56
92.49	87.98	NA	NA	87.36	78.29	91.29	86.84	Y	Y	Y	Y	89.26	82.59	94.95	91.98
83.43	74.13	NA	NA	87.31	77.78	70.52	60.19	Y	Y	Y	Y	88.03	79.88	77.84	71.08
82.65	85.37	87.5	91.67	NA	NA	NA	NA	Y	Y	Y	Y	77.48	58.33	93.13	89.58
85.8	81.42	NA	NA	79.83	77.65	49.58	41.18	Y	Y	Y	Y	83.44	77.68	88.78	85.12
75.59	69.41	72	58.33	78.12	69.77	64.06	55.81	Y	Y	Y	Y	80.51	67.66	84.18	79.17
94.48	91.18	NA	NA	75.68	78.85	32.43	32.69	Y	Y	Y	Y	92.53	87.95	96.55	93.98
93.24	91.25	87.88	84.38	NA	NA	NA	NA	Y	Y	Y	Y	78.26	66.22	87.74	81.62
86.65	80	NA	NA	88.46	83.54	73.4	63.41	Y	Y	Y	Y	88.24	83.23	88.69	81.78
94.34	94.29	NA	NA	76.92	66.67	61.54	60	Y	Y	Y	Y	94.29	91.32	93.15	89.58
97.22	94.2	NA	NA	84.62	75.76	83.08	75.76	Y	Y	Y	Y	93.96	90.99	94.57	89.87
93.75	90	NA	NA	81.67	80	51.67	31.43	Y	Y	Y	Y	94.28	90.31	94.79	92.25
90.7	89.19	NA	NA	90	88.24	70	70.59	Y	Y	Y	Y	91.67	88.89	89.58	86.11
80.92	71.2	NA	NA	87.86	81.03	83.98	75.9	Y	Y	Y	Y	88.48	80.8	87.68	80.08
87.5	75	82.45	73.26	NA	NA	NA	NA	Y	Y	No(78.57%)	No(57.14%)	80.21	71.82	70.7	61.54
83.21	74.27	NA	NA	84.82	77.38	65.45	56.56	Y	Y	Y	Y	89.51	81.76	93.08	87.15
83.93	79.78	NA	NA	81.93	79.37	59.04	50.79	Y	Y	Y	Y	87.5	85.18	89.58	86.11
77.61	74.74	75.68	70.37	86.67	84.44	76.67	73.33	Y	Y	Y	Y	70.79	68.25	72.43	67.2
89.8	83.12	NA	NA	81.93	78.05	65.06	63.41	Y	Y	Y	Y	89.18	82.05	93	88.46
68.06	65.31	87.1	80	NA	NA	NA	NA	Y	Y	Y	Y	75.99	66.15	91.85	89.32
83.4	75.74	NA	NA	93.55	91.41	77.82	70.31	Y	Y	Y	Y	93.48	88.09	92.62	89.71
70.21	65.38	NA	NA	55.93	54.17	52.54	43.75	Y	Y	Y	Y	75.44	70.78	83.33	79.43
54.17	51.56	78.38	74.07	71.79	65.62	43.59	40.62	Y	Y	Y	Y	67.08	66.15	68.08	63.82
70.99	68.22	NA	NA	74.49	74.36	64.29	62.82	Y	Y	Y	Y	72.23	68.57	78.39	75.15
59.5	53.33	88.64	83.87	50	43.18	42.31	36.36	Y	Y	Y	Y	54.21	44.44	68.25	61.61
NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
61.69	51.63	NA	NA	76.25	70.45	45	41.48	Y	Y	Y	Y	72.45	67.72	80.51	76.88
71.74	73.17	92.38	93.51	NA	NA	NA	NA	Y	Y	Y	Y	57.89	55.13	66.47	61.2
70.25	65.79	NA	NA	71.01	64.2	68.64	65.76	Y	Y	Y	Y	68.1	62.64	77.92	73.75
71.57	67.14	NA	NA	NA	NA	NA	NA	Y	Y	Y	Y	68.38	63.86	77.26	73.19
68.63	64	NA	NA	53.21	46.51	52.29	48.84	Y	Y	Y	Y	71.87	63.54	77.18	71.73
54.67	49.09	81.48	75	63.77	56.86	44.93	37.25	Y	Y	Y	Y	62.41	58.8	75.16	69.63
86.24	82.14	NA	NA	79.54	75.14	48.65	45.2	Y	Y	Y	Y	87.13	84	92.65	89.43

2013 School Status

84.43	81.01	68.25	53.57	NA	NA	NA	NA	Y	Y	Y	Y	78.3	71.54	84.28	77.57
75.42	68.85	NA	NA	79.53	71.94	75.06	67.27	Y	Y	Y	Y	84.01	79.33	87.23	83.52
86.24	82.14	NA	NA	79.54	75.14	48.65	45.2	Y	Y	Y	Y	87.13	84	92.65	89.43
87.84	84.48	NA	NA	72.41	66.67	65.52	57.14	Y	Y	Y	Y	88.09	84.38	87.18	84.38
82.98	84.85	76.32	60	NA	NA	NA	NA	Y	Y	Y	Y	83.33	75	90.74	87.18
74.62	69.06	NA	NA	89.1	84.82	67.31	63.39	Y	Y	Y	Y	81.68	75.57	79.93	75.31
89.72	89.11	NA	NA	0	0	100	100	Y	Y	Y	Y	92.8	91.55	93.83	92.75
72.86	72.13	76.77	75	NA	NA	NA	NA	Y	Y	Y	Y	68.39	60.94	88.55	87.63
80.82	78.5	NA	NA	80.67	77.62	68.02	64.53	Y	Y	Y	Y	80.42	77.42	83.88	81.13
52.34	52.34	NA	NA	67.65	67.65	33.82	33.82	Y	Y	Y	Y	64.49	64.49	60.87	60.87
46.73	46.73	82.93	82.93	69.64	69.64	48.21	48.21	Y	Y	Y	Y	53.7	53.7	66.02	66.02
94.74	94.74	NA	NA	NA	NA	NA	NA	Y	Y	Y	Y	81.78	81.78	94.79	94.79
65.53	65.53	NA	NA	69.92	69.92	27.82	27.82	Y	Y	Y	Y	67.28	67.25	69.72	69.68
64.2	64.2	NA	NA	68.93	68.93	56.8	56.8	Y	Y	Y	Y	71.68	71.68	68.03	68.03
60.33	60.33	80.77	80.52	NA	NA	NA	NA	Y	Y	Y	Y	44.85	43.18	60.46	60.46
88.55	82.83	NA	NA	100	100	50	0	Y	Y	Y	Y	79.8	72.83	85.48	80.08
88.55	82.83	NA	NA	100	100	50	0	Y	Y	Y	Y	79.8	72.83	85.48	80.08
70.18	59.14	NA	NA	82.17	77.19	46.51	40.35	Y	Y	Y	Y	85.23	79.17	84.95	78.7
81.45	70.11	NA	NA	77.29	67.65	76.81	66.39	Y	Y	Y	Y	79.73	72.94	84.35	76.28
68.64	60	80.29	78.85	NA	NA	NA	NA	Y	Y	Y	Y	65.94	41.67	69.13	60.9
77.59	76	NA	NA	66.04	61.36	33.96	27.27	Y	Y	Y	Y	92.51	90.61	88.77	87.09
61.02	57.14	NA	NA	79.08	75.17	48.98	42.76	Y	Y	Y	Y	79.61	74.14	74.68	69.42
66.67	59.15	87.5	86	NA	NA	NA	NA	Y	Y	Y	Y	51.39	43.18	64.28	60.86
80.74	80.41	83.75	78.95	88.73	88.76	74.65	75.28	Y	Y	Y	Y	67.26	59.88	75.83	71.31
81.52	77.46	NA	NA	72.73	67.33	53.54	48.67	Y	Y	Y	Y	81.38	79.67	88.54	86.84
81.52	77.46	NA	NA	72.73	67.33	53.54	48.67	Y	Y	Y	Y	81.38	79.67	88.54	86.84
87.12	83.64	NA	NA	82.35	74.31	76.47	71.56	Y	Y	Y	Y	84.91	78.28	91.83	86.87
72.41	66.43	84.85	79.31	75.89	62.5	62.5	50	Y	Y	Y	Y	65.44	58.68	73.5	66.44
80.23	74.59	NA	NA	69.12	62	62.5	55	Y	Y	Y	Y	74.9	69.63	88.45	86.58
71.52	68.22	92.5	90.91	71.25	63.64	61.25	58.18	Y	Y	No(91.95%)	No(91.74%)	63.45	55.48	81.65	80.64
74.48	67.02	NA	NA	78.5	69.12	34.58	23.53	Y	Y	Y	Y	83.68	79.17	85.93	81.06
84.85	77.65	92.59	87.5	83.33	74.29	86.36	77.14	Y	Y	Y	Y	75.66	75.58	83.48	80.52
81.3	74.22	NA	NA	81.74	74.64	55.19	46.38	Y	Y	Y	Y	84.31	78.6	87.17	82.82
72.16	67.16	88.1	74.47	NA	NA	NA	NA	Y	Y	Y	Y	76.85	59.35	87.54	81.31
75.54	65.22	NA	NA	76.44	66.5	72.88	63.55	Y	Y	Y	Y	81.46	70.36	87.38	77.23
77.6	65.74	NA	NA	81.34	75	57.46	51.25	Y	Y	Y	Y	82.43	77.83	86.52	81.65
57.89	50	81.58	75	72.9	65.08	45.79	34.92	Y	Y	Y	Y	82.78	71.02	84.53	76.19
76.98	69.88	NA	NA	64.2	54	32.1	24	Y	Y	Y	Y	85.88	81.62	87.23	81.62
77.1	73.68	97.14	92.86	80	77.78	58	51.85	Y	Y	Y	Y	85.38	81.34	91.33	90.08
88.36	80.28	NA	NA	87.61	83.67	61.95	55.1	Y	Y	Y	Y	83.03	73.63	83.03	72.58

2013 School Status

61.65	48.15	91.49	81.25	76.62	60.61	54.55	39.39	Y	Y	Y	Y	82.19	68.75	83.33	72.68
73.08	70.49	NA	NA	65.96	57.58	42.55	39.39	Y	Y	Y	Y	77.64	72.66	79.68	75.26
85.06	78.22	NA	NA	74.24	67.11	68.94	61.84	Y	Y	Y	Y	77.38	67	87.43	78.55
76.95	70.07	94.64	91.18	74.07	68.42	73.33	63.16	Y	Y	Y	Y	74.33	67.72	79.98	74.62
72.27	64.01	NA	NA	77.5	70.7	63.71	56.18	Y	Y	Y	Y	72.23	64.78	77.01	70.46
83.68	79.02	NA	NA	NA	NA	NA	NA	Y	Y	Y	Y	63.17	56.23	82.04	78.42
67.25	56.73	NA	NA	72.03	62.65	58.19	47.39	Y	Y	Y	Y	74.96	67.13	70.71	61.99
59.81	52.05	91.32	88.89	NA	NA	NA	NA	Y	Y	Y	Y	59.72	42.75	68.83	60.83
90.67	90	NA	NA	84.62	88	67.31	60	Y	Y	Y	Y	88.25	84.5	93.59	88.38
88.16	78.12	68.97	53.33	83.33	70.59	80.56	64.71	Y	Y	Y	Y	75.49	61.11	90.55	88.09
89.47	81.08	NA	NA	72.73	70.37	68.18	55.56	Y	Y	Y	Y	85.02	68.25	92.51	88.09
85.42	76.92	82.61	70	73.33	52.63	84.44	68.42	Y	Y	Y	Y	86.78	73.33	88.23	79.17
88.42	86.76	NA	NA	77.78	74.42	36.51	32.56	Y	Y	Y	Y	85.88	83.33	94.35	93.13
82.14	72.73	100	100	NA	NA	NA	NA	Y	Y	Y	Y	55.56	45.83	80.47	78.63
76.79	70.13	NA	NA	83.64	78.67	66.36	61.33	Y	Y	Y	Y	77.63	68.91	82.1	74.68
78.23	68.42	NA	NA	83.72	76.6	58.14	48.94	Y	Y	Y	Y	87.99	81.22	79.52	68.31
73.17	56.1	90.32	86.67	86.54	76.92	73.08	53.85	Y	Y	Y	Y	66.45	55.28	73.45	56.94
87.5	84.62	NA	NA	NA	NA	NA	NA	Y	Y	Y	Y	94.28	92.88	97.92	97.15
79.37	75.54	NA	NA	71.68	67.1	51.42	46.91	Y	Y	Y	Y	88.64	85.95	91.65	88.86
87.5	84.62	NA	NA	NA	NA	NA	NA	Y	Y	Y	Y	94.28	92.88	97.92	97.15
58.82	50.67	80.63	76.19	NA	NA	NA	NA	Y	Y	Y	Y	68.75	52.75	82.09	80.05
68.52	62.5	NA	NA	75.93	69.31	61.69	55.94	Y	Y	Y	Y	79.3	72.63	77.46	70.88
85.25	81.4	NA	NA	78.03	76.92	53.03	48.35	Y	Y	Y	Y	81.97	75.96	88.3	83.18
73.13	67.57	89.47	90.91	78.38	64.44	78.38	71.11	Y	Y	Y	Y	71.02	65.56	66.03	62.19
78.64	71.96	84.35	76.92	78.45	66.67	78.45	69.57	Y	Y	Y	Y	74.03	65.94	82.13	75.52
87.97	82.72	NA	NA	75.18	72.62	48.91	42.86	Y	Y	Y	Y	84.35	82.52	91.27	88.93
78.97	72.73	NA	NA	85.68	81.86	71.08	64.16	Y	Y	Y	Y	83.47	76.91	85.26	77.99
95.86	93.42	NA	NA	NA	NA	NA	NA	Y	Y	Y	Y	89.78	84.61	89.56	83.02
34.38	22.22	88.24	86	NA	NA	NA	NA	Y	Y	Y	Y	75.94	67.68	75.69	71.43
85.45	76.06	NA	NA	85.44	77.27	60.92	52.84	Y	Y	Y	Y	74.44	65.59	78.33	69.74
71.51	64.34	NA	NA	80.65	68.69	68.55	60.61	Y	Y	Y	Y	82.5	75.61	81.96	75.11
91.8	85.07	NA	NA	86.02	76	77.42	64	Y	Y	Y	Y	90.59	85.51	95.97	93.96
79.1	73.79	NA	NA	80.43	76.81	58.7	53.62	Y	Y	Y	Y	77.39	71.65	83.2	78.53
79.35	74.14	NA	NA	76.36	67.14	78.18	72.86	Y	Y	Y	Y	81.41	72.23	80.7	75.41
81.82	60	84.62	81.08	NA	NA	NA	NA	Y	Y	Y	No(88.89%)	77.68	75.81	83.8	76.19
66.34	64.56	NA	NA	62.07	60.32	41.67	41.05	Y	Y	Y	Y	67.71	66.85	70.88	70.26
83.09	75.19	NA	NA	83.33	78.95	60.54	56.32	Y	Y	Y	Y	80.77	73.77	85.47	79.94
79.46	76.66	NA	NA	62.27	59.16	37.27	34.55	Y	Y	Y	Y	77.18	73.11	78.92	75.48
84.39	70.13	NA	NA	77.38	66.04	63.35	46.23	Y	Y	Y	Y	86.23	75.67	89.67	80.09
59.14	59.06	NA	NA	51.82	51.83	42.73	42.66	Y	Y	Y	Y	62.38	61.23	72.93	72.1

2013 School Status

63.83	54.31	NA	NA	68.32	58.01	60.56	49.78	Y	Y	Y	Y	75.73	67.77	75.83	67.4
71.32	64.18	NA	NA	68.81	59.58	70.03	62.5	Y	Y	Y	Y	72.14	64.94	78.84	72.98
66.21	55.37	83.33	78.28	NA	NA	NA	NA	Y	Y	Y	Y	72.05	53.81	72.99	61.19
84.39	70.13	NA	NA	77.38	66.04	63.35	46.23	Y	Y	Y	Y	86.23	75.67	89.67	80.09
86.27	84.16	NA	NA	76.7	71.88	47.73	42.19	Y	Y	Y	Y	89.95	85.92	90.51	87.15
79.29	70.42	NA	NA	89.14	85.52	54.75	46.9	Y	Y	Y	Y	89.19	83.93	91.38	86.98
66.74	57.53	NA	NA	74.52	66.19	65.24	55.4	Y	Y	Y	Y	80.38	69.5	84.35	75.35
71.66	63.33	89.9	86.79	NA	NA	NA	NA	Y	Y	Y	Y	77.62	66.67	74.65	70.95
79.29	70.42	NA	NA	89.14	85.52	54.75	46.9	Y	Y	Y	Y	89.19	83.93	91.38	86.98
86.27	84.16	NA	NA	76.7	71.88	47.73	42.19	Y	Y	Y	Y	89.95	85.92	90.51	87.15
88.8	83.33	NA	NA	81.2	74	86.32	81.33	Y	Y	Y	Y	84.61	78.42	87.99	84.41
94.06	86.91	NA	NA	86.88	78.82	64.83	58.24	Y	Y	Y	Y	94.4	84.08	94.52	85
91.17	78.53	92.52	84.62	95.56	87.1	90.56	76.34	Y	Y	Y	Y	86.78	67.63	86.78	69.13
71.58	70.67	NA	NA	67.74	64.58	54.84	54.17	Y	Y	Y	Y	80.35	78.63	76.42	71.15
59.07	53.68	95.08	93.75	73.28	63.33	58.78	53.33	Y	Y	Y	Y	73.1	66.88	75.59	69.43
80.15	75.82	NA	NA	75.51	64.06	30.61	21.88	Y	Y	Y	Y	86.42	81.28	87.03	80.33
82.7	76.26	NA	NA	75.62	68.25	63.12	58.76	Y	Y	Y	Y	77.42	68.03	84.87	78.29
78.53	76.6	90.48	84.07	NA	NA	NA	NA	No(94.74%)	No(91.74%)	Y	Y	75.08	61.73	84.38	81.92
73.22	63.13	NA	NA	78.79	70.71	68.68	58.58	Y	Y	Y	Y	75.55	66.51	80.97	74.77
82.7	76.26	NA	NA	75.62	68.25	63.12	58.76	Y	Y	Y	Y	77.42	68.03	84.87	78.29
83.61	83.61	NA	NA	92.86	92.86	78.57	78.57	Y	Y	Y	Y	80.83	80.83	86.73	86.73
74.36	69.39	94.19	95.18	NA	NA	NA	NA	Y	Y	Y	Y	75.49	75.49	72.23	72.23
68.58	68.58	NA	NA	82.3	82.3	60.08	60.08	Y	Y	Y	Y	69.34	69.34	76.19	76.19
73.74	69.74	NA	NA	81.48	80.95	50	47.62	Y	Y	Y	Y	77.35	75.66	77.35	75.66
86.84	82.22	91.84	86.21	NA	NA	NA	NA	Y	Y	Y	Y	78.68	69.44	81.92	76.37
69.3	66.28	NA	NA	77.23	76.25	67.33	64.38	Y	Y	Y	Y	76.25	72.6	80.14	76.03
88.64	83.87	NA	NA	50	42.86	35	14.29	Y	Y	Y	Y	63.63	59.18	68.18	64.28
61.54	50	88.24	81.82	NA	NA	NA	NA	Y	Y	Y	Y	60.94	54.54	69.7	68.75
67.57	64.29	NA	NA	63.16	64.52	57.89	58.06	Y	Y	Y	Y	58.33	49.61	74.6	65.28
60	54.29	NA	NA	81.08	78.12	54.05	46.88	Y	Y	Y	Y	64.82	65.45	72.23	71.54
84.78	83.53	NA	NA	88.89	85.45	54.44	56.36	Y	Y	Y	Y	85.48	77.52	91.59	88.09
69.36	64.68	NA	NA	80.82	78.33	47.26	41.67	Y	Y	Y	Y	82.08	75.41	81.18	74.04
81.25	79.49	NA	NA	83.54	80	67.09	64.62	Y	Y	Y	Y	83.82	82.67	76.02	74.67
70.74	66.36	NA	NA	73.78	68.97	65.88	61.83	Y	Y	Y	Y	75.14	67.66	78.1	71.86
71.53	63.56	86.82	81.67	NA	NA	NA	NA	Y	Y	Y	Y	69.51	55.85	76.71	75.91
NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
65.88	62.76	NA	NA	80	77.55	50.43	48.98	Y	Y	Y	Y	79.01	73.33	70.74	65.83
77.96	68.35	NA	NA	81.25	75	50	42.05	Y	Y	Y	Y	79.39	71.72	81.68	75.53
NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
84.33	76.51	NA	NA	84.48	84.78	66.09	56.52	Y	Y	Y	Y	80.32	70.07	81.58	70.07

2013 School Status

76.15	64.84	NA	NA	80.6	71.21	73.23	61.52	Y	Y	Y	Y	83.23	72.57	83.23	74.65
66.32	66.32	NA	NA	79.26	79.26	48.89	48.89	Y	Y	Y	Y	66.35	64.65	72.36	70.96
49.37	49.37	82.43	84.72	72.29	72.29	48.19	48.19	Y	Y	Y	Y	57.46	57.11	55.46	55.83
85.12	81.13	NA	NA	73.83	67.89	63.76	61.47	Y	Y	Y	Y	83.93	83.93	90.69	90.69
69.1	67.73	NA	NA	77.4	75	43.75	42.78	Y	Y	Y	Y	79.17	79.17	86.81	86.81
76.19	75	NA	NA	85.71	84.93	63.1	61.64	Y	Y	Y	Y	76.67	76.67	79.53	79.53
68.75	68.35	NA	NA	78.26	77.85	52.72	54.36	Y	Y	Y	Y	74.45	74.45	79.63	79.63
98.06	96.12	NA	NA	94.52	92.63	87.67	91.58	Y	Y	Y	Y	96.38	96.38	97.77	97.77
64.21	65.43	NA	NA	78.68	77.39	30.88	32.17	Y	Y	Y	Y	78.7	78.7	94.91	94.91
NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
72.06	70.86	NA	NA	70.81	67.63	56.52	53.24	Y	Y	Y	Y	84.66	84.66	89.89	89.89
59.42	59.42	NA	NA	69.27	66.67	52.2	50.56	Y	Y	Y	Y	62.63	62.63	54.04	54.04
85.43	79.1	NA	NA	83.62	76.83	82.94	76.83	Y	Y	Y	Y	80.43	80.43	83.41	83.41
53.97	53.22	NA	NA	69.2	68.22	44.3	43.46	Y	Y	Y	Y	62.15	62.15	57.44	57.44
64.44	58.13	74.48	75.24	NA	NA	NA	NA	Y	Y	Y	Y	55.73	55.73	69.53	69.53
88.85	84.91	NA	NA	100	100	100	100	Y	Y	Y	Y	85.01	78.95	93.39	91.28
88.85	84.91	NA	NA	100	100	100	100	Y	Y	Y	Y	85.01	78.95	93.39	91.28
81.21	71.54	NA	NA	80.41	68.86	71.82	58.08	Y	Y	Y	Y	80.58	69.93	79.53	68.49
52.74	45.93	89.16	85.14	NA	NA	NA	NA	Y	Y	Y	Y	74.92	61.01	71.11	64.91
80.31	72.57	NA	NA	77.41	68.78	75.08	66.14	Y	Y	Y	Y	76.99	67.41	82.43	75.09
71.08	63.73	NA	NA	80.57	77.19	33.96	28.36	Y	Y	Y	Y	86.88	81.48	83.47	76.85
71.43	64.39	NA	NA	69.6	65.56	35.2	31.11	Y	Y	Y	Y	66.67	66.89	76.71	76.82
61.71	60.61	82.69	81.08	61.18	56.92	48.24	43.08	Y	Y	Y	Y	65.14	60.94	70.33	68.31
87.04	82.99	NA	NA	83.64	78.63	51.43	47.18	Y	Y	Y	Y	84.86	78.73	90.86	86.33
87.04	82.99	NA	NA	83.64	78.63	51.43	47.18	Y	Y	Y	Y	84.86	78.73	90.86	86.33
76.81	68.67	NA	NA	75.99	66.94	73.06	64.23	Y	Y	Y	Y	73.41	65.18	83.36	77.57
86.49	83.93	87.61	79.82	NA	NA	NA	NA	Y	Y	Y	Y	68.75	58.79	88.89	82.97
46.51	35.79	94.44	90.91	NA	NA	NA	NA	Y	Y	Y	Y	53.39	40.48	42.98	39.66
80.53	75.58	NA	NA	77.78	78.95	46.3	39.47	Y	Y	Y	Y	76.38	70.74	85.57	81.38
50.39	40.68	NA	NA	65.81	56.4	38.03	28.49	Y	Y	Y	Y	63.23	56.28	67.1	57.69
64.61	60	NA	NA	66.26	63.57	37.69	35.71	Y	Y	Y	Y	69.46	65.11	77.28	75.02
54.44	48.92	NA	NA	62.21	60.44	49.77	43.41	Y	Y	Y	Y	67.57	61.25	68.28	62.81
58.7	56.34	88.18	86.08	NA	NA	NA	NA	Y	Y	Y	Y	64.53	54.23	67.8	62.37
64.61	60	NA	NA	66.26	63.57	37.69	35.71	Y	Y	Y	Y	69.46	65.11	77.28	75.02
78.68	74.8	NA	NA	75.23	70.73	46.26	41.46	Y	Y	Y	Y	71.06	66.03	78.29	74.79
55.06	47.18	82.61	77.78	60.84	56.82	46.99	39.39	Y	Y	Y	Y	64.86	58.83	73.08	66.98
81.4	79.05	NA	NA	69.86	66.67	52.05	50.88	Y	Y	Y	Y	82.96	80.09	90.53	88.94
47.95	46.55	83.33	85.37	NA	NA	NA	NA	Y	Y	Y	Y	56.9	57.27	79.68	77.64
75.08	70.59	NA	NA	78.33	74.87	64.26	61.54	Y	Y	Y	Y	78.96	74.77	77.87	74.01
81.2	71.54	NA	NA	87.02	82.72	47.71	40.74	Y	Y	Y	Y	80.03	71.79	85.53	77.88

2013 School Status

79.03	69.28	NA	NA	80.23	74	75.17	66	Y	Y	Y	Y	82.43	72.44	89.04	80.3
70	65.08	94.05	93.15	NA	NA	NA	NA	Y	Y	Y	Y	76.34	64.13	80.21	69.4
81.2	71.54	NA	NA	87.02	82.72	47.71	40.74	Y	Y	Y	Y	80.03	71.79	85.53	77.88
91.91	88.89	NA	NA	69.44	63.27	55.56	63.27	Y	Y	Y	Y	88.09	84.53	96.24	94.84
NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
94.32	89.74	NA	NA	90.36	88.57	61.45	62.86	Y	Y	Y	Y	96.57	90.2	97.85	95.1
87.56	74.48	NA	NA	85.81	73.46	76.87	59.62	Y	Y	Y	Y	86.43	71.28	91.03	76.72
47.37	19.05	85.62	77.69	NA	NA	NA	NA	Y	Y	Y	Y	78.23	58.52	89.72	82.82
97.32	92.68	NA	NA	78.18	52.63	69.09	47.37	Y	No(93.48%)	Y	No(93.48%)	92.84	82.38	94.14	85.58
87.86	85	NA	NA	72.41	67.5	53.45	45	Y	Y	Y	Y	82.73	78.83	92.88	90.43
84.76	80.56	NA	NA	90	86.96	51.43	47.83	Y	Y	Y	Y	90.4	81.71	88.89	79.68
96.11	92.41	NA	NA	89.89	80.56	68.54	61.11	Y	Y	Y	Y	95.48	85.82	96.99	91.13
90.51	87.5	NA	NA	83.33	81.4	61.67	58.14	Y	Y	Y	Y	86.11	82.87	90.62	88.43
82.38	73.68	NA	NA	86.36	79.92	74.16	65.06	Y	Y	Y	Y	80.39	72.66	86.33	76.68
84.71	71.97	NA	NA	85.2	76.1	76.91	60	Y	Y	Y	Y	90.93	79.76	93.2	86.01
84.54	76.36	NA	NA	85.55	76.14	73.41	60.23	Y	Y	Y	Y	79.06	71.08	90.13	86.11
96.77	90.91	NA	NA	81.08	68.75	62.16	68.75	Y	Y	Y	Y	93.75	85.29	97.4	91.83
92.7	89.02	NA	NA	97.01	95.12	73.13	73.17	Y	Y	Y	Y	85.21	74.51	90.76	83.39
84.96	74.15	NA	NA	81.44	66.55	75.92	58.89	Y	Y	Y	Y	85.21	74.51	90.76	83.39
84.08	76.03	NA	NA	81.38	72.63	63.3	55.79	Y	Y	Y	Y	90.46	84.47	90.46	84.47
90.71	80.52	91.16	82.19	NA	NA	NA	NA	Y	Y	Y	Y	79.68	58.92	91.53	80.39
87.4	76.47	NA	NA	90.11	82.29	85.81	75	Y	Y	Y	Y	79.98	68.64	87.84	78.95
92.21	84.16	NA	NA	81.69	81.67	66.2	63.33	Y	Y	Y	Y	93.99	87.69	93.99	90.53
87.81	78.61	NA	NA	87.65	79.31	80.25	67.82	Y	Y	Y	Y	89.03	79.38	88.18	79.28
88.7	77.89	NA	NA	89.4	86.54	72.19	65.38	Y	Y	Y	Y	86.67	75.38	91.85	82.01
87.39	82.86	NA	NA	82.35	75	61.18	53.85	Y	Y	Y	Y	86.01	81.48	93.92	92.59
75	72.15	90.32	86.67	75	63.41	73.33	70.73	Y	Y	Y	Y	78.18	71.7	83.05	78.63
88.51	84.69	NA	NA	73.56	72.41	55.17	56.9	Y	Y	Y	Y	77.57	76.08	86.11	84.33
83.08	80	91.55	88.1	NA	NA	NA	NA	Y	Y	No(57.38%)	No(55.26%)	67.39	58.33	68.84	59.02
60.81	54.47	NA	NA	67.39	60.37	55.59	48.85	Y	Y	Y	Y	71.7	60.95	78.35	72.23
89.73	84.69	NA	NA	83.33	79.41	47.22	39.71	Y	Y	Y	Y	87.48	81.48	91.28	87.97
87.86	80.77	75	75	88.06	80	82.09	71.43	Y	Y	Y	Y	77.11	71.75	85.99	82.91
93.13	89.47	NA	NA	80.33	75	50.82	38.24	Y	Y	Y	Y	88.46	82.18	93.27	90.23
86.27	87.88	91.34	84.38	NA	NA	NA	NA	Y	Y	Y	Y	77.86	54.64	84.99	78.88
87.42	80.46	NA	NA	65.15	54.05	50	51.35	Y	Y	Y	Y	90.43	82.39	88.74	78.88
91.49	84.39	NA	NA	91.71	84.71	84.39	71.76	Y	Y	Y	Y	88.15	78.58	90.39	84.4
81.83	75.63	NA	NA	83.84	75.35	70.71	61.46	Y	Y	Y	Y	88.55	79.79	88.41	81.97
100	100	NA	NA	81.48	87.5	25.93	25	Y	Y	Y	Y	96.73	93.59	96.73	93.59
86.87	72.22	NA	NA	83.84	72.22	75.76	66.67	Y	Y	Y	Y	96.92	91.67	97.68	93.75
87.8	78.63	NA	NA	80.1	72.34	73.3	64.89	Y	Y	Y	Y	89.34	79.17	93.87	86.35

2013 School Status

83.49	72.83	93.33	80	83.04	71.43	77.68	65.31	Y	Y	Y	Y	85.05	74.72	90.38	81.79
85	77.78	NA	NA	80.46	76.67	63.22	61.67	Y	Y	Y	Y	86.94	81.8	90.68	85.63
83.46	79.45	86.67	84.62	76.27	67.74	79.66	70.97	Y	Y	Y	No(94.62%)	83.88	78.33	84.8	80.33
81.68	74.21	NA	NA	86.43	80.82	76.74	69.18	Y	Y	Y	Y	81.18	72.76	88.65	83.98
82.81	76.84	NA	NA	80.6	75.71	44.03	43.5	Y	Y	Y	Y	90.06	85.48	93.23	90.67
82.81	76.84	NA	NA	80.6	75.71	44.03	43.5	Y	Y	Y	Y	90.06	85.48	93.23	90.67
83.64	74.38	NA	NA	84.25	75.81	74.8	59.68	Y	Y	Y	Y	87.03	79.73	86.28	81.93
65.38	62.22	91.89	89.47	NA	NA	NA	NA	Y	Y	No(94.68%)	Y	78.48	74.24	85.56	84.38
91.6	88.64	NA	NA	86.05	84.75	72.09	67.8	Y	Y	Y	Y	88.76	86.59	90.74	92.33
80.15	74.12	100	100	82.76	75.68	77.59	70.27	Y	Y	Y	Y	75.08	69.05	87.92	82.73
95.43	92.81	NA	NA	83.92	80.25	74.83	70.37	Y	Y	Y	Y	90.88	87.38	95.63	93.06
78.63	74.7	98.36	97.3	88.07	86.08	75.23	72.15	Y	Y	Y	Y	78.9	74.43	85.98	79.98
82.61	72.46	NA	NA	82.35	76.47	48.24	45.1	Y	Y	Y	Y	95.14	93.83	98.61	97.94
77.57	68.85	100	100	80	68.97	64	48.28	Y	Y	Y	Y	74.68	68.52	82.24	71.36
83.54	79.51	NA	NA	77.78	76.25	66.67	61.25	Y	Y	Y	Y	91.34	87.24	92.97	90.65
64.12	57.26	87.8	95.65	74.42	67.69	66.28	60	Y	Y	Y	Y	78.14	73.25	74.76	69.13
92.86	89.09	NA	NA	75	70.59	70.45	66.67	Y	Y	Y	Y	88.03	84.19	92.82	90.66
89.04	85.45	89.25	77.14	NA	NA	NA	NA	Y	Y	Y	Y	76.33	73.96	76.27	70.47
79.76	73.54	NA	NA	82.82	78.11	72.68	66.09	Y	Y	Y	Y	79.66	72.58	79.59	77.36
88.03	88.55	NA	NA	75.41	75.44	63.93	61.4	Y	Y	Y	Y	78.44	76.74	90.68	90.31
40.54	41.67	46.67	26.83	27.78	27.78	16.67	16.67	No(91.49%)	No(93.18%)	No(92.98%)	No(93.4%)	74.83	70.71	77.06	73.68
89.55	88.08	NA	NA	85.05	85.26	57.01	54.74	Y	Y	Y	Y	79.45	77.92	76.83	75
100	100	NA	NA	85	90.91	95	100	Y	Y	Y	Y	97.73	98.27	96.97	94.79
61.57	54.43	NA	NA	65.99	60.84	52.54	47.29	Y	Y	Y	Y	73.75	69.13	72.23	66.44
57.8	55.36	80.84	80.53	NA	NA	NA	NA	Y	Y	Y	Y	70.39	62.46	71.97	68.92
73.39	73.15	NA	NA	77.55	77.08	53.06	52.08	Y	Y	Y	Y	73.81	73.56	76.98	76.77
72.38	68.37	NA	NA	71.18	66.32	62.58	58.75	Y	Y	Y	Y	72.45	67.87	80.38	77.2
81.89	77.45	NA	NA	54.72	48.89	39.62	37.78	Y	Y	Y	Y	90.58	85.63	94.83	92.82
60.47	54.02	83.95	82.14	NA	NA	NA	NA	Y	Y	Y	Y	73.04	70.93	85.87	81.22
76.38	72.28	NA	NA	79.76	75.45	70.04	63.47	Y	Y	Y	Y	83.43	80.03	84.78	80.43
92.99	91.08	NA	NA	100	NA	100	NA	Y	Y	Y	Y	87.62	84.1	93.96	91.81
100	100	90.78	86.92	NA	NA	NA	NA	Y	Y	No(88.89%)	No(91.67%)	77.69	61.99	76.08	68.52
84.32	80.1	NA	NA	84.39	79.68	74.09	67.91	Y	Y	Y	Y	85.08	78.44	86.87	82.53
85.9	81.57	NA	NA	80.85	78.82	48.31	45.84	Y	Y	Y	Y	89.95	86.79	93.17	91.14
80.41	75.43	NA	NA	81.68	77.27	75	69.52	Y	Y	Y	Y	80.04	72.08	86.91	81.95
92.99	91.08	NA	NA	100	NA	100	NA	Y	Y	Y	Y	87.62	84.1	93.96	91.81
90.77	84.4	NA	NA	73.22	65.14	64.44	58.72	Y	Y	Y	Y	93.27	87.98	94.08	90.18
90.77	84.4	NA	NA	73.22	65.14	64.44	58.72	Y	Y	Y	Y	93.27	87.98	94.08	90.18
89.02	81.13	NA	NA	86.88	79.29	83.84	75.36	Y	Y	Y	Y	89.96	81.33	92.81	86.49
87.84	76.87	94.2	91.04	89.92	78.12	83.47	62.5	Y	Y	Y	Y	84.53	69.88	88.84	79.17

2013 School Status

69.93	64.29	NA	NA	57.02	53.26	54.78	46.74	Y	Y	Y	Y	73.83	71.15	69.02	67.95
76.97	76.42	75.68	73.08	69.86	67.19	69.86	68.75	Y	Y	Y	Y	61.64	58.33	73.15	68.83
90.13	88	NA	NA	84.11	78.26	75.7	73.91	Y	Y	Y	Y	81.84	75.96	91.45	88.78
73.1	68.32	84.62	82.61	70.79	70.69	71.91	67.24	Y	Y	Y	Y	73.92	62.68	79.17	71.02
83.24	76.29	NA	NA	77.27	71.92	55.08	45.81	Y	Y	Y	Y	85.33	76.48	90.38	84.78
84.91	76.14	NA	NA	80.99	71.95	57.02	49.39	Y	Y	Y	Y	87.43	82.08	89.03	83.22
81.8	72.08	NA	NA	83.16	73.85	80.33	71.55	Y	Y	Y	Y	77.08	69.37	86.83	81.53
89.17	87.73	77.64	62.88	NA	NA	NA	NA	Y	Y	Y	Y	75.32	65.47	86.53	83.96
84.91	76.14	NA	NA	80.99	71.95	57.02	49.39	Y	Y	Y	Y	87.43	82.08	89.03	83.22
83.24	76.29	NA	NA	77.27	71.92	55.08	45.81	Y	Y	Y	Y	85.33	76.48	90.38	84.78
73.98	68.61	NA	NA	77.24	71.29	42.76	37.62	Y	Y	Y	Y	76.19	74.94	78.97	73.78
70.98	63.79	96.67	93.75	78.22	72.13	56.44	45.9	Y	Y	Y	Y	77.03	68.53	75.19	69.53
91.04	86.13	NA	NA	NA	NA	NA	NA	Y	Y	Y	Y	81.63	74.23	88.22	82.09
77.69	65.75	NA	NA	74.59	61.85	72.73	59.26	Y	Y	Y	Y	72.33	63.45	82.24	74.56
73.33	71.28	92.89	90	NA	NA	NA	NA	Y	Y	Y	Y	74.21	64.28	81.83	79.41
79.74	69.89	NA	NA	72.1	58.65	63.95	50.38	Y	Y	Y	Y	87.05	79.91	84.89	79.02
91.04	86.13	NA	NA	NA	NA	NA	NA	Y	Y	Y	Y	81.63	74.23	88.22	82.09
79.73	71.14	NA	NA	78.79	72.3	50.1	44.24	Y	Y	Y	Y	78.87	70.81	85.36	79.21
72.19	64.91	NA	NA	78.12	72.73	23.44	20.45	Y	Y	Y	Y	79.33	70	82.46	73.33
69.17	65.38	NA	NA	86.67	84.31	40	33.33	Y	Y	Y	Y	74.52	71.67	77.96	75
67.07	59.04	NA	NA	72.37	64.37	50.53	43.68	Y	Y	Y	Y	80.88	74.79	81.71	77.17
68.44	56.47	NA	NA	78.28	71.84	63.81	53.47	Y	Y	Y	Y	76.22	68.12	82.13	75.6
76.74	73.54	76.67	64.89	NA	NA	NA	NA	Y	Y	Y	Y	73.58	68.75	73.23	69.18
85.63	82.11	NA	NA	76.84	74.63	56.84	56.72	Y	Y	Y	Y	75.85	68.35	91	87.73
71.11	68.14	NA	NA	76.04	74.03	52.08	50.65	Y	Y	Y	Y	68.96	67.15	72.23	70.19
50.81	48.51	88.14	85.71	72.13	69.81	70.49	67.92	Y	Y	Y	Y	70.1	65.68	56.58	53.58
72.07	70.14	NA	NA	66.49	66.29	48.4	48	Y	Y	Y	Y	64.89	61.5	73.32	70.99
47.06	43.6	NA	NA	62.17	59.19	34.87	31.25	Y	Y	Y	Y	61.66	59.47	66.53	63.49
52.89	50.63	NA	NA	65.26	62.8	50.45	48.46	Y	Y	Y	Y	63.21	59.5	64.65	60.47
57.55	55.17	80.77	81.91	NA	NA	NA	NA	Y	Y	Y	Y	55.13	51.24	56.19	50.71
NA	NA	0	0	NA	NA	NA	NA	Y	Y	No(75%)	No(72.73%)	NA	NA	NA	NA
89.68	89.01	NA	NA	72.22	66.67	54.63	60.32	Y	Y	Y	Y	90.8	86.95	91.34	90.97
77.65	76.6	93.75	91.3	80.68	81.63	68.18	65.31	Y	Y	Y	Y	86.43	81.64	90.12	82.51
88.73	84.69	NA	NA	90.91	89.8	50	48.98	Y	Y	Y	Y	82.23	76.59	90.81	86.89
80.5	75.25	NA	NA	85.77	79.56	71.17	69.06	Y	Y	Y	Y	82.61	76.47	82.67	77.03
82.71	82.56	90.67	89.74	NA	NA	NA	NA	Y	Y	Y	Y	74.64	73.04	89.67	86.28
90.3	86.49	NA	NA	82.54	72.73	42.86	48.48	Y	Y	Y	Y	88.76	85.94	91.4	88.96
81.36	77.27	85.48	81.25	NA	NA	NA	NA	Y	Y	Y	Y	74.04	63.89	77.96	78.45
82.86	77.2	NA	NA	74.46	69.05	74.82	67.86	Y	Y	Y	Y	74.85	61.88	82.3	74.36
88.77	81.13	NA	NA	87.59	80.26	75.91	67.11	Y	Y	Y	Y	85.75	79.94	88.78	82.25

2013 School Status

84.65	75	91.67	95.24	83.7	80.56	84.78	72.22	Y	Y	Y	Y	74.58	63.93	85.57	83.53
79.73	76.65	NA	NA	79.72	73.53	37.76	37.25	Y	Y	Y	Y	78.26	73.74	83.56	79.69
71.52	61.36	NA	NA	72.4	65.22	68.1	60.39	Y	Y	Y	Y	74.38	68.15	79.99	73.2
77.95	73.96	84.92	81.69	NA	NA	NA	NA	Y	Y	Y	Y	71.02	63.38	85.53	82.69
68.51	63.51	NA	NA	80.88	75.96	52.21	46.15	Y	Y	Y	Y	78.23	72.35	86.93	84.03
81.16	74.03	NA	NA	80.61	76.92	53.06	46.15	Y	Y	Y	Y	81.62	73.81	86.52	79.76
71.74	59.65	96.67	93.75	87.5	80	69.44	56.67	Y	Y	Y	Y	76.7	61.24	76.85	68.6
81.88	80	NA	NA	84.13	78.48	76.98	74.68	Y	Y	Y	Y	83.13	78.33	85.68	82.5
66.67	65.69	92.86	87.5	86.49	77.78	67.57	64.44	Y	Y	Y	Y	72.5	70.68	71.28	70.32
58.62	55.13	NA	NA	70.27	70.15	45.95	44.78	Y	Y	Y	Y	70.79	68.75	74.23	72.54
45.13	41.58	100	100	54.24	51.85	35.59	31.48	Y	Y	Y	Y	61.91	61.11	71.9	71.88
46.43	44.44	NA	NA	72.22	72.22	44.44	44.44	Y	Y	Y	Y	63.68	60.65	65.81	62.97
NA	NA	100	100	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
84.3	80.07	NA	NA	82.59	78.39	75.2	71.06	Y	Y	Y	Y	83.58	77.88	90.35	85.26
74.38	64.26	NA	NA	79.03	71.34	65.17	54.88	Y	Y	Y	Y	71.68	61.54	76.97	66.53
NA	NA	93.62	91.86	NA	NA	NA	NA	Y	Y	Y	NA	75.83	67.65	NA	NA
89.13	86.17	NA	NA	NA	NA	NA	NA	Y	Y	Y	Y	84.1	81.67	89.18	88.33
82.29	73.91	NA	NA	74.42	67.82	68.22	59.77	Y	Y	Y	Y	75.88	63.98	81.58	73.17
86.88	84.72	NA	NA	82.51	79.14	72.68	69.78	Y	Y	Y	Y	78.98	75.98	84.06	80.39
85.67	78.48	NA	NA	85.32	73.74	80.51	70.2	Y	Y	Y	Y	81.1	72.34	83.67	75.52
78.83	68.49	87.62	80.85	NA	NA	NA	NA	Y	Y	Y	Y	74.22	60.23	80.33	70.17
84.96	73.33	NA	NA	74.12	64.29	66.47	60.71	Y	Y	Y	Y	81.94	70.96	86.38	77.9
86.21	80.22	NA	NA	75.4	73.53	55.56	55.88	Y	Y	Y	Y	80.18	71.96	87.84	82.38
89.24	85.21	NA	NA	83.64	80	65.45	64.29	Y	Y	Y	Y	89.63	85.82	92.7	89.95
88.44	87.4	91.74	93.33	NA	NA	NA	NA	Y	Y	Y	Y	74.06	64.65	90.8	88.78
75.74	67.41	NA	NA	77.43	74.8	52.65	40.16	Y	Y	Y	Y	79.3	74.62	84.31	81.03
61.72	54.31	NA	NA	75.25	66.06	59.9	50.46	Y	Y	Y	Y	81.38	76.31	87.58	84.77
75.8	75.21	NA	NA	66.67	63.51	41.67	41.89	Y	Y	Y	Y	76.19	72.23	88.69	87.66
63.83	58.88	94.44	88.24	80	78.72	55	51.06	Y	Y	Y	Y	79.75	73.08	68.31	64.15
69.84	64.29	NA	NA	68.18	64.29	47.73	35.71	Y	Y	Y	Y	77.78	74.21	85.56	82.14
74.32	69.44	NA	NA	82.88	80.77	44.14	43.59	Y	Y	Y	Y	84.34	81.23	83.33	78.98
56.25	49.29	96.36	93.1	77.95	66.23	51.97	42.86	Y	Y	Y	Y	73.96	66	69.7	63.51
80.51	76.25	NA	NA	82.76	81.67	70.11	71.67	Y	Y	Y	Y	83.98	78.47	85.9	80.33
89.02	86.44	100	100	81.36	75.61	84.75	80.49	Y	Y	Y	Y	78.53	67.18	81.78	74.58
87.5	85.27	NA	NA	78.57	75	67.86	65	Y	Y	Y	Y	82.68	77.88	89.72	85.99
79.05	70.68	95.08	93.55	81.3	70.31	81.3	76.56	Y	Y	Y	Y	84.08	78.58	82.03	75.19
97.7	95.65	NA	NA	86.79	73.08	90.57	92.31	Y	Y	Y	Y	97.13	96.03	98.08	96.03
71.43	68.75	NA	NA	44.12	45.83	35.29	33.33	Y	Y	Y	Y	75.26	74.14	83.08	81.33
76.92	71.74	94.59	100	NA	NA	NA	NA	Y	Y	Y	Y	73.96	65.91	74.75	66.67
62.88	59.22	NA	NA	77.31	74.44	49.58	43.33	Y	Y	Y	Y	73.74	68.39	72.6	69.83

2013 School Status

84.09	79.69	NA	NA	80.92	75.65	86.84	83.48	Y	Y	Y	Y	72.98	66.8	75.68	64.65
76.76	69.7	84.82	85.94	NA	NA	NA	NA	Y	Y	Y	Y	68.87	57.55	62.91	58.66
79.6	75.26	NA	NA	78.23	74.26	68.55	62.87	Y	Y	Y	Y	77.08	73.01	88.13	85.33
76.06	69.77	NA	NA	75.41	70.4	61.2	52	Y	Y	Y	Y	75.76	70.3	93.43	90.93
91.2	88.46	NA	NA	84.91	84.85	81.13	84.85	Y	Y	Y	Y	92.82	89.83	97.84	96.95
83.33	83.18	96.23	93.75	75	66.67	88.64	83.33	Y	Y	Y	Y	81.82	80.59	88.02	88.32
63.89	63.89	NA	NA	59.09	59.09	45.45	45.45	Y	Y	Y	Y	55.28	54.17	61.38	60.42
53.12	51.18	NA	NA	76.34	74.8	32.06	30.08	Y	Y	Y	Y	57.49	56.6	71.33	70.83
52.83	50.52	NA	NA	61.73	59.68	46.76	44.88	Y	Y	Y	Y	54.06	53.06	61.08	60.67
26.67	27.33	70.59	72.73	NA	NA	NA	NA	Y	No(94.62%)	No(92.46%)	No(92.78%)	46.97	46.73	38.25	37.64
53.12	51.18	NA	NA	76.34	74.8	32.06	30.08	Y	Y	Y	Y	57.49	56.6	71.33	70.83
41.28	38.7	NA	NA	46.51	43.33	39.92	37.5	Y	Y	Y	Y	50.11	47.81	62.91	59.67
41.8	40	NA	NA	68	67.24	13.6	12.93	Y	Y	Y	Y	65.13	63.29	59.61	57.83
52.67	52.31	NA	NA	74.19	74.19	31.18	31.18	Y	Y	Y	Y	58.33	57.31	59.33	58.33
41.61	41.03	NA	NA	74.51	75.26	39.22	40.21	Y	Y	Y	Y	54.59	51.84	50.6	48.05
63.73	62.37	NA	NA	67.88	68	32.85	32	Y	Y	Y	Y	71.56	70.92	66.75	66.58
48.12	46.1	NA	NA	69	65.88	26	27.06	Y	Y	Y	Y	67.88	64.37	69.74	67.11
57.75	54.15	NA	NA	56.34	52.92	54.08	50.97	Y	Y	Y	Y	60.08	57.18	63.58	60.63
19.83	18.18	72.19	71	NA	NA	NA	NA	No(92.34%)	No(90.91%)	No(93.8%)	No(93.52%)	43.23	39.46	53.13	48.18
48.89	43.93	NA	NA	57.25	53.47	40.58	36.73	Y	Y	Y	Y	53.54	50	54.86	52.91
63.43	57.04	NA	NA	63.03	58.33	27.73	30.21	Y	Y	Y	Y	74.11	69.39	78.82	76.19
77.71	72.66	NA	NA	60	50	40	25	Y	Y	Y	Y	66.75	63.79	80.71	77.68
77.71	72.66	NA	NA	60	50	40	25	Y	Y	Y	Y	66.75	63.79	80.71	77.68
56.55	51.33	NA	NA	63.33	60.75	38.07	33.77	Y	Y	Y	Y	66.52	60.6	67.28	61.27
27.38	25.21	82.73	75.21	NA	NA	NA	NA	Y	Y	Y	No(94.7%)	65.03	49.08	52.38	39.06
53.71	47.48	NA	NA	62.61	57.27	48.65	43.32	Y	Y	Y	Y	64.31	57.83	56.11	51.87
77.78	73.57	84.81	73.86	NA	NA	NA	NA	Y	Y	Y	Y	59.68	38.54	81.11	75.49
78.05	70.59	NA	NA	83.04	82.26	75	67.74	Y	Y	Y	Y	68.43	63.23	78.97	65.98
92.92	90.32	NA	NA	92.42	88.89	77.27	72.22	Y	Y	Y	Y	88.32	84.38	91.87	89.58
90.71	84.29	NA	NA	82.5	78.05	66.67	56.1	Y	Y	Y	Y	87.21	79.56	89.83	80.35
82.66	74.19	NA	NA	84.62	83.08	54.7	50.77	Y	Y	Y	Y	84.85	74.53	87.6	79.94
79.9	67.07	NA	NA	84.05	76.34	78.42	66.52	Y	Y	Y	Y	85.72	74.93	84.58	73.02
85.53	78.05	NA	NA	81.44	78	42.27	34	Y	Y	Y	Y	83.93	72.51	89.91	81.1
66.07	67.92	NA	NA	81.25	81.25	37.5	37.5	Y	Y	Y	Y	63.57	61.75	55	55
40	36.84	NA	NA	72.22	70.59	33.33	29.41	Y	Y	Y	Y	63.57	61.75	55	55
81.66	77.24	NA	NA	70.62	69.59	40.72	41.89	Y	Y	Y	Y	86.11	82.98	88.85	86.45
79.85	75	NA	NA	82.7	77.78	68.38	63.49	Y	Y	Y	Y	88.16	83.95	90.39	87.34
81.66	77.24	NA	NA	70.62	69.59	40.72	41.89	Y	Y	Y	Y	86.11	82.98	88.85	86.45
79.19	72.9	NA	NA	88.37	83.4	79.36	73.62	Y	Y	Y	Y	87.46	84.2	87.13	83.5
70.63	63.96	92.42	89.33	NA	NA	NA	NA	Y	Y	Y	Y	76.1	69.79	83.06	77.85

2013 School Status

86.75	84.75	NA	NA	67.53	70.83	46.75	43.75	Y	Y	Y	Y	86.21	82.14	93.68	89.08
83.33	77.01	81.37	73.58	NA	NA	NA	NA	Y	No(93.02%)	Y	Y	87.97	81.71	84.78	86.37
70.73	64.73	NA	NA	78.88	74.89	62.71	57.08	Y	Y	Y	Y	78.96	72.77	78.31	74.93
68.28	68.28	NA	NA	61.94	61.94	49.25	49.25	Y	Y	Y	Y	72.98	72.98	76.19	76.19
74.56	74.56	95.24	95	81.18	81.18	58.82	58.82	Y	Y	Y	Y	76.09	76.09	78.01	78.01
83.96	81.01	NA	NA	68.25	65.31	60.32	57.14	Y	Y	Y	Y	71.97	69.3	88.63	86.84
60.55	56.79	92.86	90.91	67.92	65.91	67.92	63.64	Y	Y	Y	Y	71.89	66.91	68.48	65.43
72.64	69.94	NA	NA	78.01	77.87	46.1	44.26	Y	Y	Y	Y	65.54	63.26	81.98	80.28
62.26	60.62	91.07	88.89	65.59	60	66.67	65.71	Y	Y	Y	Y	51.78	49.68	61.65	60.44
79.01	75.27	NA	NA	70	63.36	37.22	32.06	Y	Y	Y	Y	81.61	76.94	87.88	84.28
69.35	63.58	90.77	87.5	87.93	84.71	56.9	50.59	Y	Y	Y	Y	79.02	75.73	82.64	80.61
75	69.64	NA	NA	69.44	79.17	27.78	25	Y	Y	Y	Y	90.63	86.37	89.58	86.37
70.27	66.67	83.93	82.05	77.55	76.67	61.22	50	Y	Y	Y	Y	66.67	64.1	77.33	73.6
60.84	59.57	NA	NA	73.91	70.79	46.38	43.82	Y	Y	Y	Y	71.85	62.58	79.73	72.79
80.19	75.68	NA	NA	79.49	73.58	67.95	64.15	Y	Y	Y	Y	79.33	72.53	84.5	82.6
50.5	36.92	90	93.75	69.64	61.54	33.93	23.08	Y	Y	Y	Y	76.85	72.73	79.66	79.17
63.22	59.72	NA	NA	77.78	73.58	52.38	49.06	Y	Y	Y	Y	86.63	84.13	90.74	89.42
64.38	55.56	96.15	93.75	80.56	78.26	66.67	60.87	Y	Y	No(94.25%)	No(93.33%)	74.49	67.18	71.82	65
81.71	76.71	NA	NA	69.71	63.27	65.14	58.16	Y	Y	Y	Y	77.12	68.62	86.23	81.06
79.15	74.81	82.69	69.23	70.59	67.16	75.63	74.63	Y	Y	Y	Y	63.54	56.3	83.57	78.83
76	71.43	NA	NA	66.67	66.67	66.67	60	Y	Y	Y	No(94.74%)	78.68	79.17	70.93	65.28
NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
47.66	47.66	NA	NA	58.76	58.76	40.68	40.68	Y	Y	Y	Y	53.67	51.31	56.87	55.42
50.61	50.61	NA	NA	55.22	55.22	41.79	41.79	Y	Y	Y	Y	53.67	51.31	56.87	55.42
68.73	62.77	NA	NA	72.49	68.24	22.27	20.27	Y	Y	Y	Y	76.26	70.32	87.01	82.48
70.19	60.18	NA	NA	73.91	66.67	68.12	59.05	Y	Y	Y	Y	79	72.1	82.91	77.18
78.87	72.8	87.5	86.76	NA	NA	NA	NA	Y	Y	Y	Y	69.11	56.94	85.42	83.2
76.56	69.23	NA	NA	75	71.9	57	49.59	Y	Y	Y	Y	79.78	74.81	85.98	81.27
80.81	73.91	NA	NA	NA	NA	NA	NA	Y	Y	Y	Y	74.01	68.75	88.53	84.95
67.24	60.22	NA	NA	70.26	62.94	65.06	55.88	Y	Y	Y	Y	68.88	61.84	68.88	61.45
64.68	56.06	89.52	90	NA	NA	NA	NA	Y	Y	Y	Y	65.08	49.72	74.96	61.65
80.81	73.91	NA	NA	NA	NA	NA	NA	Y	Y	Y	Y	74.01	68.75	88.53	84.95
79.35	73.45	NA	NA	69.49	62.5	59.32	53.41	Y	Y	Y	Y	76.63	66.52	86.28	81.4
73.29	67.29	87.04	100	84.21	79.17	68.42	58.33	Y	Y	Y	Y	70.87	68.5	74.19	67.72
83.11	79.71	NA	NA	83.97	82.16	62.21	57.84	Y	Y	Y	Y	85.24	80.41	87.74	83.92
82.61	78.79	94.17	94.44	NA	NA	NA	NA	Y	Y	Y	Y	77.01	65.91	82.46	80.95
82.19	75	NA	NA	82.61	76.23	82.07	75.41	Y	Y	Y	Y	73.85	66.53	79.43	70.52
80	75.89	NA	NA	79.44	75	51.4	47.62	Y	Y	Y	Y	83.45	80.77	89.36	87.18
73.53	69.31	91.49	87.1	77.61	73.08	74.63	69.23	Y	Y	Y	Y	71.08	63.73	87.86	86.11
81.33	76.98	NA	NA	78.21	73.68	52.56	52.63	Y	Y	Y	Y	85.86	80.43	87.38	83.33

2013 School Status

79.41	75	87.65	85	NA	NA	NA	NA	Y	Y	Y	Y	84.3	85.72	94.79	93.59
79.39	73.08	NA	NA	84.71	79.71	68.47	60.87	Y	Y	Y	Y	81.09	76.98	86.73	83.33
86.47	81.08	NA	NA	76.47	69.81	59.8	52.83	Y	Y	Y	Y	73.52	61.91	82.56	73.81
70.34	58.9	100	100	80	68.75	61.82	53.12	Y	Y	Y	Y	80.08	72.23	81.78	77.61
71.24	66.67	NA	NA	82.38	79.14	42.21	38.04	Y	Y	Y	Y	78.4	70.12	86.51	81.79
77.14	66.26	NA	NA	80.84	72.2	75.33	64.57	Y	Y	Y	Y	83.26	75.96	83.78	75.19
79.37	77.54	88.28	83.58	NA	NA	NA	NA	Y	Y	Y	Y	78.03	68.39	72.68	65.12
71.24	66.67	NA	NA	82.38	79.14	42.21	38.04	Y	Y	Y	Y	78.4	70.12	86.51	81.79
73.76	69.14	NA	NA	71.33	66.67	43.33	34.96	Y	Y	Y	Y	78.62	74.39	83.04	79.98
61.35	52.11	85.51	83.72	70.09	66.67	45.79	35.8	Y	Y	Y	Y	63.03	54.83	70.03	66.31
75.77	66.67	NA	NA	82.19	75.86	53.42	39.08	Y	Y	Y	Y	84.82	80.51	80	75.13
66.22	55.3	95	92.59	77.48	68.57	58.56	47.14	Y	Y	Y	Y	76.05	64.42	73.47	63.28
91.35	83.82	NA	NA	75	66.67	45	41.03	Y	Y	Y	Y	92.16	82.24	94.61	90.43
85.59	79.45	NA	NA	66.07	66.67	28.57	27.78	Y	Y	Y	Y	90.31	83.08	91.6	85.68
79.94	65.99	NA	NA	84.75	73.22	71.27	56.9	Y	Y	Y	Y	83.43	70.08	86.98	72.38
83.82	80.38	92.06	84.36	NA	NA	NA	NA	Y	Y	Y	Y	83.69	63.83	81.27	75.99
83.33	79.63	NA	NA	80.72	80.65	34.94	37.1	Y	Y	Y	Y	84.75	81.67	84.21	83.33
92.15	85.71	NA	NA	80	75.76	56.84	48.48	Y	Y	Y	Y	89.37	78.39	90.65	81.48
88.73	82.93	NA	NA	84.93	80	52.05	51.11	Y	Y	Y	Y	91.87	85.9	94.58	92.31
88.79	86.27	NA	NA	67.39	62.69	54.35	58.21	Y	Y	Y	Y	82.43	76.82	90.2	88.09
85.58	75	NA	NA	88.2	79.93	74.78	62.98	Y	Y	Y	Y	87.98	78.37	89.44	79.83
80.64	66.67	NA	NA	85.2	72.93	71.79	54.14	Y	Y	Y	Y	85.23	76.7	85.11	75.06
86.99	77.48	NA	NA	85.32	74.58	76.27	65.89	Y	Y	Y	Y	86.79	74.53	89.91	82.75
93.38	86	NA	NA	88.33	92.31	50	53.85	Y	Y	Y	Y	91.56	83.33	95.78	92.43
95.05	90.62	NA	NA	72.63	67.86	55.79	50	Y	Y	Y	Y	91.98	80.77	95.59	89.74
94.55	85.71	NA	NA	81.54	61.54	64.62	69.23	Y	Y	Y	Y	90.89	87.03	96.81	92.59
14.29	14.29	NA	NA	0	0	0	0	Y	Y	Y	Y	16.67	16.67	72.23	72.23
70.27	47.06	45.21	32.43	85.71	75	42.86	25	Y	Y	Y	Y	86.28	75.92	87.95	79.72
81.5	76.47	NA	NA	80.51	77.08	61.01	59.9	Y	Y	Y	Y	80.8	75.88	83.33	79.1
83.83	76.62	NA	NA	88.64	84.34	83.07	76.31	Y	Y	Y	Y	82.95	76.85	83.2	77.74
89.16	86.87	92.55	86.11	NA	NA	NA	NA	Y	Y	Y	Y	75.31	66.42	85.39	79.58
81.5	76.47	NA	NA	80.51	77.08	61.01	59.9	Y	Y	Y	Y	80.8	75.88	83.33	79.1
86.67	85.71	NA	NA	94.44	92.86	72.22	67.86	Y	Y	Y	Y	83.03	83.33	86.11	85.18
71.43	67.5	94.74	90.91	76.19	73.68	63.64	60	Y	Y	Y	Y	72.79	69.51	69.13	66.67
75.3	72.09	NA	NA	67.57	65.85	38.74	41.46	Y	Y	Y	Y	83.12	82.46	88.56	89.03
92.42	88.37	96.23	96.67	NA	NA	NA	NA	No(94.64%)	No(92.11%)	Y	Y	77.13	71.15	60.07	56.41
69.86	63.96	NA	NA	72.93	65.66	65.41	58.59	Y	Y	Y	Y	81.26	74.75	84.21	74.84
76.76	72.66	NA	NA	77.14	74.04	54.29	50	Y	Y	Y	Y	85.29	81.02	80.77	76.79
74.32	70.37	93.06	92.31	79.61	74.67	69.9	64	Y	Y	Y	Y	82.99	78.39	80.21	77.17
94.89	92.86	NA	NA	80	73.53	68.33	70.59	Y	Y	Y	Y	86.01	77.7	87.28	80.05

2013 School Status

68.53	54.88	90.12	91.18	NA	NA	NA	NA	Y	Y	Y	Y	62.84	58.33	85.91	75.31
87.15	81.99	NA	NA	88.96	83.69	85.06	78.01	Y	Y	Y	Y	86.45	82.39	88.75	82.43
80.82	77.46	NA	NA	71.13	67.42	46.48	48.31	Y	Y	Y	Y	87.27	82.1	89.45	86.58
71.43	62.03	90	85.71	NA	NA	NA	NA	Y	Y	Y	Y	70.76	62.97	61.54	56.99
62.5	57.78	NA	NA	73.24	66.12	56.81	51.24	Y	Y	Y	Y	77.73	70.86	77.39	69.3
96.97	95.38	NA	NA	91.53	85.19	64.41	62.96	Y	Y	Y	Y	96.98	93.47	100	100
87.1	86.05	NA	NA	87.5	86.11	62.5	61.11	Y	Y	Y	Y	87.83	88.54	89.7	89.58
80.88	79.84	NA	NA	76.92	74.58	35.38	35.59	Y	Y	Y	Y	81.48	79.51	85.91	84.42
83.33	81.94	NA	NA	87.8	88.57	39.02	42.86	Y	Y	Y	Y	71.92	71.3	76.45	75.93
56.89	49.14	NA	NA	62.5	55.89	39.86	32.83	Y	Y	Y	Y	69.32	63.33	68.75	63.13
58.68	52.64	NA	NA	68.46	63.94	50.7	43.94	Y	Y	Y	Y	60.12	52.55	58.4	46.76
58.15	51.57	81.11	76.82	NA	NA	NA	NA	Y	Y	Y	Y	55.45	45.4	65.83	58.02
77.73	75.47	NA	NA	71.29	61.64	34.65	26.03	Y	Y	Y	Y	83.41	77.05	85.34	80.68
86.4	75.38	NA	NA	86.21	88.89	60.92	57.78	Y	Y	Y	Y	87.32	82.58	86.11	78.86
75.21	58.82	100	100	89.19	77.78	75.68	55.56	Y	Y	Y	Y	78.16	68.96	82.38	72.62
66.14	66.14	NA	NA	71.11	71.11	48.15	48.15	Y	Y	Y	Y	64.03	64.24	74.23	74.36
66.14	66.14	NA	NA	71.11	71.11	48.15	48.15	Y	Y	Y	Y	64.03	64.24	74.23	74.36
40	40	NA	NA	57.36	57.36	30.67	30.67	Y	Y	Y	Y	52.04	52.13	64.84	64.97
52.37	52.37	NA	NA	56.12	56.12	46.04	46.04	Y	Y	Y	Y	53.88	53.88	57.93	57.93
38.64	38.64	76.72	77.01	NA	NA	NA	NA	Y	Y	Y	Y	61.29	61.29	63.1	63.1
31.25	31.25	38.46	40	11.11	11.11	33.33	33.33	No(88.64%)	No(88.64%)	No(84.91%)	No(84.91%)	30.56	30.56	23.08	23.08
65.71	65.71	NA	NA	53.33	53.33	13.33	13.33	Y	Y	Y	Y	80.95	80.95	95.24	95.24
72.26	68.8	NA	NA	73.71	70.06	54.31	48.59	Y	Y	Y	Y	67.49	64.34	78.73	75.98
66.22	58	NA	NA	51.72	45.45	20.69	18.18	Y	Y	Y	Y	75.88	63.42	86.84	85.78
49	46.73	84.51	87.76	67.93	65.28	45.11	42.36	Y	Y	Y	Y	67	61.03	67.22	61.87
83.02	78.23	NA	NA	79.34	76.6	62.73	58.51	Y	Y	Y	Y	85.47	79.79	89.56	86.68
81.39	75.28	72.82	65.52	84.29	78.68	84.76	78.68	Y	Y	Y	Y	73.68	67.55	78.67	72.43
87.5	82.95	NA	NA	80.7	79.41	73.68	73.53	Y	Y	Y	Y	86.32	80.84	86.94	81.8
84.76	78.18	89.23	84.44	NA	NA	NA	NA	Y	Y	Y	Y	75.76	70.72	79	76.35
72.05	64.47	NA	NA	76.33	71.58	69.26	61.2	Y	Y	Y	Y	73.54	66.19	73.54	66.98
NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
57.96	59.09	81.65	82.24	NA	NA	NA	NA	Y	Y	Y	Y	52.85	52.38	44.61	43.92
60.66	60.66	NA	NA	81.32	81.32	26.37	26.37	Y	Y	Y	Y	70.24	70.94	56.71	57.23
60.66	60.66	NA	NA	81.32	81.32	26.37	26.37	Y	Y	Y	Y	66.64	65.08	57.74	55.49
NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
45.14	45.14	NA	NA	70.64	70.64	38.84	38.84	Y	Y	Y	Y	66.64	65.08	57.74	55.49
83.92	83.92	NA	NA	70.3	70.3	54.46	54.46	Y	Y	Y	Y	85.48	85.48	82.79	82.79
59.72	59.44	86.67	86.3	68.83	68.83	55.84	55.84	Y	Y	Y	Y	61.33	61.33	65.01	65.01
61.27	60.61	NA	NA	67.35	64.84	38.78	37.36	Y	Y	Y	Y	68.68	65.65	70.92	68.83
56.97	55.03	88.89	91.89	67.09	62.12	45.57	40.91	Y	Y	Y	Y	60.63	58.7	58.58	55.88

2013 School Status

87.5	86.92	NA	NA	76.47	72.92	57.14	57.29	Y	Y	Y	Y	82.26	80.32	87.63	87.53
84.38	81.6	81.82	82.86	86.76	83.93	76.47	73.21	Y	Y	No(93.33%)	No(92.36%)	72.83	67.89	83.23	82.28
82.39	77.78	NA	NA	82.52	77.78	59.22	51.39	Y	Y	Y	Y	83.1	80.5	88.34	87.59
79.86	77.17	100	100	80.26	73.91	60.53	54.35	Y	Y	Y	Y	76.61	68.03	84.13	76.33
84.35	81.3	NA	NA	87.32	85.45	54.93	49.09	Y	Y	Y	Y	92.7	91.67	92.7	90.91
80.29	76.36	NA	NA	81.82	81.9	58.33	55.24	Y	Y	Y	Y	74.88	70.78	74.12	68.75
57.76	50	85.56	84.21	74.07	66.34	59.26	49.5	Y	Y	Y	Y	63.97	62.13	61.38	56.35
78.57	74.16	NA	NA	78.65	74.29	60.67	54.29	Y	Y	Y	Y	78.14	76.57	93.17	91.32
72.97	64.1	94.44	91.67	74.19	69.77	75.81	72.09	Y	Y	Y	Y	58.33	51.39	67.83	61.91
78	75.22	NA	NA	74.77	69.23	36.45	33.33	Y	Y	Y	Y	79.93	78.19	80.53	79.75
80.67	80.46	97.44	96.15	84.13	82.35	76.19	72.55	Y	Y	Y	Y	73.73	67.78	72.23	68.08
85.33	80.39	NA	NA	70.59	71.43	66.67	65.71	Y	Y	Y	Y	93.33	93.83	94.44	95.37
79.63	79.31	95	90.91	93.1	94.44	72.41	72.22	Y	Y	Y	Y	90.38	85.63	86.72	82.46
77.14	75	NA	NA	87.5	85.71	62.5	57.14	Y	Y	Y	Y	87.81	85.29	87.81	85.29
79.59	80.56	100	100	77.78	81.82	74.07	81.82	Y	Y	Y	Y	64.74	58.33	79.17	73.81
74.14	68.09	NA	NA	70.45	67.57	43.18	35.14	No(91.67%)	No(94.83%)	No(91.67%)	No(94.83%)	74.87	69.86	80.16	76.95
66.15	67.39	94.74	100	73.33	76.19	53.33	52.38	Y	Y	Y	Y	77.28	66.67	71.67	70.72
60.87	58.97	NA	NA	67.65	63.33	41.18	40	Y	Y	Y	Y	77.28	76.49	86.74	87.18
51.11	45	90	85.71	60.87	55	52.17	50	Y	Y	Y	Y	70.59	67.26	67.48	61.91
65.36	61.54	NA	NA	75.22	73.68	15.93	15.79	Y	Y	Y	Y	68.18	62.47	75.25	72.65
66.67	61.86	89.58	90.32	74.36	65.45	64.1	56.36	Y	Y	Y	Y	66.2	64.17	67.59	64.38
74.85	69.4	NA	NA	66.67	50	0	0	Y	Y	Y	Y	72.89	66.67	82.43	78.21
45.83	47.5	82.23	79.2	NA	NA	NA	NA	Y	Y	Y	Y	64.58	55.84	68.61	63.26
74.85	69.4	NA	NA	66.67	50	0	0	Y	Y	Y	Y	72.89	66.67	82.43	78.21
58.91	51.35	NA	NA	78.55	75.74	31.02	26.38	Y	Y	Y	Y	70.41	66.38	70.88	68.43
59.11	52.87	NA	NA	63.32	57.76	51.53	44.83	Y	Y	Y	Y	65.57	60.38	65.32	59.08
63.64	59.52	NA	NA	74.36	69.23	43.59	38.46	Y	Y	Y	Y	73.41	67.18	75.18	67.18
68.52	54.55	82.35	76.92	69.23	58.82	61.54	47.06	Y	Y	No(94.92%)	No(91.89%)	70.08	61.54	72.23	67.11
77.16	71.53	NA	NA	80.57	73.83	57.71	51.4	Y	Y	Y	Y	74.59	66.89	82.38	76.6
71.05	58.82	93.75	87.1	64.29	44.12	67.46	52.94	Y	Y	Y	Y	79.98	70	78.48	70
43.33	42.86	NA	NA	50.79	49.18	12.7	13.11	Y	Y	Y	Y	72.23	71.33	66.33	65.05
44.16	42.47	78.57	82.61	64.44	61.9	42.22	38.1	Y	Y	No(94.85%)	No(94.32%)	45.24	41.03	51.39	47.92
74.29	67.83	NA	NA	72.44	61.73	48.82	43.21	Y	Y	Y	Y	79.85	74.12	82.6	77.9
76.96	68.32	90.38	90.62	88.37	81.25	72.09	62.5	Y	Y	Y	Y	70.24	62.21	77.08	75.49
83.27	78.18	NA	NA	78.57	71.07	61.73	59.5	Y	Y	Y	Y	85.66	81.11	84.58	79.65
73.9	67.54	80.23	73.81	84.18	77	68.35	58	Y	Y	Y	Y	77.7	66.67	81.08	71.86
78.02	75.86	NA	NA	65.29	64.43	51.76	51.68	Y	Y	Y	Y	78.88	74.76	81.53	77.14
56.19	51.93	85	83.33	73.91	69.15	60	54.26	Y	Y	Y	Y	71.38	65.78	67.43	60.92
NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

2013 School Status

NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
45.63	44.77	71.98	69.75	55.05	54.03	49.54	47.87	Y	Y	Y	Y	46.23	46.23	56.97	57.13
71.68	70.64	NA	NA	NA	NA	NA	NA	Y	Y	Y	Y	64.44	64.44	62.38	62.42
38.48	37.98	NA	NA	58.33	57.86	20.06	19.81	Y	Y	Y	Y	64.44	64.44	62.38	62.42
78.95	78.95	NA	NA	92.42	92.42	39.39	39.39	Y	Y	Y	Y	55.08	54.96	78.26	78.23
50.33	49.66	60.98	62.16	56.47	55.95	49.41	48.81	Y	Y	Y	Y	47.47	48.28	48.77	47.51
88.19	87.5	NA	NA	69.35	70.49	48.39	47.54	Y	Y	Y	Y	77.84	77.84	91.69	91.69
68.67	65.82	NA	NA	80.71	79.11	62.6	60	Y	Y	Y	Y	76.42	74.29	69.05	66.6
70.67	70	95.83	95	NA	NA	NA	NA	Y	Y	Y	Y	70	69.3	81.94	80.39
73.09	69.71	NA	NA	77.19	77.61	60.82	58.21	Y	Y	Y	Y	76.23	74.71	72.78	71.11
100	100	NA	NA	NA	NA	NA	NA	Y	Y	Y	Y	77.37	75.26	91.77	89.58
85.11	80.21	NA	NA	82.84	80.65	47.01	43.01	Y	Y	Y	Y	81.48	76.67	91.4	90
79.89	74.7	93.83	93.1	71.04	64.66	75.96	70.68	Y	Y	Y	Y	75.66	70.52	83.42	79.84
74.42	68.33	NA	NA	88.24	85.42	42.65	39.58	Y	Y	Y	Y	85.53	81.48	85.53	82.51
64.8	54.32	85.71	90.32	90.48	86.05	61.9	55.81	Y	Y	Y	Y	61.98	49.49	66.53	58.33
81.36	80.49	NA	NA	94.59	96.15	48.65	50	Y	Y	Y	Y	75.11	73.17	76.19	71.75
67.7	62.5	NA	NA	64.6	60.26	41.59	43.59	Y	Y	Y	Y	75.45	69.3	76.1	71.05
66.13	57.14	82.61	74.29	65.52	52.54	50.57	37.29	Y	Y	Y	Y	76.29	72.23	68.9	60.78
85.61	85.61	NA	NA	65.71	65.71	37.14	37.14	Y	Y	Y	Y	79.9	79.9	83.33	83.33
77.85	77.55	74.47	75.82	NA	NA	NA	NA	No(94.87%)	No(94.87%)	Y	Y	84.53	84.53	86.02	86.02
58.21	58.21	NA	NA	64.81	64.81	47.22	47.22	Y	Y	Y	Y	71.98	71.98	71.56	71.56
86.36	82.98	NA	NA	81.48	73.68	68.52	63.16	Y	Y	Y	Y	85.94	80.66	87.95	85.12
75.71	70.45	88.46	83.33	90.48	89.66	71.43	62.07	Y	Y	No(93.75%)	No(90.57%)	66.67	60.65	69.61	63.42
80.2	75.31	NA	NA	75	67.39	25	23.91	Y	Y	Y	Y	72.65	67.89	88.55	86.24
88.1	86.57	75	66.67	NA	NA	NA	NA	Y	Y	Y	Y	59.46	62.13	74.18	72.23
78.83	74.11	NA	NA	81.89	77.45	81.1	76.47	Y	Y	Y	Y	70.56	65.28	79.44	74.31
58.15	54.1	NA	NA	64.52	59.2	39.17	35.06	Y	Y	Y	Y	71.73	66.48	77.68	73.47
82.59	79.74	NA	NA	67.74	67.61	45.16	40.85	Y	Y	Y	Y	77.31	73.68	84.04	82.02
72.93	67.44	88.89	87.3	NA	NA	NA	NA	Y	Y	Y	Y	73.89	66.38	88.23	87.9
62.44	54.84	NA	NA	66.83	57.93	59.9	53.1	Y	Y	Y	Y	81.08	74.1	84.35	78.28
73.61	68.52	NA	NA	73.17	72.73	41.46	39.39	Y	Y	Y	Y	79.48	77.01	85.9	84.19
59.72	54.24	NA	NA	83.61	81.37	41.8	40.2	Y	Y	Y	Y	77.32	73.1	78.9	75.73
70.71	67.79	71.43	66.67	70	64.2	65	60.49	Y	Y	Y	Y	61.15	56.38	72.88	63.13
89.52	86.67	NA	NA	89.08	86.06	78.57	76.36	Y	Y	Y	Y	87.93	83.91	93.96	91.95
89.52	86.67	NA	NA	89.08	86.06	78.57	76.36	Y	Y	Y	Y	87.93	83.91	93.96	91.95
78.04	71.64	NA	NA	71.24	66.8	73.61	67.98	Y	Y	Y	Y	83.67	79.48	84.83	80.86
80.17	78.12	91.03	87.01	NA	NA	NA	NA	Y	Y	Y	Y	75.26	63.97	85.51	82.92
82.55	79.31	NA	NA	73.15	71.95	56.48	51.22	Y	Y	Y	Y	88.09	84.77	92.73	91.93
72.03	66.23	97.44	100	86.79	82.86	66.04	57.14	Y	Y	Y	Y	72.23	67.78	74.32	70.07

2013 School Status

92.45	91.3	NA	NA	61.9	56.76	71.43	70.27	Y	Y	Y	Y	81.62	77.28	90.2	87.88
67.92	64.44	77.78	78.57	83.33	80.65	63.89	58.06	Y	Y	Y	Y	70.24	64.91	77.17	69.86
75	75	NA	NA	85.19	85.19	37.04	37.04	Y	Y	Y	Y	87.59	87.59	78.73	78.73
68.57	68.57	NA	NA	80.95	80.95	61.9	61.9	Y	Y	Y	Y	72.23	72.23	61.54	61.54
72.63	72.63	NA	NA	67.5	67.5	52.5	52.5	Y	Y	Y	Y	68.3	68.3	72.45	72.45
88.78	88.78	NA	NA	94.59	94.59	66.22	66.22	Y	Y	Y	Y	87.98	87.98	88.78	88.78
90.11	90.11	NA	NA	83.7	83.7	71.85	71.85	Y	Y	Y	Y	84.26	84.26	90.28	90.28
61.68	61.68	NA	NA	72.5	72.5	60	60	Y	Y	Y	Y	74.93	74.93	74.14	74.14
87.14	84.76	NA	NA	80.88	85.11	33.82	36.17	Y	Y	Y	Y	91.4	86.63	88.76	84.57
65.73	56.67	76.56	63.89	NA	NA	NA	NA	Y	No(94.74%)	Y	Y	67.22	64.28	85.18	84.85
78.39	67.04	NA	NA	82.72	73.08	70.59	57.05	Y	Y	Y	Y	84.5	79.48	86.28	79.38
82.56	76.15	83.33	82.98	NA	NA	NA	NA	Y	Y	Y	Y	79.4	67.48	76.85	72.87
74.73	67.3	NA	NA	83.18	76.88	66.04	58.06	Y	Y	Y	Y	84.24	79	82.67	76.55
91.78	89.18	NA	NA	87.56	85.71	51.74	46.83	Y	Y	Y	Y	92.89	89.43	96.05	94.4
79.43	75.18	NA	NA	80.7	77.53	46.49	39.33	Y	Y	Y	Y	89.08	86.5	91.35	88.85
65.33	64.15	89.36	82.76	93.55	91.18	58.06	57.35	Y	Y	Y	Y	87.38	85.67	74.43	72.43
94.4	89.71	NA	NA	NA	NA	NA	NA	Y	Y	Y	Y	94.74	91.67	97.75	97.23
75.47	56.67	93.1	86.36	NA	NA	NA	NA	Y	Y	Y	Y	81.23	72.92	69.44	56.14
91.3	84.07	NA	NA	90.4	84.88	73.16	62.79	Y	Y	Y	Y	92.43	86.91	91.16	85.17
78.71	65.36	NA	NA	88.76	79.51	71.71	56.56	Y	Y	Y	Y	87.29	82.46	83.94	79.69
83.21	84.35	NA	NA	78.69	82.69	63.93	67.31	Y	Y	Y	Y	88.01	87.39	91.01	90.2
78.31	69.09	NA	NA	71.05	68	47.37	44	Y	Y	Y	Y	93.51	90	94.59	91.67
89.8	86.67	NA	NA	90.91	85.71	77.27	78.57	Y	Y	Y	Y	85.18	73.33	88.89	86.67
78.66	74.26	NA	NA	66.25	62.9	43.75	43.55	Y	Y	Y	Y	84.73	83.98	90.74	90.38
93.21	87.32	NA	NA	80.26	78.12	69.74	65.62	Y	Y	Y	Y	90.45	79.88	93.06	84.68
80.93	72.93	NA	NA	77.84	69.95	75.04	66.83	Y	Y	Y	Y	80.56	72.72	89.66	85.43
84.63	76.03	NA	NA	81.85	72.35	81.52	72.35	Y	Y	Y	Y	84.28	74.64	86.38	77.57
71.01	61.03	81.86	74.02	NA	NA	NA	NA	Y	Y	Y	Y	74.68	60.93	81.93	78.07
96.03	92.42	NA	NA	86.27	83.33	72.55	66.67	Y	Y	Y	Y	91.67	87.66	96.67	94.86
71.07	60.85	NA	NA	86.05	81.4	39.76	32.56	Y	Y	Y	Y	81.28	72.72	82.44	74.56
91.03	87.61	NA	NA	88.18	85.71	80.91	81.82	Y	Y	Y	Y	76.19	69.77	82.4	77.14
69.39	63.16	93.75	93.94	72.73	64.91	71.43	63.16	Y	Y	Y	Y	66.78	60.84	75.75	71.24
67	58.69	NA	NA	82.3	76.1	53.1	42.14	Y	Y	Y	Y	76.28	70.27	74.86	67.92
87.62	80.88	88.46	83.87	NA	NA	NA	NA	No(94%)	No(91.18%)	Y	Y	62.77	46.67	81.06	78.58
71.05	60.39	91.01	86.13	NA	NA	NA	NA	Y	Y	Y	Y	73.48	53.67	77.22	70.07
39.24	38.96	75.51	75.49	NA	NA	NA	NA	No(92%)	No(92.46%)	No(88.38%)	No(88.45%)	54.9	50.88	47.6	47.45
69.24	60.32	NA	NA	74.33	68.3	64.8	56.38	Y	Y	Y	Y	79.12	71.49	76.48	67.33
73.3	69.37	94.26	90.91	NA	NA	NA	NA	Y	Y	Y	Y	77.55	66.67	72.84	66.91
69.26	63.59	NA	NA	77.38	74.45	44.64	40.15	Y	Y	Y	Y	75.88	72.92	80.27	78.33
52.3	48.94	NA	NA	71.69	68.78	45.23	41.92	Y	Y	Y	Y	72.48	67.37	66.33	61.04

2013 School Status

43.71	40.9	NA	NA	50	46.39	36.43	33.06	Y	Y	Y	Y	59.97	57.18	59.81	57.37
74.11	52.12	NA	NA	81.25	65.03	68.75	46.63	Y	Y	Y	Y	84.08	67.98	81.33	60.12
36.83	35.33	NA	NA	48.67	46.8	34.69	33.27	Y	Y	Y	Y	52.92	51.48	52.79	51.49
47.44	44.93	NA	NA	59.14	57.65	19.35	18.82	Y	Y	Y	Y	60.38	59.24	66.78	65.93
62.93	63.04	NA	NA	79.03	76.47	37.1	33.33	Y	Y	Y	Y	61.91	61.6	57.93	58.33
65.09	62.59	NA	NA	76.42	75	45.28	43.75	Y	Y	Y	Y	74.95	73.29	71.58	71.15
76.65	72.3	NA	NA	81.45	80	43.55	44.21	Y	Y	Y	Y	77.03	72.38	79.36	75.78
95.31	88.24	NA	NA	92.37	83.87	70.99	61.29	Y	Y	Y	Y	96.65	90.38	95.39	85.58
51.2	50	NA	NA	69.33	65.67	32	31.34	Y	Y	Y	Y	64.1	64.1	64.1	64.1
84.44	74.24	NA	NA	84.71	76.19	57.65	50	Y	Y	Y	Y	89.27	82.46	90.53	85.38
60.74	58.97	NA	NA	71.95	68.57	29.27	30	Y	Y	Y	Y	73.83	70.3	72.45	67.83
93.67	80	NA	NA	92.39	87.5	67.39	56.25	Y	Y	Y	Y	92.6	68.75	94.08	75
54.17	51.49	NA	NA	76.4	74.32	26.97	21.62	Y	Y	Y	Y	71.78	70.59	73.1	73.39
55.46	52.02	NA	NA	69.23	67.48	34.97	32.52	Y	Y	Y	Y	70.89	67.41	64.77	60.37
79.4	63.55	NA	NA	82.03	72.06	64.06	45.59	Y	Y	Y	Y	86.26	77.63	84.93	76.08
52.32	51.13	NA	NA	82.42	80	49.45	48.75	Y	Y	Y	Y	63.35	62.91	61.85	61.38
58.64	56.74	NA	NA	75.96	75.56	40.38	37.78	Y	Y	Y	Y	66.88	66.33	63.14	63.03
54.8	54.04	NA	NA	77.68	75.96	31.25	31.73	Y	Y	Y	Y	64.08	62.38	63.7	62.78
86.63	78.85	NA	NA	85.29	82.61	70.59	63.77	Y	Y	Y	Y	93.06	89.67	92.33	87.6
68.27	67.35	NA	NA	84.38	84.13	68.75	68.25	Y	Y	Y	Y	59.85	59.85	62.88	62.88
79.38	78.1	NA	NA	91.75	90.7	70.1	67.44	Y	Y	Y	Y	71.63	68.12	73.41	70.92
80	65.87	NA	NA	85.83	81.08	37.01	35.14	Y	Y	Y	Y	89.63	79.36	88.59	80.13
50.43	47.71	NA	NA	64.38	61.76	31.51	32.35	Y	Y	Y	Y	77.92	76.42	82.19	81.13
42.86	44.14	NA	NA	60.26	61.11	39.74	40.28	Y	Y	Y	Y	54.4	53.88	62.27	61.17
60.32	59.48	NA	NA	75.56	74.12	38.89	40	Y	Y	Y	Y	65.19	63.87	69.93	69.7
47.96	50	NA	NA	63.33	66.67	43.33	49.02	Y	Y	Y	Y	59.33	59.88	62.3	61.93
62.5	61.4	NA	NA	75.17	74.19	44.14	44.35	Y	Y	Y	Y	68.25	67.41	62.53	62.76
72.31	68.06	NA	NA	87.16	87.07	49.32	43.97	Y	Y	Y	Y	81.55	76.19	80.36	74.56
64.95	64.21	NA	NA	90.44	91.06	49.26	48.78	Y	Y	Y	Y	64.98	64.76	69.52	69.04
47.91	45.26	NA	NA	53.99	50.73	42.75	40.46	Y	Y	Y	Y	58.93	56.84	60.02	57.09
44.32	43.23	59.91	60	NA	NA	NA	NA	No(90.41%)	No(91.79%)	Y	Y	44.62	40	51.84	51.81
43.09	43.73	73.66	76	NA	NA	NA	NA	Y	Y	No(93.43%)	No(93.75%)	41.85	40.4	52.81	52.14
17.65	17.65	NA	NA	20	20	0	0	No(45.07%)	No(45.07%)	No(61.17%)	No(60.78%)	68.27	61.03	67.59	61.14
0	0	100	100	NA	NA	NA	NA	No(32.65%)	No(35.14%)	No(25%)	No(33.33%)	27.08	30.56	67.59	61.14
4.17	4.55	NA	NA	NA	NA	NA	NA	No(76%)	No(75%)	No(53.61%)	No(52.69%)	16.67	16.67	23.61	21.43
52.26	52.24	NA	NA	63.38	62.37	31.46	31.72	Y	Y	Y	Y	61.65	61.35	71.83	71.74
52.26	52.24	NA	NA	63.38	62.37	31.46	31.72	Y	Y	Y	Y	61.65	61.35	71.83	71.74
94.26	85.71	NA	NA	90.52	81.08	83.41	75.68	Y	Y	Y	Y	90.71	75.18	93.18	81.38
NA	NA	NA	NA	NA	NA	NA	NA	No(88.73%)	No(90%)	No(90.14%)	No(90%)	NA	NA	NA	NA
35.7	34.63	NA	NA	50.66	49.71	32.83	31.63	Y	Y	Y	Y	45.18	44.68	53.26	53.51

2013 School Status

69.33	67.61	NA	NA	70.83	70.65	41.67	39.13	Y	Y	Y	Y	69.81	69.23	77.66	77.57
NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
62.22	63.16	NA	NA	79.57	79.12	47.31	48.35	Y	Y	Y	Y	57.76	58.04	53.7	53.97
82.33	62.07	NA	NA	88.89	84.44	58.73	48.89	Y	Y	Y	Y	90.2	77.53	88.31	73.78
80.95	80.95	NA	NA	72.73	72.73	33.33	33.33	Y	Y	Y	Y	80.23	79.88	80.23	81.33
78.64	62.5	NA	NA	85.25	74.19	55.19	40.32	Y	Y	Y	Y	87.72	74.11	85.97	72.49
86.7	71.88	NA	NA	81.88	72.73	56.52	54.55	Y	Y	Y	Y	91.5	83.74	91.08	81.71
NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
57.29	56.38	NA	NA	75.44	76.79	50.88	50	Y	Y	Y	Y	69.42	69.42	56.43	56.43
78.05	77.78	NA	NA	76.92	76.92	38.46	38.46	Y	Y	Y	Y	78.01	79.17	82.64	82.84
69.83	68.24	NA	NA	80.99	80	47.11	44.35	Y	Y	Y	Y	72.93	72.08	71.66	71.21
73.95	73.33	NA	NA	88.31	86.57	45.45	46.27	Y	Y	Y	Y	76.52	74.91	80.48	78.73
53.85	52.31	NA	NA	62.92	60.76	33.71	32.91	Y	Y	Y	Y	74.88	73.08	66.33	64.74
75.58	75.58	NA	NA	71.43	71.43	51.02	51.02	Y	Y	Y	Y	73.52	73.52	71.18	71.18
68.76	51.72	NA	NA	70.83	57.19	63.02	46.49	Y	Y	Y	Y	80.03	65.13	80.57	65.79
NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
12	12	NA	NA	25.93	25.93	11.11	11.11	No(91.04%)	No(90.91%)	No(84.62%)	No(84.47%)	72.66	64	71.13	63.12
56.8	53.6	NA	NA	54.92	53.51	54.06	51.23	Y	Y	Y	Y	72.66	64	71.13	63.12
56.44	50.65	NA	NA	NA	NA	NA	NA	Y	No(93.6%)	No(92.23%)	No(91.62%)	72.66	64	71.13	63.12
91.57	72.58	NA	NA	85.81	60.61	54.84	36.36	Y	Y	Y	Y	92.67	79.17	91.17	74.49
74.22	57.32	NA	NA	82.21	75.9	45.19	40.96	Y	Y	Y	Y	87.55	75.24	89.83	81.28
84.17	81.48	NA	NA	78.82	77.78	55.29	61.9	Y	Y	Y	Y	86.02	81.96	90.09	87.98
75.18	68.71	NA	NA	76.57	67	37.71	33	Y	Y	Y	Y	85.96	81.69	82.38	74.47
61.54	57.76	NA	NA	68.6	69.01	29.07	26.76	Y	Y	Y	Y	79	75.96	83.59	80.77
50.62	50	NA	NA	71.15	71.15	36.54	36.54	Y	Y	Y	Y	52.25	52.25	55.99	55.99
69.39	66.25	NA	NA	66.67	64	41.27	40	Y	Y	Y	Y	80.43	75.81	84.85	82.08
65.09	58.9	NA	NA	84.72	80.43	40.28	39.13	Y	Y	Y	Y	80.82	77.19	85.01	83.33
80.34	73.17	NA	NA	82.61	82	34.78	36	Y	Y	Y	Y	86.84	78.86	85.38	78.86
67.06	59.42	NA	NA	76.47	72.73	37.25	27.27	Y	Y	Y	Y	84.33	82.6	82.19	80.77
84.93	82.14	NA	NA	88.46	85	61.54	55	No(92.05%)	No(94.03%)	No(92.05%)	No(94.03%)	83.64	78.07	85.98	81.36
53.45	52.94	NA	NA	84.62	85.29	41.03	44.12	Y	Y	Y	Y	58.88	55.88	59.96	55.88
80.25	72.12	NA	NA	76.7	72.06	48.54	42.65	Y	Y	Y	Y	80	71.63	86.11	80.5
79.29	75.86	NA	NA	83.18	79.73	40.19	36.49	Y	Y	Y	Y	84.95	81.48	86.56	81.48
47.35	42.53	NA	NA	43.96	39.6	41.5	38.25	Y	Y	Y	Y	56.13	51.69	61.04	57.2
52.76	45.22	NA	NA	59.51	50.52	44.2	38.83	Y	Y	Y	Y	65.52	56.13	70.61	61.96
65.05	53.01	NA	NA	68.66	56.35	59.63	46.65	Y	Y	Y	Y	73.25	64	70.58	62.48
64.43	60.38	59.42	52.94	NA	NA	NA	NA	Y	Y	No(92.8%)	No(91.22%)	49.24	40.38	48.57	47.56
35.05	32.39	73.33	71.05	NA	NA	NA	NA	Y	Y	No(92.83%)	No(92.53%)	60.69	52.38	44.44	41.62
59.41	59.38	69.57	68.42	NA	NA	NA	NA	Y	Y	No(91.79%)	No(90.68%)	69.38	63.83	86.03	86.11
66.47	54.8	63.64	54.87	NA	NA	NA	NA	Y	No(94.9%)	Y	Y	64.42	46.01	74.23	67.53

2013 School Status

80.33	76.29	NA	NA	72.37	67.8	57.89	50.85	Y	Y	Y	Y	84.3	80	81.88	76.67
65.64	64	NA	NA	83.19	82.61	27.43	26.09	Y	Y	Y	Y	79.4	75.24	79.4	75.24
80.51	77.17	NA	NA	84.93	81.13	52.05	52.83	Y	Y	Y	Y	78.47	76.67	67.23	64.44
59.02	60	64.47	54.55	NA	NA	NA	NA	Y	Y	Y	Y	63.43	49.44	68.02	60.39
86.9	81.08	NA	NA	72.41	58.33	51.72	41.67	Y	Y	Y	Y	94.63	89.58	97.31	93.06
84.29	78.99	NA	NA	84.68	82.81	50	45.31	No(93.85%)	No(90.54%)	No(93.85%)	No(90.54%)	82.3	75.07	81.57	71.78
67.63	57.04	NA	NA	72.35	63.72	64.41	54.87	Y	Y	Y	Y	72.01	65.58	72.13	66.58
70.81	71.43	NA	NA	78.79	75.61	38.38	34.15	Y	Y	Y	Y	79.02	77.22	72.43	70.7
78.29	59.2	NA	NA	83.44	70.59	39.26	32.35	Y	Y	Y	Y	90.92	83.33	92.48	85.72
74.09	61.28	NA	NA	72.43	62.32	68.38	59.9	Y	Y	Y	Y	70.17	65.03	76.22	69.91
57	55.62	NA	NA	72.81	73	23.68	22	Y	Y	Y	Y	63.42	62.03	69.92	68.98
69.42	53.32	NA	NA	75.8	65.14	61.54	46.29	Y	Y	Y	Y	71.83	56.99	77.06	63.47
85.07	71.03	NA	NA	86.21	71.21	51.72	36.36	Y	Y	Y	Y	93.35	86.56	89.86	79.39
62.93	51.2	NA	NA	NA	NA	NA	NA	Y	Y	Y	Y	61.68	47.68	81.83	78.98
87.25	80.72	NA	NA	85.51	79.31	63.04	53.45	Y	Y	Y	Y	78.26	58.33	81.88	68.39
62.72	50	94.59	100	82.09	66.67	56.72	27.78	Y	Y	Y	Y	75.33	69.44	74.43	66.67
80.4	69.57	100	NA	86.21	77.55	75.47	61.9	Y	Y	Y	Y	89.69	78.01	87.34	70.24
65.43	54.76	100	100	NA	NA	NA	NA	Y	Y	Y	Y	91.23	68.75	85	82.64
NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
73.17	64.71	NA	NA	76.34	69.09	53.76	45.45	Y	Y	Y	Y	70.73	31.55	77.23	40.48
63.5	59.34	NA	NA	69.81	60.56	59.43	57.75	Y	Y	Y	Y	73.17	32.43	76.4	36.93
39.64	39.62	NA	NA	59.15	57.35	35.21	33.82	Y	Y	Y	Y	63.39	64.28	43.31	43.63
26.32	22.86	NA	NA	NA	NA	NA	NA	Y	Y	No(81.03%)	No(84.31%)	62.97	64.28	29.01	31.16
91.43	81.08	NA	NA	80.72	68.42	79.52	71.05	Y	Y	Y	Y	82.07	71.36	84.71	75.26
73.2	60.56	NA	NA	85.34	76.4	58.41	46.07	Y	Y	Y	Y	76.95	64.78	77.68	65.38
44.21	46.15	NA	NA	NA	NA	NA	NA	Y	Y	Y	Y	78.9	70.43	59.1	41.36
84.62	78.05	NA	NA	65.67	72	46.27	52	Y	Y	Y	Y	79.17	75	84.95	79.17
80.28	68.52	NA	NA	78.76	69.05	82.3	73.81	Y	Y	Y	Y	89.01	82.46	84.77	79.17
81.61	62.5	NA	NA	NA	NA	NA	NA	Y	Y	Y	No(94.12%)	85.73	79.88	72.23	81.48
45.83	48.44	NA	NA	78.57	80.77	42.86	38.46	Y	Y	Y	Y	53.7	50.98	54.86	54.25
48.18	47.73	NA	NA	56.04	51.39	38.46	38.89	Y	Y	Y	Y	53.7	50.98	54.86	54.25
85.87	82.89	NA	NA	74.47	74.36	55.32	53.85	Y	Y	Y	Y	78.07	67.52	86.84	83.05
70.7	65	NA	NA	74.86	71.9	61.2	52.89	Y	Y	Y	Y	68.13	66.43	84.07	79.17
46.27	34.09	NA	NA	NA	NA	NA	NA	NA	NA	Y	Y	NA	NA	85.21	80.92
72.68	63.87	NA	NA	82.58	75	62.12	50	Y	Y	Y	Y	81.38	73	78.38	69.36
16.67	16.67	NA	NA	NA	NA	NA	NA	No(52.24%)	No(52.24%)	No(68.18%)	No(67.44%)	10	10	10	10
54.55	54.55	NA	NA	54.55	54.55	0	0	No(89.19%)	No(89.19%)	No(89.19%)	No(89.19%)	53.7	53.7	58.33	58.33
31.82	31.82	71.43	66.67	33.33	33.33	22.22	22.22	No(80%)	No(80%)	No(84.15%)	No(84.15%)	27.78	27.78	42.03	42.03
14.81	14.81	NA	NA	4	4	12	12	Y	Y	Y	Y	20.46	20.46	22.35	22.35
20	16.67	80.95	88.89	NA	NA	NA	NA	Y	Y	No(91.3%)	No(90.48%)	16.67	16.67	33.33	33.33

2013 School Status

NA	NA	NA	NA	NA	NA	NA	NA	No(0.93%)	No(0.93%)	No(0%)	No(0%)	NA	NA	NA	NA
67.19	67.19	NA	NA	59.78	59.78	42.39	42.39	Y	Y	Y	Y	64.91	64.91	75.33	75.33
59.48	59.48	95.45	95.24	75	75	51.67	51.67	Y	Y	Y	Y	70.14	70.14	68.83	68.83
86.76	82.02	NA	NA	82.11	76.65	66.12	61.48	Y	Y	Y	Y	86.19	83.75	90.68	89.09
64.91	67.44	87.1	85.29	NA	NA	NA	NA	Y	Y	Y	Y	70.8	60.2	67.59	65.68
86.76	82.02	NA	NA	82.11	76.65	66.12	61.48	Y	Y	Y	Y	86.19	83.75	90.68	89.09
87.38	81.88	NA	NA	82.38	76.28	80.84	75.64	Y	Y	Y	Y	81.68	76.59	88.82	85.29
71	71	NA	NA	67.39	67.39	37.5	37.5	Y	Y	Y	Y	62.56	62.56	76.51	76.51
49.05	49.05	NA	NA	50.87	50.87	42.68	42.68	Y	Y	Y	Y	49.68	49.68	47.98	47.98
38.01	38.01	76	70.65	NA	NA	NA	NA	Y	Y	Y	Y	43.68	43.68	59.08	59.08
71	71	NA	NA	67.39	67.39	37.5	37.5	Y	Y	Y	Y	62.56	62.56	76.51	76.51
42.63	42.63	NA	NA	45.67	45.67	25.24	25.24	Y	Y	Y	Y	57.69	57.69	59.34	59.34
45.92	45.92	NA	NA	66.67	66.67	19.44	19.44	Y	Y	Y	Y	62.88	62.88	69.19	69.19
50.59	50.59	72.09	72.09	79.55	79.55	38.64	38.64	No(88.37%)	No(88.37%)	No(93.75%)	No(93.75%)	53.13	53.13	58.33	58.33
76.74	76.47	NA	NA	56.52	55.56	45.65	46.67	Y	Y	Y	Y	73.78	73.78	85.96	85.96
78.12	78.12	78.95	78.95	NA	NA	NA	NA	Y	Y	Y	Y	69.44	69.44	77.35	77.35
60.2	60.2	NA	NA	68.23	68.23	51.56	51.56	Y	Y	Y	Y	62.27	62.27	67.38	67.38
83.78	76.67	NA	NA	50.44	49.18	27.43	24.59	Y	Y	Y	Y	85.25	77.88	85.06	77.09
59.31	52.38	90.48	84.38	NA	NA	NA	NA	Y	Y	Y	Y	79.92	69.11	76.33	64.66
73.91	67.03	NA	NA	80	74.26	58.48	53.16	Y	Y	Y	Y	85.26	77.5	78.6	71.05
92.94	82.35	NA	NA	81.99	82.93	46.58	46.34	Y	Y	Y	Y	91.28	76.35	94.18	83.11
87.92	84.57	NA	NA	85.07	82.35	50.75	43.53	Y	Y	Y	Y	83.92	75.79	89.45	85.46
90.39	85.27	NA	NA	90.34	84.93	59.09	54.79	Y	Y	Y	Y	91.76	78.22	96.47	91.48
86.7	77.87	NA	NA	86.39	82.43	60.54	55.41	Y	Y	Y	Y	87.99	80.66	89.41	82.88
91.47	85.22	NA	NA	88.71	80.65	84.64	73.39	Y	Y	Y	Y	91.37	81.93	88.84	79.88
86.15	74.84	NA	NA	85.88	76.41	82.17	67.96	Y	Y	Y	Y	84.18	73.73	87.69	79.1
94.81	90.22	91.52	80.85	NA	NA	NA	NA	Y	Y	Y	Y	82.87	56.93	93.81	82.23
85.71	76.62	NA	NA	90.67	87.88	39.9	35.35	Y	Y	Y	Y	85.48	74.91	89.19	81.84
83.13	76.19	NA	NA	78.47	73.13	40.28	37.31	Y	Y	Y	Y	85.93	77.73	92.24	86.84
84.67	76.46	79.86	72.19	NA	NA	NA	NA	Y	Y	Y	Y	75.92	60.58	86.53	79.23
94.24	87.88	NA	NA	89.73	85	51.35	48.75	Y	Y	Y	Y	93.4	84.13	98.61	97.03
86.58	81.45	NA	NA	78.32	75.64	53.15	52.56	Y	Y	Y	Y	90.25	86.25	93.35	91.1
91.61	78.79	NA	NA	89.33	81.36	58.43	35.59	Y	Y	Y	Y	94.2	85.23	94.51	86.28
82.12	70.24	NA	NA	82.38	71.79	76.67	61.97	Y	Y	Y	Y	82.52	71.3	86.23	77.57
85.49	76.64	NA	NA	85.45	81.82	41.82	34.85	Y	Y	Y	Y	90.62	84.43	93.87	89.1
87.32	72.27	NA	NA	89.61	75.9	81.88	63.67	Y	Y	Y	Y	85.48	67.52	86.58	71.21
90.13	84	NA	NA	87.7	84.31	45.9	43.14	Y	Y	Y	Y	93.62	87.99	96.17	93.24
84.38	78.26	NA	NA	90	87.5	65	56.25	Y	Y	Y	Y	85.18	83.8	88.89	86.11
89.93	82.43	NA	NA	67.19	55.17	35.94	31.03	Y	Y	Y	Y	77.91	70.98	84.44	75.66
88.24	88.46	93.75	90.62	NA	NA	NA	NA	Y	No(93.94%)	No(93.33%)	No(87.3%)	73.96	58.33	90.46	84.47

2013 School Status

75.54	62.64	NA	NA	75.8	67.7	66.88	55.9	Y	Y	Y	Y	71.88	62.85	74.69	67.37
84.47	82.08	NA	NA	67.96	65.06	58.25	56.63	Y	Y	Y	Y	77.48	73.71	79.5	78.61
55.68	49.21	83.2	80.77	NA	NA	NA	NA	Y	Y	Y	Y	71.98	67.66	79.34	72.43
70.36	66.49	NA	NA	74.33	70.41	62.5	59.17	Y	Y	Y	Y	69.18	63.77	69.36	64.01
83.45	78	NA	NA	82.22	75.56	60	56.67	Y	Y	Y	Y	77.78	73.33	93.06	91.67
85	83.17	NA	NA	58.93	55.32	26.79	25.53	Y	Y	Y	Y	90.58	87.02	93.03	89.72
87.32	83.16	91.23	90.24	88.44	83.16	85.03	80	Y	Y	Y	Y	81.58	78.88	90.14	89.42
77.5	75.76	NA	NA	70.59	68.97	58.82	55.17	Y	Y	Y	Y	79.17	76.19	84.38	84.13
86.79	82.5	73.68	72.73	95.83	94.44	91.67	88.89	Y	Y	Y	Y	72.79	68.75	79.88	75.69
78.18	77.08	100	100	90.32	88	70.97	72	Y	Y	Y	Y	71.73	69.39	80.56	78.76
84.62	81.82	NA	NA	64.71	65.38	38.24	34.62	Y	Y	Y	Y	85.22	82.03	87.9	85.29
68.42	61.29	NA	NA	75.93	72.09	61.11	55.81	Y	Y	Y	Y	72.62	68.18	78.58	74.24
72.73	69.81	92.31	91.67	71.43	66.67	67.86	61.9	Y	Y	Y	Y	63.83	59.35	75.35	71.15
69.28	60.66	NA	NA	85.59	82.56	48.31	44.19	Y	Y	Y	Y	82.86	76.89	77.14	69.19
81.52	78.69	NA	NA	78.46	72.62	63.08	58.33	Y	Y	Y	Y	78.33	74.21	85.07	82.14
78.32	68.82	NA	NA	87.63	79.31	51.55	44.83	Y	Y	Y	Y	80.98	69.44	77.63	72.23
35.71	30.77	5.45	6.67	0	0	0	0	Y	Y	No(91.41%)	No(90.97%)	76.11	69.72	78.39	73.13
81.48	79.71	NA	NA	84.09	82.42	48.48	45.05	Y	Y	Y	Y	88.98	84.42	88.51	83.74
88.55	87.29	NA	NA	84.62	82.35	67.95	63.24	Y	Y	Y	Y	81.83	80.6	85.59	84.92
91.37	91.43	NA	NA	94.51	94.2	65.93	71.01	Y	Y	Y	Y	91.67	91.34	92.43	92.43
83.39	81.12	NA	NA	88.89	86	57.58	51.33	Y	Y	Y	Y	83.11	77.2	82.82	78.78
70.06	69.54	NA	NA	70.48	71	47.62	47	Y	Y	Y	Y	61.39	60.08	74.58	74.05
85.64	81.54	NA	NA	86.03	79.55	69.12	65.91	Y	Y	Y	Y	81.66	75.13	85.25	80.1
63.3	62.09	NA	NA	75	74.83	64.47	63.27	Y	Y	Y	Y	73.93	72.86	74.67	73.63
76.89	76.21	NA	NA	82.28	82.05	63.29	62.82	Y	Y	Y	Y	72.99	72.23	77.24	76.25
82.8	82.57	NA	NA	76.75	76.71	53.51	53.42	Y	Y	Y	Y	73.38	72.41	78.49	77.98
65.75	65.31	NA	NA	73.14	72.62	42.86	43.45	Y	Y	Y	Y	78.93	77.87	82.49	81.68
64.74	64.67	NA	NA	69.05	69.42	55.56	54.55	Y	Y	Y	Y	66.76	66.67	68.63	68.09
82.42	72.81	NA	NA	89.73	83.27	75	64.9	Y	Y	Y	Y	86.67	77.65	86.49	79.1
70.47	69.81	NA	NA	67.99	66.44	62.71	61.59	Y	Y	Y	Y	62.26	60.88	68.32	66.98
61.95	60.14	NA	NA	66.1	64.36	54.86	52.95	Y	Y	Y	Y	60.96	59.55	66.58	66.21
81.2	72.48	NA	NA	86.4	78.29	77.6	67.97	Y	Y	Y	Y	82.58	75.9	83.89	75.83
58.74	55.63	68.27	65.1	NA	NA	NA	NA	Y	Y	Y	Y	56.26	51.37	66.17	62.97
76.27	67.84	82.11	73.8	NA	NA	NA	NA	Y	Y	Y	Y	81	67.67	80.37	69.56
88.72	82.11	NA	NA	91.85	86.15	63.59	52.31	Y	Y	Y	Y	92.08	84.43	91.05	85.35
74.75	74.75	NA	NA	79.49	79.49	48.72	48.72	Y	Y	Y	Y	69.39	68.43	73.64	72.81
84.38	77.3	NA	NA	90.87	91	68.49	66	Y	Y	Y	Y	89.26	81.3	90.2	81.84
71.07	70.47	NA	NA	71.72	70.92	46.21	45.39	Y	Y	Y	Y	61.11	60.36	66.27	65.62
89.26	83.7	NA	NA	95	89.87	70.62	59.49	Y	Y	Y	Y	87.33	79.01	86.67	79.01
89.45	80.09	NA	NA	90.12	78.35	84.77	72.16	Y	Y	Y	Y	89.05	76.47	91.76	81.43

2013 School Status

74.15	74.65	96.07	94.94	NA	NA	NA	NA	Y	Y	Y	Y	84.13	70.31	89.05	80.23
88.71	80.13	NA	NA	86.52	80	43.91	32.94	Y	Y	Y	Y	86.37	72.23	91.13	82.71
87.41	73.66	NA	NA	85.03	70.09	83.73	67.86	Y	Y	Y	Y	84.54	71.95	93.17	85.56
89.59	81.28	NA	NA	88.43	84.96	50.41	47.79	Y	Y	Y	Y	90.92	82.43	94.98	89.64
76.88	73.08	NA	NA	73.39	70.42	50	46.48	Y	Y	Y	Y	74.64	70	72.38	69.33
59.9	52.63	96.61	90.91	66.67	61.67	51.61	46.67	Y	Y	Y	Y	71.09	62.64	66.76	61.93
71.74	67.57	NA	NA	75.41	74	47.54	44	Y	Y	Y	Y	78.18	75.35	78.18	75.35
43.37	36.76	93.75	94.74	47.06	41.86	33.33	25.58	No(94.32%)	Y	Y	Y	69.61	65.68	62.13	62.13
88.46	81.33	NA	NA	82.09	82.93	52.24	43.9	Y	Y	Y	Y	83.05	77.15	90.12	86.56
74.19	63.46	95.16	96	NA	NA	NA	NA	Y	Y	Y	Y	67.26	61.81	73.6	63.77
72.69	59.52	NA	NA	79.26	67.8	65.44	53.39	Y	Y	Y	Y	73.63	63.85	83.66	77.43
79.13	73.97	NA	NA	74.51	64.52	50.98	41.94	Y	Y	Y	Y	84.98	78.31	93.17	90.87
72.84	65.22	NA	NA	80.09	72.48	69.7	62.42	Y	Y	Y	Y	73.5	66.28	79.83	72.98
65.52	55.71	90.12	89.19	NA	NA	NA	NA	Y	Y	Y	Y	83.33	75.88	74.64	68.31
94.02	93.09	NA	NA	81.6	79.79	45.99	42.51	Y	Y	Y	Y	91.13	89.46	92.6	91.24
94.02	93.09	NA	NA	81.6	79.79	45.99	42.51	Y	Y	Y	Y	91.13	89.46	92.6	91.24
73.47	69.23	88.05	86.11	NA	NA	NA	NA	Y	Y	Y	Y	76.62	70.31	80.61	78.8
81.03	79.58	NA	NA	84.24	81.62	75.15	73.53	Y	Y	Y	Y	77.75	73.01	85.13	82.46
87.63	86.05	NA	NA	88.12	84.55	78.75	75.61	Y	Y	Y	Y	85.2	81.16	81.21	75.56
55.17	50	NA	NA	75	70.59	29.17	23.53	Y	Y	Y	Y	73.68	65.12	79.53	76.74
79.67	77.91	NA	NA	85.96	81.6	54.49	50.4	Y	Y	Y	Y	81.65	78.38	89.68	87.34
77.71	75.36	95.52	97.62	79.53	78.64	77.17	73.79	Y	Y	Y	Y	70.05	65.62	73.28	69.66
89.04	85.45	NA	NA	60.27	60	39.73	41.82	Y	Y	Y	Y	86.03	82.91	90.33	87.18
85.14	83.33	83.33	77.33	NA	NA	NA	NA	Y	No(94.34%)	Y	Y	79.59	73.77	86.03	78.98
94.59	94.29	NA	NA	75	71.43	81.25	78.57	Y	Y	Y	Y	94.79	94.05	97.4	97.03
73.13	68.21	NA	NA	82.98	79.29	70.21	65	Y	Y	Y	Y	79.38	76.99	78.09	73.88
70.81	64.79	NA	NA	81.55	78.12	48.81	46.88	Y	Y	Y	Y	78.95	72.23	85.97	81.88
90.46	87.77	NA	NA	76.23	72.53	54.1	49.45	Y	Y	Y	Y	89.34	87.79	93.53	92.04
59.43	54.41	94.07	93.65	76.03	72.73	53.72	45.45	Y	Y	Y	Y	83.54	79.46	78.15	72.84
80.36	75.1	NA	NA	80	77.23	70.48	64.73	Y	Y	Y	Y	80.94	76.29	84.62	80.48
89.4	87.77	NA	NA	87.01	84.03	60.45	59.66	Y	Y	Y	Y	86.06	80.18	87.28	82.88
79.55	73.22	NA	NA	85.17	80.86	76.43	70.99	Y	Y	Y	Y	88.73	84.38	84.85	81.48
81.01	78.89	92.41	85.71	NA	NA	NA	NA	Y	No(94.74%)	Y	Y	80.52	75.61	82.57	76.79
90	87.5	NA	NA	87.5	80.77	70	61.54	Y	Y	Y	Y	78.07	72.98	91.38	89.03
83.33	76.67	94.44	92.31	73.08	50	73.08	57.14	Y	Y	Y	Y	93.06	89.13	74.24	62.13
81.01	80.6	NA	NA	81.36	78	55.93	56	Y	Y	Y	Y	81.48	79.56	85.45	84.28
73.81	68.97	100	100	81.48	76.19	66.67	61.9	Y	Y	Y	Y	69.05	64.74	71.7	72.23
90.37	85	NA	NA	77.66	73.33	45.74	45	Y	Y	Y	Y	85.07	78.33	90.37	84.17
84.78	76.24	NA	NA	71.25	73.33	38.75	26.67	Y	Y	Y	Y	83.65	76.85	81.54	75.31
54.17	54.44	NA	NA	69.44	68.57	36.11	37.14	Y	Y	Y	Y	79.17	79.41	83.69	83.33

2013 School Status

71.9	69.09	NA	NA	62.37	58.46	31.18	26.15	Y	Y	Y	Y	76.35	70.53	79.98	73.58
71.43	58.29	NA	NA	82.24	73.67	66.89	55.32	Y	Y	Y	Y	81.81	72.64	82.93	74.9
75.75	66.82	NA	NA	79.05	71.32	63.97	54.41	Y	Y	Y	Y	75.63	66.17	77.67	68.94
53.23	47.97	81.82	73.47	NA	NA	NA	NA	Y	No(94.92%)	Y	No(94.87%)	78.28	64.38	71.1	61.78
NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
78.61	72.87	NA	NA	59.2	57.45	59.2	53.19	Y	Y	Y	Y	74.6	64.28	85.74	82.49
59.81	53.68	86.67	88.89	74	70	54	50	Y	Y	Y	Y	66.15	62.27	69.63	57.94
68.37	64.41	NA	NA	60.56	55.81	46.48	37.21	Y	Y	Y	Y	65.85	58.93	72.68	67.39
57.69	50.85	76.92	63.64	75	65.79	57.35	44.74	Y	Y	Y	Y	71.3	58.33	80	75.18
89.78	81.4	NA	NA	71.09	56.36	80.47	70.91	Y	Y	Y	Y	87.73	81.02	94.5	86.28
86.36	76.92	88.14	83.33	80.58	71.88	83.5	71.88	Y	Y	Y	Y	80.89	71.31	87.72	78.36
88.37	82.35	NA	NA	87.06	80.72	78.24	71.08	Y	Y	Y	Y	73.61	60	79.86	66.67
67.94	50	93.15	88.24	69.67	54.84	57.38	37.1	Y	Y	Y	Y	80.67	75.94	77.57	72.74
62.5	60.78	NA	NA	72.37	71.01	59.21	57.97	Y	Y	Y	Y	59.4	58.75	54.42	51.32
33.96	34.38	94.74	95.45	64	63.64	42	40.91	Y	Y	Y	Y	53.13	48.72	47.76	44.71
92.86	90.67	NA	NA	NA	NA	NA	NA	Y	Y	Y	Y	87.38	83.8	93.27	90.74
60.42	61.76	90.91	91.03	NA	NA	NA	NA	Y	Y	Y	Y	59.93	56.02	68.11	66.4
83.22	79.04	NA	NA	80.77	77.21	55.59	52.56	Y	Y	Y	Y	82.14	77.09	85.42	82.63
78.55	72.36	NA	NA	79.43	72.44	77.71	70.08	Y	Y	Y	Y	78.09	71.98	82.33	78.67
74.53	71.74	NA	NA	70.67	67.19	36	34.38	Y	Y	Y	Y	77.64	74.75	81.03	78.12
62.71	59.38	87.1	85.71	72.58	65.22	62.9	52.17	Y	Y	Y	Y	65.79	63.29	69.86	71.75
63.19	57.84	NA	NA	64.08	60.27	35.92	32.88	Y	Y	Y	Y	79.04	73.09	79.04	72.23
66.91	54.88	86.96	85	75	67.39	55.56	45.65	Y	Y	Y	Y	76.08	58.33	76.93	66.67
80.86	73.3	NA	NA	73.58	65.62	56.1	50	Y	Y	Y	Y	80.98	75.39	84.51	79.28
78.57	66.67	94.19	92.11	NA	NA	NA	NA	Y	Y	Y	Y	72.87	64.91	83.64	80.16
71.88	65.26	NA	NA	82.8	76.34	70.97	63.44	Y	Y	Y	Y	79.76	70.83	80.7	71.67
80.86	73.3	NA	NA	73.58	65.62	56.1	50	Y	Y	Y	Y	80.98	75.39	84.51	79.28
86.61	79.88	NA	NA	80.24	73.08	58.08	48.08	Y	Y	Y	Y	87.16	78.01	90.17	83.8
82.39	72.95	94.81	93.22	NA	NA	NA	NA	Y	Y	Y	Y	80.46	62.58	81.12	76.97
83.24	70.17	NA	NA	81.61	67.77	80.13	67.3	Y	Y	Y	Y	82.32	69.47	87.69	77.37
89.36	75	NA	NA	NA	NA	NA	NA	Y	Y	Y	Y	87.66	75.69	96.14	91.32
95.89	93.62	NA	NA	NA	NA	NA	NA	Y	Y	Y	Y	85.22	77.94	95.97	92.65
68.25	66.46	NA	NA	74.19	71.96	36.29	32.71	Y	Y	Y	Y	75.68	72.65	78.78	75.19
87.25	76.52	NA	NA	89.24	82.43	60.76	47.3	Y	Y	Y	Y	92.07	85.29	92.46	87.87
86.57	80.7	NA	NA	83.87	81.16	54.03	43.48	Y	Y	Y	Y	86.03	78.12	83.63	77.28
88.36	84.62	NA	NA	89.53	90.91	61.63	56.36	Y	Y	Y	Y	89.87	87	87.69	83.33
92.55	79.73	NA	NA	87.9	75	66.24	61.11	Y	Y	Y	Y	93.9	83.05	94.6	86.11
79.33	71	NA	NA	81.72	73.33	67.74	60	Y	Y	Y	Y	76.19	65.36	72.98	59.26
81.64	71.75	NA	NA	79.69	71.88	72.27	59.38	Y	Y	Y	Y	81.89	72.53	85.98	77.68
92.63	80.79	NA	NA	87.33	65.98	87	72.16	Y	Y	Y	Y	90.77	72.23	91.6	78.2

2013 School Status

83.53	73.63	86.75	74.36	NA	NA	NA	NA	Y	Y	Y	Y	84.48	65.72	83.52	71.87
89.91	84.95	NA	NA	82.08	86.11	59.43	52.78	Y	Y	Y	Y	81.99	71.93	87.86	78.07
96.76	85.71	NA	NA	93.85	80	75.38	73.33	Y	No(88.73%)	Y	No(88.73%)	94.65	83.13	94.88	86.11
92.62	81.74	NA	NA	90.23	75.52	88.76	73.44	Y	Y	Y	Y	89.63	74.08	92.23	79.28
82.17	72.36	NA	NA	85.61	77.64	78.07	67.48	Y	Y	Y	Y	80.99	71.28	87.44	79.78
81.66	76.14	NA	NA	78.97	74.83	76.67	71.33	Y	Y	Y	Y	70.5	65.55	73.73	70.08
84.47	80.72	NA	NA	70.91	69.77	65.45	62.79	Y	Y	Y	Y	80.66	74.28	88.09	84.57
67.59	60	88.41	85	NA	NA	NA	NA	Y	Y	Y	Y	72.66	61.71	78.43	67.68
58.43	46.77	NA	NA	69.83	61.45	39.66	30.12	Y	Y	Y	Y	71.54	62.23	73.05	64.13
87.33	85.34	NA	NA	69.74	64.29	65.79	66.07	Y	Y	Y	Y	83.33	80.18	85.07	82.43
77.82	73.46	NA	NA	82.14	78.95	74.6	70	Y	Y	Y	Y	69.73	63.37	70.75	64.67
NA	NA	64.71	63.64	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
58.61	53.24	NA	NA	68.29	62.9	51.22	46.77	Y	Y	No(94.78%)	No(92.89%)	75.84	70.56	78.07	74.59
88.59	82.89	NA	NA	82.01	76.32	36.69	32.89	Y	Y	Y	Y	86.17	80.47	89.63	85.03
86.6	82.18	88.19	85.71	NA	NA	NA	NA	Y	Y	Y	Y	79.91	66.67	86.28	82.78
80.51	69.16	NA	NA	82.99	73.33	72.34	59.26	Y	Y	Y	Y	84.92	76.74	88.58	81.42
88.59	82.89	NA	NA	82.01	76.32	36.69	32.89	Y	Y	Y	Y	86.17	80.47	89.63	85.03
80.27	79.23	NA	NA	67.94	65.83	32.06	30.83	Y	Y	Y	Y	77.99	76.88	77.01	75
73.71	73.68	NA	NA	65.49	65.71	42.96	43.57	Y	Y	Y	Y	76.25	75.62	75.82	75.18
79.21	78.07	NA	NA	74.17	74.11	44.17	44.64	Y	Y	Y	Y	78	76.46	78	75.99
91.5	88.52	NA	NA	84.57	82.11	71.6	65.85	Y	Y	Y	Y	91.29	87.27	89.87	86.3
84.62	84.18	NA	NA	85.5	86.84	54.96	55.26	Y	Y	Y	Y	75.92	73.53	82.5	80.57
81.13	72.11	NA	NA	87.76	77.01	77.3	61.5	Y	Y	Y	Y	87.12	74.81	79.88	66.23
69.75	63.34	NA	NA	73.67	65.99	66.15	58.21	Y	Y	Y	Y	83.45	77.76	73.98	65.6
67.93	64.14	85.24	82.52	NA	NA	NA	NA	Y	Y	Y	Y	69.29	60.19	75.33	70.35
68.07	67.95	NA	NA	71.72	71.83	46.21	45.77	Y	Y	Y	Y	73.75	73.7	69.16	68.58
81.72	77.73	NA	NA	75.68	71.43	60	55.1	Y	Y	Y	Y	85.9	82.21	80.58	74.39
92.43	86.82	NA	NA	82.5	79.31	58.12	58.62	Y	Y	Y	Y	89.71	78.98	90.41	82.04
74.13	71.21	NA	NA	81.97	79.88	68.85	67.68	Y	Y	Y	Y	72.41	68.25	75.19	72.55
81.3	80.08	NA	NA	78.89	76.88	80.19	78.96	Y	Y	Y	Y	75.77	71.67	85.31	82.87
82.88	77.83	NA	NA	85.52	81.56	82.15	77.3	Y	Y	Y	Y	73.78	67.57	78.49	73.33
92.64	76.47	NA	NA	89.73	94.59	68.49	48.65	Y	Y	Y	Y	92.1	78.45	92.5	81.33
85.91	83.4	NA	NA	81.71	77.86	53.14	50	Y	Y	Y	Y	82.83	76.96	87.05	82.72
76.77	76.31	NA	NA	75.78	75.47	52.17	51.57	Y	Y	Y	Y	72.23	71.33	76.6	75.85
68.25	64.61	NA	NA	78.09	74.73	55.01	49.73	Y	Y	Y	Y	81.09	77.89	72.06	68.68
80.14	70.6	NA	NA	79.88	68.71	76.05	65.31	Y	Y	Y	Y	86.81	78.17	87.63	78.23
79.33	64.96	91.68	85.79	NA	NA	NA	NA	Y	Y	Y	No(94.09%)	70.63	43.35	82.31	71.95
93.17	83.33	NA	NA	93.12	88.57	69.31	61.43	Y	Y	Y	Y	93.43	83.5	95.01	87.74
77.81	74.42	NA	NA	79.88	77.04	46.95	47.41	Y	Y	Y	Y	83.23	80.6	86.29	84.63
81.91	79.2	NA	NA	76.97	77.55	56.18	52.38	Y	Y	Y	Y	73.43	69.32	77.35	73.15

2013 School Status

86.18	76.61	NA	NA	81.46	75.31	53.93	48.15	Y	Y	Y	Y	85.03	76.4	88.09	83.04
66.67	70.83	38.71	42.45	NA	NA	NA	NA	No(84.48%)	No(84%)	No(80.34%)	No(78.79%)	78.5	71.74	79.66	73.65
84.29	81.62	NA	NA	78.49	76.62	53.76	53.9	Y	Y	Y	Y	81.86	81.07	83.58	81.5
68.11	63.07	NA	NA	68.62	64.2	63.9	58.4	Y	Y	Y	Y	78.5	71.74	79.66	73.65
78.26	71.28	NA	NA	62.82	63.83	23.08	21.28	Y	Y	Y	Y	78.81	69.13	83.63	76.85
66.95	52.36	NA	NA	77.01	67.53	61.79	48.97	Y	Y	Y	Y	81.33	71.46	83.29	77.55
62.89	65.15	88.04	80.49	NA	NA	NA	NA	Y	Y	Y	Y	84.5	79.68	87.18	85.35
98.78	NA	100	NA	100	NA	100	NA	Y	NA	Y	NA	98.33	NA	94.98	NA
77.94	74.5	NA	NA	78.03	76.56	55.49	49.22	Y	Y	Y	Y	77.46	71.27	87.93	85.06
74.57	69.7	91.36	86.36	NA	NA	NA	NA	Y	Y	Y	Y	83.33	77.78	79.32	74.72
78.52	69.74	NA	NA	78.65	71.51	77.22	68.72	Y	Y	Y	Y	77.89	70.92	80.53	76.38
91.51	88.75	NA	NA	89.74	87.14	52.14	48.57	Y	Y	Y	Y	88.91	82.23	92.39	88.36
70.83	60.25	NA	NA	78.49	69.96	69.11	58.3	Y	Y	Y	Y	82.78	74.64	80.28	72.93
80.86	74.1	84.12	76.92	NA	NA	NA	NA	Y	Y	Y	Y	76.67	67.5	78.87	72.78
64.17	54.77	NA	NA	86.16	82.96	41.77	34.53	Y	Y	Y	Y	83.3	74.97	85.58	79.58
86.6	80.65	NA	NA	70.83	66.04	50	49.06	Y	Y	Y	Y	87.38	83.33	92.43	89.58
86.6	80.65	NA	NA	70.83	66.04	50	49.06	Y	Y	Y	Y	87.38	83.33	92.43	89.58
0	0	57.14	66.67	25	25	0	0	Y	Y	Y	Y	40.48	44.44	16.67	16.67
81.58	78.05	NA	NA	82.76	79.69	51.72	46.88	Y	Y	Y	Y	76.19	75	86.39	86.11
67.88	67.68	90.91	90	78.79	79.17	56.06	56.25	Y	Y	Y	Y	78.19	75.49	71.41	71.91
73.74	71.52	NA	NA	69.93	66.97	57.34	55.96	Y	Y	Y	Y	77.47	75.35	84.69	81.81
76.36	69.31	100	100	79.75	77.08	81.01	72.92	Y	Y	Y	Y	79.01	73.12	81.04	77.46
76.1	73.77	NA	NA	79.49	74.42	48.72	47.67	Y	Y	Y	Y	87.18	84.38	87.18	85.03
68.98	67.81	NA	NA	74.62	75.73	46.15	46.6	Y	Y	Y	Y	78.6	80.98	84.98	83.78
58.19	52.63	98.55	97.78	NA	NA	NA	NA	Y	Y	Y	Y	80.33	77.64	79.29	78.58
60.99	59.15	NA	NA	78.72	75.71	53.19	51.43	Y	Y	Y	Y	80.29	77.78	75.93	72.39
81.74	75.36	NA	NA	83.44	81.05	49.08	41.05	Y	Y	Y	Y	88.81	86.64	89.2	85.37
78.67	75.83	84.31	74.07	88.89	84	68.69	62	Y	Y	Y	Y	82.59	79.63	80.39	77.78
87.45	82.24	NA	NA	87.79	85.84	61.63	58.41	Y	Y	Y	Y	88.2	84.16	88.58	85.33
63.2	59.18	79.41	70.59	73.85	67.9	55.38	51.85	Y	Y	Y	Y	73.2	65.43	83.68	79.51
75	69.84	NA	NA	NA	NA	NA	NA	Y	Y	Y	Y	87.43	83.94	94.23	93.12
86.46	80.95	NA	NA	NA	NA	NA	NA	Y	Y	Y	Y	82.77	77.98	85.58	81.66
88.12	78.95	NA	NA	92.25	84.91	88.19	79.62	Y	Y	Y	Y	90.14	84.02	88.86	81.03
91.25	87.02	87.36	75.82	NA	NA	NA	NA	Y	Y	Y	Y	86.63	75.81	92.29	86.03
97.85	93.33	NA	NA	100	100	100	100	Y	Y	Y	Y	90.3	75.74	92.1	82.07
82.93	75.32	NA	NA	84.28	79.21	65.83	58.02	Y	Y	Y	Y	91.72	85.84	87.39	79.83
70.09	67.37	NA	NA	69.77	68.42	48.84	48.68	Y	Y	Y	Y	62.68	62.68	73.42	73.42
42.36	42.97	90.24	90.24	63.93	59.26	37.7	37.04	Y	Y	Y	Y	46.28	45.56	47.16	47.16
77.78	77.78	NA	NA	100	100	33.33	33.33	Y	Y	Y	Y	76.19	76.19	88.09	88.09
87.03	81.15	NA	NA	90	88.64	64.29	60.23	Y	Y	Y	Y	82.28	76.53	85.91	80.63

2013 School Status

79.19	72.65	94.74	92.31	75.31	68.97	74.07	67.24	Y	Y	Y	Y	68.33	57.04	82.31	77.73
88.6	86.79	NA	NA	85.71	83.33	59.82	57.29	Y	Y	Y	Y	88.63	87.14	91.58	89.71
68	59.15	94.2	92.68	NA	NA	NA	NA	Y	Y	Y	Y	70.05	67.8	69.13	59.4
78.71	73.91	NA	NA	70.77	64.29	75.9	70.13	Y	Y	Y	Y	82.22	77.87	82.73	77.87
76.26	72.08	NA	NA	83.77	81.5	47.73	43.89	Y	Y	Y	Y	82.58	78.93	86.7	83.53
72.22	64.1	NA	NA	80.08	74.44	70.73	63.89	Y	Y	Y	Y	83.28	76.62	79.63	73.18
95.28	95.83	81.25	71.93	NA	NA	NA	NA	Y	Y	Y	Y	82.6	69.2	95.29	93.45
76.26	72.08	NA	NA	83.77	81.5	47.73	43.89	Y	Y	Y	Y	82.58	78.93	86.7	83.53
77.52	73.15	NA	NA	78.16	80	52.87	54.67	Y	Y	Y	Y	79	74.83	83.74	80.03
71.28	67.5	94.74	93.33	75.71	74.58	65.71	61.02	Y	Y	Y	Y	72.45	68.53	79.56	76.49
63.45	57.14	89.19	86.44	61.82	57.63	53.64	48.59	Y	Y	Y	Y	69.34	66.47	73.23	69.43
91.01	90	NA	NA	92.31	91.18	76.92	73.53	Y	Y	Y	Y	82.93	81.14	84.44	83.58
NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Graduation Rate All Students AMO	Graduation Rate TAGG AMO	Literacy All Students Growth AMO	Literacy TAGG Growth AMO	Math All Students Growth AMO	Math TAGG Growth AMO
NA	NA	76.52	69.38	69.15	63.68
NA	NA	68.97	60.14	66.09	55.62
90.33	89.58	NA	NA	NA	NA
NA	NA	80.16	74.36	64.28	42.31
NA	NA	87.66	84.57	78.39	77.37
NA	NA	74.49	68.36	75.17	67.83
79.55	78.43	NA	NA	NA	NA
NA	NA	75.43	65.5	73.78	64.97
NA	NA	81.94	82.39	55.56	47.18
75.37	70.17	NA	NA	NA	NA
NA	NA	75.48	68.03	67.47	58.86
NA	NA	69.62	69.62	63.93	63.93
78.76	79.17	NA	NA	NA	NA
NA	NA	67.95	67.95	42.31	42.31
NA	NA	88.56	87.27	48.13	46.28
NA	NA	84.04	84.04	45.03	45.03
NA	NA	76.73	72.72	88.63	87.47
80.3	73.96	87.32	83.08	86.42	81.78
NA	NA	89.6	87.23	80.73	77.48
NA	NA	79.84	72.5	85.22	79.65
NA	NA	89.6	87.23	80.73	77.48
NA	NA	91.76	86.54	83.84	76.28
NA	NA	89.6	87.23	80.73	77.48
80.67	67.85	NA	NA	NA	NA
NA	NA	95.1	94.38	73.04	70.98
86.11	87.74	78.07	75.69	66.38	61.81
NA	NA	88.38	83.33	77.72	72.23
NA	NA	91.59	81.19	93.83	87.03
85.56	72.23	NA	NA	NA	NA
NA	NA	89.58	85.63	70.24	56.9
NA	NA	88.32	79.38	91.79	83.68
NA	NA	84.94	80.08	64.86	51.08
NA	NA	87.24	89.03	72.79	67.11

2013 School Status

NA	NA	87.44	85.46	91.54	88.65
NA	NA	88.22	84.13	67.18	64.28
NA	NA	91.27	83.12	93.79	88.02
NA	NA	94.11	91.67	89.9	83.33
NA	NA	90.63	88.74	84.08	79.73
NA	NA	90.43	83.53	93.06	89.02
NA	NA	91.33	92.43	75.33	70.96
NA	NA	86.43	78.18	71.58	66.27
NA	NA	89.83	83.58	89.16	83.13
NA	NA	89.83	83.58	89.16	83.13
NA	NA	80.33	78.07	59.74	57.23
86.48	87.18	76.39	80.08	70.83	69.2
NA	NA	85.78	83.68	62.6	61.71
86.23	86.11	NA	NA	NA	NA
NA	NA	88.98	85.29	78.49	69.78
NA	NA	85.78	83.68	62.6	61.71
81.88	68.75	NA	NA	NA	NA
NA	NA	84.54	80.68	75.47	68.6
NA	NA	86.08	79.07	83.93	75.78
NA	NA	84.54	80.68	75.47	68.6
NA	NA	94.64	93.53	88.69	90.29
NA	NA	74.53	69.13	51.39	47.53
NA	NA	96.09	94.12	79.82	76.47
NA	NA	85.4	83.55	78.71	71.49
NA	NA	89.73	86.89	76.76	73.15
NA	NA	88.33	83.29	84.31	77.23
NA	NA	85.05	82.73	79.53	75.86
NA	NA	90.05	89.08	69.53	67.22
NA	NA	91.36	90.12	61.73	57.63
NA	NA	91.87	89.58	76.48	67.95
NA	NA	88.51	86.48	69.75	68.01
NA	NA	83.18	82.14	64.49	61.28
NA	NA	91.05	86.68	86.53	79.57
NA	NA	86.28	80.77	83.57	78.93
NA	NA	92.86	85.18	87.62	64.82
83.53	79.04	NA	NA	NA	NA
NA	NA	85.53	84.23	76.09	75.45
NA	NA	94.54	96.13	81.26	76.05
NA	NA	90.91	90.35	57.21	57.47
83.53	79.04	NA	NA	NA	NA

2013 School Status

NA	NA	88.51	83.13	79.62	74.4
NA	NA	88.51	83.13	79.62	74.4
NA	NA	88.51	83.13	79.62	74.4
NA	NA	78.49	68.08	84.27	76.4
88.33	81.83	NA	NA	NA	NA
NA	NA	86.23	85.61	84.78	80.3
NA	NA	86.23	85.61	84.78	80.3
88.99	86.74	NA	NA	NA	NA
NA	NA	90.5	84.55	93.67	90.62
NA	NA	87.96	79.17	71.8	63.77
98.27	95.83	NA	NA	NA	NA
NA	NA	75.98	72.23	74.48	67.78
88.74	86.11	82.35	70.59	79.41	73.86
NA	NA	76.53	73.68	69.48	67.11
93.51	94.05	NA	NA	NA	NA
NA	NA	86.46	83.89	85.94	78.89
NA	NA	89.03	88.09	63.68	65.52
NA	NA	88.27	85.78	85.92	79.68
NA	NA	85.36	81.98	68.47	61.71
NA	NA	90.74	100	72.23	65.28
NA	NA	88.99	81.48	85.32	77.08
82.32	67.74	NA	NA	NA	NA
NA	NA	87.69	79.71	88.13	82.3
NA	NA	81.8	79.48	70.31	64.1
73.22	72.23	70.15	71.59	72.63	69.7
NA	NA	85.51	77.94	83.09	77.94
88.09	78.49	NA	NA	NA	NA
NA	NA	93.66	89.43	88.23	85.33
NA	NA	76.53	72.7	77.7	72.7
89.03	88.09	74.08	72.23	62.97	58.33
NA	NA	63.23	62.3	68.13	63.29
88.09	88.43	58.93	51.08	64.98	54.71
NA	NA	NA	NA	NA	NA
NA	NA	68.36	65.2	70.12	68.87
80.82	75.74	NA	NA	NA	NA
NA	NA	69.17	64.81	75.28	71.78
NA	NA	NA	NA	NA	NA
NA	NA	69.22	63.2	63.22	57.79
91.08	87.66	70.88	67.74	69.88	63.71
NA	NA	85.8	83.8	79.71	76.98

2013 School Status

70.92	65.81	NA	NA	NA	NA
NA	NA	85.23	80.95	84.85	81.37
NA	NA	85.8	83.8	79.71	76.98
NA	NA	93.9	92.19	77.64	81.78
71.02	71.15	NA	NA	NA	NA
NA	NA	82.83	77.59	76.27	70.59
NA	NA	79.36	77.4	78.55	76.66
73.44	66.67	NA	NA	NA	NA
NA	NA	79.31	77.33	78.5	76.59
NA	NA	68.75	68.75	56.44	56.44
86.48	86.11	58.33	58.33	52.96	52.96
NA	NA	NA	NA	NA	NA
NA	NA	68.28	68.28	55.19	55.19
NA	NA	69.44	69.44	57.48	57.48
76.49	78.79	NA	NA	NA	NA
NA	NA	81.43	75.22	76.35	67.53
NA	NA	81.43	75.22	76.35	67.53
NA	NA	84.67	79.53	69.33	60.04
NA	NA	78.95	71.72	81.78	73.63
74.66	65.75	NA	NA	NA	NA
NA	NA	76.19	75.49	70.24	68.13
NA	NA	82.3	77.51	71.24	64.22
89.94	84.85	NA	NA	NA	NA
94.32	93.06	76.58	70.53	75.21	68.5
NA	NA	81.98	80.36	70.34	68.68
NA	NA	81.98	80.36	70.34	68.68
NA	NA	88.22	85.99	83.17	78.99
85.72	80.27	70.86	64.28	65.03	61.04
NA	NA	73.73	70.78	70.72	68.62
87.32	80.77	68.6	64.82	80.68	77.78
NA	NA	72.79	71.73	58.33	59.83
93.83	91.23	78.07	76.19	79.53	76.19
NA	NA	84	80.52	72.33	69.7
83.71	82.53	NA	NA	NA	NA
NA	NA	81.46	71.27	86.75	77.49
NA	NA	86.32	83.98	73.26	71.15
87.07	85.51	81.71	71.63	77.64	68.08
NA	NA	81.28	77.89	66.29	60.88
98.19	100	84.3	82.27	91.55	91.13
NA	NA	77.92	72.23	67.23	56.14

2013 School Status

98.57	96.67	87.69	73.12	80.12	67.74
NA	NA	69.83	67.8	69.83	64.02
NA	NA	74.1	69.48	80.29	75.35
88.74	90.74	81.57	75.74	74.93	69.41
NA	NA	80.66	77.34	76.39	70.65
NA	NA	NA	NA	NA	NA
NA	NA	75.89	68.48	64.68	56.06
88.32	86.2	NA	NA	NA	NA
NA	NA	90.74	90.74	84.57	84.57
88.09	80.39	80.16	73.68	86.11	86.84
NA	NA	87.38	75	82.33	75
80.56	67.95	86.11	76.85	82.14	72.23
NA	NA	80.77	77.68	82.91	85.12
82.46	80.39	NA	NA	NA	NA
NA	NA	76.77	68.43	72.76	63.38
NA	NA	87.18	85.12	73.44	64.28
87.5	79.17	67.39	50	78.26	63.33
NA	NA	NA	NA	NA	NA
NA	NA	87.6	85.44	80.89	78.42
NA	NA	NA	NA	NA	NA
80.05	74.49	NA	NA	NA	NA
NA	NA	78.1	71.94	70.62	63.15
NA	NA	74.93	72.59	80.35	74.78
78.26	78.39	76.35	71.67	59.46	58.33
88.29	81.82	77.98	71.31	75.63	71.31
NA	NA	87.87	85.68	67.64	66.15
NA	NA	84.42	78.68	82.06	73.64
NA	NA	NA	NA	NA	NA
90.5	88.09	NA	NA	NA	NA
NA	NA	72.84	63.22	72.23	64.04
NA	NA	82.52	74.8	74.07	65.25
NA	NA	89.93	86.11	79.85	79.17
NA	NA	75.93	70.59	76.85	74.27
NA	NA	80.35	70.47	77.64	69.41
83.63	83.33	NA	NA	NA	NA
NA	NA	72.67	72.7	54.38	53.81
NA	NA	80.03	74.46	72.85	67.29
NA	NA	71.61	67.2	63.49	59.67
NA	NA	85.55	81.36	80.73	68.2
NA	NA	64.36	62.97	58.59	56.98

2013 School Status

NA	NA	78.32	70.41	70.22	60.67
NA	NA	73.64	67.01	73.64	66.67
86.35	77.53	NA	NA	NA	NA
NA	NA	85.55	81.36	80.73	68.2
NA	NA	84.23	81.42	75.04	69.64
NA	NA	85.69	79.31	75.68	71.27
NA	NA	81.73	71.6	80.12	69.36
86.75	83.52	NA	NA	NA	NA
NA	NA	85.69	79.31	75.68	71.27
NA	NA	84.23	81.42	75.04	69.64
NA	NA	86.04	81.12	88.83	85.68
NA	NA	90.79	81.08	79.57	67.73
96.4	88.89	86.9	68.39	80.35	56.9
NA	NA	71.86	75.15	63.2	57.6
84.69	82.76	80.08	74.88	66.8	61.28
NA	NA	82.54	79.17	78.58	69.37
NA	NA	77.88	70.85	78.58	72.12
88.87	82.38	NA	NA	NA	NA
NA	NA	75.66	67.73	78.35	71.79
NA	NA	77.88	70.85	78.58	72.12
NA	NA	90.91	90.91	54.54	54.54
96.38	95.93	NA	NA	NA	NA
NA	NA	74.6	74.6	67.16	67.16
NA	NA	87.18	84.85	77.57	73.48
96.13	93.59	NA	NA	NA	NA
NA	NA	80.31	77.78	81.23	77.78
NA	NA	73.48	70.83	50.76	50
79.17	84.13	NA	NA	NA	NA
NA	NA	63.28	53.25	70.34	57.32
NA	NA	66.27	67.11	62.3	62.72
NA	NA	98.37	96.92	70.59	59.88
NA	NA	81.88	87.18	38.41	35.9
NA	NA	89.32	88.09	54.06	51.19
NA	NA	75.93	68.44	73.1	65.99
88.07	80.64	NA	NA	NA	NA
NA	NA	NA	NA	NA	NA
NA	NA	84.13	82.14	61.64	58.33
NA	NA	83.33	81.67	66.67	61.67
NA	NA	NA	NA	NA	NA
NA	NA	87.18	87.18	63.94	51.93

2013 School Status

NA	NA	85.64	78.28	77.94	71.15
NA	NA	69.64	67.31	71.43	70.52
75.49	74.46	64.56	64.28	58.81	58.33
NA	NA	77.16	77.16	73.46	73.46
NA	NA	86.28	86.28	76.96	76.96
NA	NA	89.13	89.13	74.64	74.64
NA	NA	83.88	83.88	73.3	73.3
NA	NA	94.37	94.37	90.99	90.99
NA	NA	81.69	81.69	94.95	94.95
NA	NA	NA	NA	NA	NA
NA	NA	89.27	89.27	83.64	83.64
NA	NA	63.35	63.35	50.26	50.26
NA	NA	80.5	80.5	81.08	81.08
NA	NA	61.98	61.98	52.86	52.86
75.93	76.46	NA	NA	NA	NA
NA	NA	81.88	75.02	72.39	64.05
NA	NA	81.88	75.02	72.39	64.05
NA	NA	80.63	69.98	62.44	49.79
87.06	78.33	NA	NA	NA	NA
NA	NA	77.3	69.06	81.18	73.8
NA	NA	86.79	82.41	68.68	61.53
NA	NA	66.5	66.5	61.48	61.48
82.27	82.27	68.55	65.07	60.97	61.05
NA	NA	85.16	81.14	74.77	69.48
NA	NA	85.16	81.14	74.77	69.48
NA	NA	73.91	66.44	82.13	76.26
82.61	78.03	NA	NA	NA	NA
86.42	84.13	NA	NA	NA	NA
NA	NA	82.46	79.63	75.15	74.08
NA	NA	61.79	54.63	60.59	51.85
NA	NA	71.81	68.45	57.35	56.41
NA	NA	67.18	61.08	60.86	52.3
88.63	88.22	NA	NA	NA	NA
NA	NA	71.81	68.45	57.35	56.41
NA	NA	62.39	56.88	70.13	66.08
85.24	82.39	67.51	61.54	65.93	57.98
NA	NA	71.79	71.27	69.23	66.95
84.44	84.13	NA	NA	NA	NA
NA	NA	77.76	73.27	75.79	71.7
NA	NA	80.79	77.32	73.17	68.44

2013 School Status

NA	NA	83.37	74.55	88.23	80.83
90.84	88.96	NA	NA	NA	NA
NA	NA	80.79	77.32	73.17	68.44
NA	NA	91.29	87.32	77.94	76.95
NA	NA	NA	NA	NA	NA
NA	NA	88.6	87.74	64.41	61.91
NA	NA	86.61	71.18	89.36	75.35
81.89	67.65	NA	NA	NA	NA
NA	NA	94.71	90	77.52	66.67
NA	NA	86.95	89.25	66.87	59.68
NA	NA	95.43	94.79	73.74	66.15
NA	NA	95.49	91.23	84.23	78.07
NA	NA	77.7	80.39	69.48	68.96
NA	NA	82.28	75.03	85.79	77.64
NA	NA	91.37	83.14	91.74	85.47
NA	NA	82.49	76.38	87.19	83.48
NA	NA	92.71	84.85	83.33	81.06
NA	NA	86.75	78.62	85.11	76.92
NA	NA	86.75	78.62	85.11	76.92
NA	NA	88.86	86.11	78.2	75.43
91.39	87.81	NA	NA	NA	NA
NA	NA	79.4	69.42	86.76	76.95
NA	NA	85.51	79.17	74.64	65.28
NA	NA	88.43	78.22	83.25	73.48
NA	NA	86.11	86.84	76.85	70.76
NA	NA	81.03	81.62	82.68	81.62
97.81	100	74.49	68.75	79.59	73.96
NA	NA	87.78	86.67	72.23	66.67
80.16	78.68	NA	NA	NA	NA
NA	NA	71.3	61.66	74.62	68.82
NA	NA	85.29	84.19	67.32	62.64
90.2	91.23	85.38	82.46	79.53	75.88
NA	NA	86.64	87.18	63.74	57.69
95.46	93.38	NA	NA	NA	NA
NA	NA	88.74	90.99	56.08	43.69
NA	NA	89.73	81.58	83.58	77.19
NA	NA	89.38	82.14	85.98	78.99
NA	NA	85.12	58.33	76.19	86.11
NA	NA	93.77	87.18	90.66	87.18
NA	NA	84.23	73.53	88.74	79.41

2013 School Status

87.09	84.57	82.86	69.94	87.59	75.41
NA	NA	87.24	84.98	80.44	74.04
85.18	81.06	83.33	79.17	82.05	81.48
NA	NA	82.19	75.12	86.33	79.74
NA	NA	92.7	90.68	65.8	63.28
NA	NA	92.7	90.68	65.8	63.28
NA	NA	88.93	82.84	79.82	75.49
89.03	85.51	NA	NA	NA	NA
NA	NA	86.43	82.14	75.78	73.22
92.86	88.63	75.81	62.72	82.53	71.49
NA	NA	89.72	84.69	83.77	82.99
88.78	84.57	83.68	82.24	76.8	71.31
NA	NA	92.8	96.73	90.74	95.1
97.68	100	75.31	63.89	76.85	66.67
NA	NA	88.41	83.77	85.51	83.77
76.98	68.25	76.03	68.75	69.18	60.07
NA	NA	85.94	89.2	72.89	70.68
86.25	83.33	NA	NA	NA	NA
NA	NA	79.64	72.48	78.69	75.97
NA	NA	85.56	84.85	75.56	76.01
60.69	64.56	77.58	73.93	68.99	65.52
NA	NA	88.94	87.98	55.75	57.53
NA	NA	93.75	86.11	70.83	76.85
NA	NA	75.03	70.18	67.47	62.19
75.56	78.01	NA	NA	NA	NA
NA	NA	88.63	88.38	41.29	39.93
NA	NA	74.89	70.9	75.98	72
NA	NA	83.59	80.69	70.48	64.43
89.87	87.32	NA	NA	NA	NA
NA	NA	80.25	76.19	80.25	75.45
NA	NA	83.39	NA	80.63	NA
87.07	83.58	NA	NA	NA	NA
NA	NA	86.93	80.28	79.3	72.23
NA	NA	84.68	82.18	77.48	74.4
NA	NA	80.53	73.27	84.1	79.11
NA	NA	83.39	NA	80.63	NA
NA	NA	88.27	87.26	67.64	66.67
NA	NA	88.27	87.26	67.64	66.67
NA	NA	88.56	80.73	88.82	82.9
82.43	80.39	83.73	71.57	81.39	67.65

2013 School Status

NA	NA	73.61	74.17	54.17	52.5
78.39	69.91	62.37	59.96	66.85	63.2
NA	NA	84.47	81.15	84.47	81.15
71.31	70	76.33	65.91	70.17	60.23
NA	NA	86.15	83.65	81.46	76.79
NA	NA	84.43	79.28	77.17	68.87
NA	NA	76.34	68.22	84.16	78.58
79.31	74.81	NA	NA	NA	NA
NA	NA	84.43	79.28	77.17	68.87
NA	NA	86.15	83.65	81.46	76.79
NA	NA	79.17	74.06	67.95	62.27
83.92	82.84	80.7	75.41	71.93	67.22
NA	NA	NA	NA	NA	NA
NA	NA	73.18	65.54	80.03	74
89.68	82.21	NA	NA	NA	NA
NA	NA	86.86	78.53	75.45	67.8
NA	NA	NA	NA	NA	NA
NA	NA	80.78	74.18	77.18	71.49
NA	NA	87.9	82.46	63.71	53.95
NA	NA	83.69	82.91	51.08	48.72
NA	NA	85.19	80.13	77.68	72.76
NA	NA	77.78	69.96	78.48	71.74
79.78	72.45	NA	NA	NA	NA
NA	NA	81.28	75.15	82.21	76.61
NA	NA	74.6	72.83	66.67	63.77
83.33	78.07	70.39	65.28	55.04	50
NA	NA	73.96	71.86	50.76	49.78
NA	NA	67.08	66.88	62.93	60.83
NA	NA	64.08	60.43	61.58	58.03
91.04	90.83	NA	NA	NA	NA
87.12	88.29	NA	NA	NA	NA
NA	NA	82.25	78.49	62.19	58.33
83.33	85.51	90.13	89.9	91.23	89.9
NA	NA	81.64	75.49	75.99	75.49
NA	NA	83.39	78.13	80.07	74.43
86.67	82.14	NA	NA	NA	NA
NA	NA	80.99	79.17	53.22	50.53
89.9	89.58	NA	NA	NA	NA
NA	NA	74.78	61.91	79.71	73.81
NA	NA	82.74	76.35	83.93	77.48

2013 School Status

80.68	79.17	78.03	66.67	83.52	79.17
NA	NA	77.01	75.78	66.09	63.68
NA	NA	75.03	68.75	79.4	73.48
82.87	78.19	NA	NA	NA	NA
NA	NA	82.55	78.16	84.66	81.39
NA	NA	76.19	70	82.99	78.33
94.95	88.89	79.88	62.97	74.14	66.05
NA	NA	81.25	78.6	74.31	74.1
91.87	86.11	78.26	76.49	66.18	61.54
NA	NA	69.23	67.52	62.82	61.87
84.65	85.63	68.25	65.81	62.3	61.54
NA	NA	60	60	56.67	56.67
100	100	NA	NA	NA	NA
NA	NA	83.51	78.48	87.68	82.29
NA	NA	71.88	59.98	66.8	55.59
96.33	96.38	NA	NA	NA	NA
NA	NA	NA	NA	NA	NA
NA	NA	75.24	66.47	65.58	56.3
NA	NA	85.2	82.42	83.12	79.54
NA	NA	81.73	72.75	78.46	68.41
86.89	76.91	NA	NA	NA	NA
NA	NA	79.81	69.78	80.34	70.11
NA	NA	73.65	64.1	78.55	74.36
NA	NA	88.09	86.78	77.04	72.23
83.48	82.14	NA	NA	NA	NA
NA	NA	81.27	77.08	80.51	77.08
NA	NA	82.53	78.87	79.87	76.19
NA	NA	86.27	84.3	78.03	77.05
90.48	81.48	80.95	74.81	69.05	63.18
NA	NA	78.82	73.12	75.99	73.12
NA	NA	86.96	83.33	72.47	63.33
87.71	82.76	73.79	65.28	65.73	57.34
NA	NA	74.72	67.83	75.66	75.15
85.78	78.07	70.37	61.54	81.48	74.36
NA	NA	78.07	77.08	73.68	70.83
97.36	94.25	88.09	80.88	83.19	74.04
NA	NA	89.58	89.25	89.58	86.56
NA	NA	67.26	67.95	61.31	61.54
96.79	100	NA	NA	NA	NA
NA	NA	79.01	74.43	66.28	63.7

2013 School Status

NA	NA	73.99	67.95	73.99	65.1
78.12	73.12	NA	NA	NA	NA
NA	NA	83.28	80.65	87.23	84.2
NA	NA	76.04	71.09	91.67	89.8
NA	NA	92.43	93.06	72.73	74.53
92.69	90.99	81.82	80.27	84.85	84.65
NA	NA	64.28	64.28	58.33	58.33
NA	NA	78.89	78.01	68.33	67.59
NA	NA	58.08	57.08	59.87	58.75
75.94	74.21	NA	NA	NA	NA
NA	NA	78.89	78.01	68.33	67.59
NA	NA	51.27	49.15	65.11	62.27
NA	NA	80.77	76.95	47.29	43.26
NA	NA	76.8	77.11	56.18	56.04
NA	NA	75.96	73.96	55.93	53.13
NA	NA	64.77	65.94	43.09	44.2
NA	NA	79.38	78.18	56.18	55.36
NA	NA	61.17	58.33	63.48	60.72
72.9	68.28	NA	NA	NA	NA
NA	NA	53.79	50.07	40.29	37.58
NA	NA	85.39	83.55	67.35	63.82
NA	NA	66.29	60.93	57.94	52.82
NA	NA	66.29	60.93	57.94	52.82
NA	NA	67.21	62.18	61.29	56.09
87.23	85.72	NA	NA	NA	NA
NA	NA	65.05	59.16	53.53	48.13
85.83	75.69	NA	NA	NA	NA
NA	NA	67.18	63.23	69.7	55.88
NA	NA	84.13	84.85	78.83	74.03
NA	NA	90.58	88.81	79.76	73.88
NA	NA	83.14	75.23	75.58	71.11
NA	NA	87.83	79.88	83.24	74.14
NA	NA	79.67	72.63	72.72	70.15
NA	NA	81.06	84.12	28.94	25.88
NA	NA	81.06	84.12	28.94	25.88
NA	NA	83.68	80.36	51.03	45.24
NA	NA	89.73	86.88	85.57	82.03
NA	NA	83.68	80.36	51.03	45.24
NA	NA	88.03	84.48	87.55	84.48
89.45	86.56	NA	NA	NA	NA

2013 School Status

NA	NA	89.73	85.51	76.03	71.02
85.82	82.03	NA	NA	NA	NA
NA	NA	78.73	73.38	73.41	68.58
NA	NA	76.54	76.54	62.97	62.97
96.03	97.97	79.43	79.43	75.11	75.11
NA	NA	63.08	60.72	74.68	72.62
95.83	93.83	73.27	69.2	63.83	61.96
NA	NA	72.43	71.33	76.62	74.67
83.77	83.33	55.18	53.62	61.48	60.69
NA	NA	73.48	69.48	63.38	58.75
87.1	85.38	87.93	84.69	80.68	79.59
NA	NA	93.06	89.58	49.08	44.44
90.99	87.18	83.69	78.49	80.08	75.81
NA	NA	70.63	58.33	79.02	73.15
NA	NA	78.03	74.46	71.61	66.4
86.11	80.77	81.33	76.85	77.01	76.85
NA	NA	81.82	82.14	77.28	72.23
93.59	93.06	72.23	67.59	54.86	49.08
NA	NA	71.58	62.42	82.66	78.76
79.17	69.7	68.87	60.69	78.94	68.55
NA	NA	79.17	78.39	55.73	50.62
NA	NA	NA	NA	NA	NA
NA	NA	61.96	60.25	52.9	50.83
NA	NA	61.96	60.25	52.9	50.83
NA	NA	81.25	76.51	72.92	70.36
NA	NA	80.8	74.67	83.52	79.81
84.16	85.23	NA	NA	NA	NA
NA	NA	80.47	77.46	69.18	65.17
NA	NA	NA	NA	NA	NA
NA	NA	69.26	61.41	67.99	60.18
85.99	80.39	NA	NA	NA	NA
NA	NA	NA	NA	NA	NA
NA	NA	74.14	66.05	79.17	74.28
94.25	95.1	79.7	76.19	72.23	68.75
NA	NA	88.22	84.24	83.33	78.44
92.43	89.58	NA	NA	NA	NA
NA	NA	74.04	67.26	77.68	68.75
NA	NA	83.98	81.06	83.18	81.06
80.5	73.04	68.47	61.31	83.11	77.68
NA	NA	82.93	86.34	61.85	57.65

2013 School Status

80.83	74.36	NA	NA	NA	NA
NA	NA	80.01	76.31	80.79	77.53
NA	NA	63.48	49.28	68.17	60.14
100	100	81.13	76.19	74.84	70.24
NA	NA	83.59	79.17	77.16	73.29
NA	NA	83.73	77.12	83.14	75.07
85.12	80.68	NA	NA	NA	NA
NA	NA	83.59	79.17	77.16	73.29
NA	NA	83.03	81.12	65.57	60.28
72.23	69.3	75.28	68.43	60.63	52.02
NA	NA	84.05	79.41	65.02	58.83
88.38	84.13	77.63	65.78	76.08	62.8
NA	NA	83.11	77.28	81.98	77.28
NA	NA	86.11	73.48	72.23	73.48
NA	NA	83.47	71.53	81.78	67.77
83.53	74.55	NA	NA	NA	NA
NA	NA	86.48	85.82	62.84	55.68
NA	NA	78.73	79.73	60.11	50.45
NA	NA	94.35	93.83	75.99	62.97
NA	NA	88.94	89.42	71.94	70.9
NA	NA	86.92	79.33	81.43	71.58
NA	NA	85.22	76.37	79.62	68.59
NA	NA	86.57	77.97	82.38	73.53
NA	NA	92.07	88.74	82.14	72.98
NA	NA	88.21	86.11	80.35	69.44
NA	NA	86.11	79.17	72.23	54.17
NA	NA	44.44	44.44	72.23	72.23
77.63	66.13	85.7	78.27	79.33	68.93
NA	NA	84.47	82.57	73.17	68.11
NA	NA	84.49	80.03	82.63	78.47
82.94	71.07	NA	NA	NA	NA
NA	NA	84.47	82.57	73.17	68.11
NA	NA	80.77	80.56	78.63	75
90.38	90.2	64.28	63.33	58.33	60
NA	NA	80.56	78.83	76.85	78.83
89.74	82.46	NA	NA	NA	NA
NA	NA	81.59	76.07	80.58	71.63
NA	NA	82.22	78.98	66.98	66.22
97.31	95.73	88.09	85.47	83.19	80.62
NA	NA	78.31	74.53	69.18	62.97

2013 School Status

90.38	85.63	NA	NA	NA	NA
NA	NA	84.17	81.28	85.67	78.26
NA	NA	82.27	77.11	66.9	58.79
84.53	86.48	NA	NA	NA	NA
NA	NA	78.31	68.91	74.88	66.42
NA	NA	88.63	79.17	69.7	58.33
NA	NA	83.33	83.33	59.53	58.33
NA	NA	91.43	90.12	84.07	81.64
NA	NA	84.5	84.13	59.3	60.32
NA	NA	67.93	63.03	59.18	55.1
NA	NA	61.26	53.83	54.78	44.37
69.78	70.88	NA	NA	NA	NA
NA	NA	84.53	84.62	58.77	55.13
NA	NA	89.17	85.82	76.67	64.54
86.98	83.33	84.23	75.23	81.98	70.72
NA	NA	74.44	74.44	66.38	66.38
NA	NA	74.44	74.44	66.38	66.38
NA	NA	58.45	58.33	58.9	58.79
NA	NA	55.67	55.67	56.13	56.13
76.19	78.17	NA	NA	NA	NA
45.4	46.43	37.5	37.5	27.08	27.08
NA	NA	70.59	70.59	70.59	70.59
NA	NA	66.3	62.2	77.41	74.5
NA	NA	60.78	54.17	48.53	45.83
78.63	73.41	69.15	63.58	67.31	62.34
NA	NA	85.54	82.14	84.98	82.14
67.23	62.97	77.28	73.96	76.88	69.91
NA	NA	88.28	86.43	76.57	76.74
96.26	95	NA	NA	NA	NA
NA	NA	75.72	69.01	70.75	61.89
NA	NA	NA	NA	NA	NA
63.73	62.7	NA	NA	NA	NA
NA	NA	93.75	93.68	55.21	54.64
NA	NA	74.75	73.27	59.57	57.6
NA	NA	NA	NA	NA	NA
NA	NA	74.75	73.27	59.57	57.6
NA	NA	85.09	85.09	73.58	73.58
78.76	79.59	71.27	71.27	72.23	72.23
NA	NA	73.19	71.67	54.35	50
86.11	87.5	65.87	64.28	58.83	56.71

2013 School Status

NA	NA	73.24	70.98	68.66	70.03
88.51	92.07	73.96	69.3	73.96	72.59
NA	NA	84.09	83.57	75.76	73.01
91.67	89.9	76.63	65.68	74.59	65.68
NA	NA	92.65	91.23	69.37	64.91
NA	NA	74.06	70.27	66.93	61.48
81.85	78.45	78.02	75.03	67.28	62.06
NA	NA	74.81	72.23	81.59	78.01
92.65	89.13	58.33	49.56	66.35	64.91
NA	NA	74.11	73.89	66.02	64.86
93.75	96.92	76.53	72.23	65.96	60.07
NA	NA	88.3	89.32	83.92	87.18
91.67	86.11	94.79	90.2	86.98	80.39
NA	NA	86.98	87.66	81.78	78.39
82.46	93.06	70.59	61.54	70.59	61.54
NA	NA	75	76.49	65	63.68
95.83	100	74.14	67.39	65.52	63.77
NA	NA	83.88	81.48	78.49	78.39
95.62	100	71.02	66.67	71.02	66.67
NA	NA	59.03	53.3	47.92	45.97
93.94	91.93	74.36	70.59	66.12	62.01
NA	NA	71.28	67.63	60.23	56.01
85.13	82.39	NA	NA	NA	NA
NA	NA	71.28	67.63	60.23	56.01
NA	NA	77.05	75.03	59.08	57.55
NA	NA	67.11	61.99	61.08	54.93
NA	NA	75.88	77.57	69.3	64.74
94.44	100	76.67	70.59	73.33	60.78
NA	NA	72.56	63.43	79.54	75.34
83.33	84.13	80	69.86	70.83	64.54
NA	NA	78.01	77.61	47.92	46.52
89.32	97.03	50.76	50.76	45.08	45.08
NA	NA	81.33	77.53	70	65.36
96.86	97.23	77.18	68.33	63.29	61.67
NA	NA	88.69	85.99	77.38	69.89
91.75	89.32	80.25	70.32	74.69	61.18
NA	NA	70.72	68.48	65.65	64.28
76.61	64.28	73.6	67.13	56.27	50.71
NA	NA	NA	NA	NA	NA
NA	NA	NA	NA	NA	NA

2013 School Status

NA	NA	NA	NA	NA	NA
NA	NA	NA	NA	NA	NA
64.49	64.5	67.72	67.72	53.19	53.19
NA	NA	NA	NA	NA	NA
NA	NA	67.72	67.72	53.19	53.19
NA	NA	55.04	53.2	63.82	63.47
63.97	62.13	47.58	48.28	42.21	41.09
NA	NA	81.19	80.8	68.88	67.75
NA	NA	78.86	78.48	66.67	64.74
100	100	NA	NA	NA	NA
NA	NA	81.19	80.8	68.88	67.75
NA	NA	NA	NA	NA	NA
NA	NA	85.66	83.51	87.03	86.11
97.36	95.37	76.73	71.11	83.48	80
NA	NA	86.84	86.78	72.81	69.58
86.11	76.85	58.33	43.8	55.73	49.61
NA	NA	73.77	68.25	59.88	56.35
NA	NA	74.02	70.66	59.68	53.05
78.07	79.17	79.17	74.36	63.23	52.99
NA	NA	80.08	80.08	52.9	52.9
85.58	87.63	NA	NA	NA	NA
NA	NA	70.65	70.65	60.43	60.43
NA	NA	79.48	72.23	71.79	70.24
85.58	87.63	71.49	66.67	69.3	66.67
NA	NA	73.33	71.27	70	68.39
82.38	77.94	NA	NA	NA	NA
NA	NA	73.78	68.29	81.35	76.4
NA	NA	67.98	62.69	74.53	70.93
NA	NA	88.63	87.03	64.39	61.11
83.33	77.53	NA	NA	NA	NA
NA	NA	81.03	73.96	82.26	76.85
NA	NA	82.14	82.64	67.26	68.75
NA	NA	82.81	80	75.53	73.33
79.8	76.19	64.54	60.86	63.65	52.02
NA	NA	81.14	79.17	78.71	78.73
NA	NA	81.14	79.17	78.71	78.73
NA	NA	82.5	77.88	78.65	73.63
89.96	87.12	NA	NA	NA	NA
NA	NA	68.03	60.94	78.68	77.87
80.56	76.19	77.48	72.73	69.59	65.15

2013 School Status

NA	NA	78.76	76.19	72.23	68.25
93.06	100	79.73	80	77.48	70
NA	NA	89.32	89.32	67.95	67.95
NA	NA	74.36	74.36	67.95	67.95
NA	NA	65.61	65.61	60.32	60.32
NA	NA	89.13	89.13	75.84	75.84
NA	NA	79.82	79.82	62.24	62.24
NA	NA	76.04	76.04	68.75	68.75
NA	NA	89.58	89.03	70.05	67.11
79.63	77.57	NA	NA	NA	NA
NA	NA	83.92	80.67	83.92	76.98
83.62	82.27	NA	NA	NA	NA
NA	NA	82.93	77.96	79.27	73.48
NA	NA	88.56	88.3	80.39	75.15
NA	NA	89.51	88.45	64.2	59.58
87.56	88.63	88.38	87.9	78.68	75.81
NA	NA	NA	NA	NA	NA
95.83	95.62	NA	NA	NA	NA
NA	NA	89.91	85.96	75.73	73.73
NA	NA	87.54	81.06	77.42	69.7
NA	NA	87.93	87.29	78.26	78.82
NA	NA	87.38	82.46	77.28	69.3
NA	NA	63.77	72.23	81.88	79.17
NA	NA	81.06	80.52	67.8	68.62
NA	NA	85.69	79.59	70.54	62.58
NA	NA	81.82	74.57	88.68	84.36
NA	NA	85.59	76.26	78.87	69.08
83.58	79.8	NA	NA	NA	NA
NA	NA	97.03	96.38	96.03	94.57
NA	NA	82.47	74.01	73.9	65.38
NA	NA	77.78	75.31	71.53	68.11
85	88.63	73.18	64.74	76.05	69.55
NA	NA	79.63	73.86	70.53	61.88
88.09	83.33	NA	NA	NA	NA
85.43	78.91	NA	NA	NA	NA
73.07	72.45	NA	NA	NA	NA
NA	NA	79.82	73.27	71.07	62.58
92.11	90.91	NA	NA	NA	NA
NA	NA	86.74	85.7	71.12	69.53
NA	NA	73.14	68.38	61.21	56.46

2013 School Status

NA	NA	59.55	57.03	54.48	51.57
NA	NA	85.17	69.23	76.88	54.79
NA	NA	55.16	54.01	48.85	48.12
NA	NA	71.59	70.88	49.81	49.8
NA	NA	76.19	75.81	55.03	54.3
NA	NA	86.8	86.42	74.43	73.73
NA	NA	83.68	80.6	59.21	55.46
NA	NA	94.88	92.19	87.28	74.75
NA	NA	77.08	77.08	56.25	56.25
NA	NA	92.33	86.48	78.93	66.22
NA	NA	79.43	78.26	51.65	50.48
NA	NA	89.23	85.51	78.45	63.77
NA	NA	80.77	79.41	52.38	51.96
NA	NA	83.16	80.93	60.55	58.06
NA	NA	86.88	80.27	73.1	63.82
NA	NA	79.75	79.56	65.73	66.19
NA	NA	77.2	76.9	59.12	58.75
NA	NA	78.07	77.16	56.69	55.56
NA	NA	93.2	92.71	85.26	84.38
NA	NA	73.33	73.33	61.11	61.11
NA	NA	83.48	82.01	65.52	61.18
NA	NA	83.57	71.21	75.94	65.15
NA	NA	80.27	80.95	57.23	54.76
NA	NA	66.4	65.28	70.43	69.44
NA	NA	75.66	74.68	66.29	66.24
NA	NA	70.59	72.79	66.35	66.67
NA	NA	83.92	83.03	62.72	61.42
NA	NA	88.09	86.47	73.71	70.08
NA	NA	77.23	77.32	66.08	66.47
NA	NA	59.96	58.09	57.98	55.38
74.23	75.47	NA	NA	NA	NA
56.7	57.72	NA	NA	NA	NA
NA	NA	73.03	67.68	63.35	57.2
70.61	64.88	NA	NA	NA	NA
NA	NA	NA	NA	NA	NA
NA	NA	77.68	77.13	69.59	68.85
NA	NA	77.68	77.13	69.59	68.85
NA	NA	92.48	93.33	91.32	85
NA	NA	NA	NA	NA	NA
NA	NA	48.68	48.16	53.83	54.3

2013 School Status

NA	NA	77.36	76.05	66.48	68.39
NA	NA	NA	NA	NA	NA
NA	NA	73.73	74.36	54.71	55.13
NA	NA	95.83	90.38	82.14	71.15
NA	NA	74.53	73.81	58.33	59.53
NA	NA	86.27	79.17	64.74	49.56
NA	NA	93.23	91.23	81.71	80.99
NA	NA	NA	NA	NA	NA
NA	NA	87.38	87.38	59.6	59.6
NA	NA	91.5	90.94	76.19	74.64
NA	NA	88.29	87.78	63.8	62.97
NA	NA	81.78	83.66	67.45	65.68
NA	NA	75.59	76.05	56.23	54.03
NA	NA	87.93	87.93	80.68	80.68
NA	NA	81.94	68.58	75.83	62.29
NA	NA	NA	NA	NA	NA
NA	NA	77.28	70.83	69.06	62.26
NA	NA	77.28	70.83	69.06	62.26
NA	NA	NA	NA	NA	NA
NA	NA	90.46	88.51	77.73	54.03
NA	NA	90.88	83.93	78.58	71.89
NA	NA	91.32	88.09	76.57	74.87
NA	NA	84.67	80.71	65.23	58.33
NA	NA	83.54	81.34	77.37	76.37
NA	NA	82.38	82.38	58.33	58.33
NA	NA	77.64	72.23	62.4	61.99
NA	NA	87.59	83.88	68.98	63.71
NA	NA	84.85	82.46	69.7	64.91
NA	NA	82.23	81.33	61.11	56.9
NA	NA	92.53	91.5	81.34	79.59
NA	NA	67.95	65.12	55.13	49.61
NA	NA	81.78	74.04	80.03	72.68
NA	NA	85.34	85.74	71.45	67.11
NA	NA	57.88	53.64	58.03	54.77
NA	NA	65.73	56.33	65.34	58.05
NA	NA	74.51	66.78	66.58	59.92
54.62	48.99	NA	NA	NA	NA
68.38	68.68	NA	NA	NA	NA
66.05	64.91	NA	NA	NA	NA
63.56	59.93	NA	NA	NA	NA

2013 School Status

NA	NA	79.8	76.85	59.6	56.02
NA	NA	86.45	84.17	67.48	64.17
NA	NA	84.13	83.33	48.42	48.33
66	60.88	NA	NA	NA	NA
NA	NA	93.06	88.09	86.11	82.14
NA	NA	91.61	90.13	76.62	70.39
NA	NA	75.16	69.17	71.63	66.11
NA	NA	81.8	80.45	66.48	66.05
NA	NA	94.15	90.2	82.94	82.84
NA	NA	70.6	65.64	72.13	66.43
NA	NA	70.19	67.64	57.32	57.93
NA	NA	74	60.93	73.37	59.57
NA	NA	94.92	95.62	81.71	79.53
NA	NA	NA	NA	NA	NA
NA	NA	75.23	56.35	77.48	72.23
95.1	66.67	73.68	67.39	74.78	74.64
96.67	100	90.67	79.17	86.48	73.96
96.67	100	NA	NA	NA	NA
NA	NA	NA	NA	NA	NA
NA	NA	70.41	50	66.78	33.33
NA	NA	73.53	49.28	69.62	27.53
NA	NA	69.78	70.93	41.99	41.86
NA	NA	NA	NA	NA	NA
NA	NA	92.53	87.38	74.36	62.13
NA	NA	75.58	66.88	70.37	56.53
NA	NA	NA	NA	NA	NA
NA	NA	59.18	66.67	67.68	61.11
NA	NA	87.13	82.46	80.39	75.88
NA	NA	NA	NA	NA	NA
NA	NA	55.88	50.68	46.08	45.58
NA	NA	55.88	50.68	46.08	45.58
NA	NA	71.63	71.36	62.77	63.54
NA	NA	71.59	71.83	81.69	77.7
NA	NA	NA	NA	NA	NA
NA	NA	78.57	77.5	67.14	56.25
NA	NA	NA	NA	NA	NA
NA	NA	80.77	80.77	35.9	35.9
79.17	72.23	47.92	47.92	27.08	27.08
NA	NA	25.59	25.59	19.64	19.64
80.77	84.85	NA	NA	NA	NA

2013 School Status

NA	NA	NA	NA	NA	NA
NA	NA	58.73	58.73	60.28	60.28
91.87	90.38	73.04	73.04	60.78	60.78
NA	NA	84.35	82.05	82.28	79.33
95.1	94.29	NA	NA	NA	NA
NA	NA	84.35	82.05	82.28	79.33
NA	NA	80.32	74.08	84.25	79.68
NA	NA	69.05	69.05	47.62	47.62
NA	NA	49.29	49.29	42.22	42.22
92.8	93.06	NA	NA	NA	NA
NA	NA	69.05	69.05	47.62	47.62
NA	NA	63.63	63.63	53.81	53.81
NA	NA	59.53	59.53	57.14	57.14
90.53	90.31	56.67	56.67	45	45
NA	NA	80.77	80.77	59.4	59.4
91.67	90.2	NA	NA	NA	NA
NA	NA	64.65	64.65	63.81	63.81
NA	NA	83.76	80.39	74.18	68.96
93.37	86.98	NA	NA	NA	NA
NA	NA	86.72	79.43	71.5	63.57
NA	NA	86.19	82.03	85.24	73.86
NA	NA	91.17	86.98	81.91	78.53
NA	NA	94.71	92.56	88.98	83.63
NA	NA	84.21	76.37	76.03	70.15
NA	NA	92.6	84.38	80.53	62.89
NA	NA	85.41	76.82	86.03	77.13
84.58	73.64	NA	NA	NA	NA
NA	NA	85.07	75.96	81.29	72.32
NA	NA	82.99	79.31	73.82	69.65
82.65	66.27	NA	NA	NA	NA
NA	NA	97.77	94.79	85	77.89
NA	NA	83.61	84.85	69.51	66.42
NA	NA	87.83	77.57	79.87	66.35
NA	NA	82.63	72.59	85.08	76.56
NA	NA	81.84	74.18	70.62	67.13
NA	NA	85.58	69.46	83.36	68.09
NA	NA	92.69	89.87	80.02	74.1
NA	NA	77.57	80.16	83.98	80.16
NA	NA	86.11	81.48	64.74	53.7
75.49	62.64	NA	NA	NA	NA

2013 School Status

NA	NA	71.06	63.68	70.79	68.48
NA	NA	86.22	82.79	65.23	61.96
80.95	77.37	NA	NA	NA	NA
NA	NA	72.47	67.78	69.87	64.5
NA	NA	74.21	70.59	88.09	85.29
NA	NA	88.96	85.85	80.66	73.77
89.58	89.03	86.54	84.69	86.54	87.24
NA	NA	73.68	69.7	71.49	69.7
100	100	70.59	65.52	60.78	54.03
80	84.13	79.88	77.57	74.14	71.15
NA	NA	81.06	79.73	73.48	72.98
NA	NA	76.67	75.61	61.67	55.28
87.5	83.33	64.58	59.77	66.67	62.64
NA	NA	85.45	80.93	64.95	55.83
NA	NA	81.33	78.26	76.67	72.83
NA	NA	78.97	70.52	67.64	60.26
74.84	69.63	80.09	75.93	73.98	68.93
NA	NA	86.67	83.15	81.33	76.59
NA	NA	85.18	83.98	77.78	77.57
NA	NA	95.68	95.46	93.51	92.43
NA	NA	87.4	84.16	76.94	72.61
NA	NA	75.91	75.61	70.7	69.51
NA	NA	84.04	82.73	81.08	75.61
NA	NA	83.01	82.52	75.33	74.36
NA	NA	82.78	81.68	78.33	76.95
NA	NA	77.31	77.13	70.37	69.91
NA	NA	84.68	84.1	75.68	74.95
NA	NA	79.01	78.68	66.93	66.41
NA	NA	87.31	80.22	84.85	77.69
NA	NA	64.53	63.54	63.43	62.68
NA	NA	62.28	60.7	59.18	58.88
NA	NA	83.74	78.23	82.17	74.52
73.13	75.48	NA	NA	NA	NA
86.48	77.78	NA	NA	NA	NA
NA	NA	88.32	82.46	78.15	73.68
NA	NA	80.52	79.73	67.53	66.22
NA	NA	91.53	89.3	86.84	78.03
NA	NA	71.32	70.75	57.79	56.95
NA	NA	89.58	88.43	81.91	74.53
NA	NA	89.47	76.49	84.68	66.88

2013 School Status

96.02	92.69	NA	NA	NA	NA
NA	NA	84.32	77.63	70.59	56.79
NA	NA	83.88	71.64	92.46	85.17
NA	NA	89.91	89.13	74.33	68.84
NA	NA	71.38	67.88	66.28	60.84
88.89	81.06	65.52	60.38	56.9	50.82
NA	NA	72.23	69.55	61.11	55.13
83.33	81.48	71.09	73.96	65.98	66.15
NA	NA	93.71	93.06	84.28	82.64
83.55	73.96	NA	NA	NA	NA
NA	NA	75.12	67.19	81.9	77.03
NA	NA	92.07	88.43	85.45	86.11
NA	NA	75.03	67.91	75.66	69.46
85.29	83.33	NA	NA	NA	NA
NA	NA	90.43	90.18	72.83	71.17
NA	NA	90.43	90.18	72.83	71.17
86.84	85.07	NA	NA	NA	NA
NA	NA	78.93	74.67	84.12	81.14
NA	NA	87.5	83.82	76.78	69.26
NA	NA	73.48	74.75	64.02	62.13
NA	NA	82.51	80.56	85.6	85.42
97.08	94.79	78.44	74.49	64.45	60.03
NA	NA	81.06	80.77	72.23	71.15
88.48	88.89	NA	NA	NA	NA
NA	NA	100	100	100	100
NA	NA	80.28	77.69	77.15	73.1
NA	NA	79.17	73.31	81.02	75.26
NA	NA	87.66	85.04	69.91	67.95
95.02	96.03	84.19	79.47	66.23	60.14
NA	NA	80.48	75.36	76.67	73.55
NA	NA	88.73	84.71	66.67	61.01
NA	NA	89.73	86.76	84.59	81.79
86.11	78.68	NA	NA	NA	NA
NA	NA	74.36	67.39	82.91	78.26
100	100	96.03	92.43	96.03	92.43
NA	NA	78.73	76.49	71.63	65.81
100	100	76.67	75	63.33	58.33
NA	NA	80.52	76.45	71.86	69.2
NA	NA	86.11	80.16	70.96	66.27
NA	NA	76.19	76.45	59.18	58.33

2013 School Status

NA	NA	84.28	80.86	48.9	50.45
NA	NA	82.03	73.26	80.67	73.93
NA	NA	81.83	75.1	75.91	67.49
85.94	80.99	NA	NA	NA	NA
NA	NA	NA	NA	NA	NA
NA	NA	74.41	70.59	83.33	78.43
88.63	88.89	72.5	68.58	62.5	54.92
NA	NA	53.3	43.26	67.95	60.99
83.33	83.33	69.3	55.13	72.23	61.54
NA	NA	81.22	76.19	88.85	80.66
86.98	84.13	81.78	66.27	83.51	72.23
NA	NA	73.32	61.11	74.25	64.82
81.22	73.96	80.19	75.58	74.73	66.95
NA	NA	68.03	65.56	43.8	42.23
82.03	82.96	58.33	53.9	40.48	37.94
NA	NA	NA	NA	NA	NA
91.13	90.05	NA	NA	NA	NA
NA	NA	78.54	74.71	66.11	64.76
NA	NA	77.45	71.73	75.49	72.47
NA	NA	72.23	66.4	59.88	50.27
94.05	90.74	68.75	65.98	71.73	71.09
NA	NA	74.42	67.66	61.26	53.98
79.17	72.23	80.39	65.68	68.13	53.43
NA	NA	80.12	74.03	76.96	69.2
90.65	85.18	NA	NA	NA	NA
NA	NA	80.62	71.65	78.68	68.22
NA	NA	80.12	74.03	76.96	69.2
NA	NA	81.01	73.46	68.83	64.2
84.57	82.96	NA	NA	NA	NA
NA	NA	83	70.93	85.18	74.42
NA	NA	NA	NA	NA	NA
NA	NA	NA	NA	NA	NA
NA	NA	87.32	85.56	75.54	72.23
NA	NA	84.21	82.58	70.04	60.2
NA	NA	80.66	77.15	65.78	61.03
NA	NA	86.89	85.22	73.15	65.61
NA	NA	89.92	79.73	86.73	77.48
NA	NA	80.39	73.86	74.51	60.78
NA	NA	82.64	72.73	80.33	69.19
NA	NA	90.8	74.14	87.18	68.39

2013 School Status

81.5	66	NA	NA	NA	NA
NA	NA	81.18	85.18	73.12	66.67
NA	NA	88.31	84.38	78.13	68.75
NA	NA	89.26	75.4	90.63	77.91
NA	NA	80.42	71.09	85.22	77.21
NA	NA	71.59	65.28	72.64	69.78
NA	NA	67.68	62.72	72.79	69.3
88.09	76.19	NA	NA	NA	NA
NA	NA	71.41	62.38	66.88	58.33
NA	NA	85.67	82.91	72.4	67.23
NA	NA	71.39	65.66	69.22	64.41
100	100	NA	NA	NA	NA
NA	NA	76.8	72.05	70.68	65.45
NA	NA	83.33	82.76	67.39	61.21
89.92	84.38	NA	NA	NA	NA
NA	NA	85.16	78.22	85.33	78.56
NA	NA	83.33	82.76	67.39	61.21
NA	NA	85.82	86.78	53.97	51.83
NA	NA	78.83	78.29	63.04	62.81
NA	NA	79.84	78.79	70.9	68.01
NA	NA	95.34	95.32	79.74	70.37
NA	NA	85.37	83.33	66.93	66.67
NA	NA	88.29	76.03	76.82	61.33
NA	NA	84.73	79.17	67.41	57.44
74.34	70.76	NA	NA	NA	NA
NA	NA	79.17	78.73	62.23	61.54
NA	NA	88.38	87.71	62.64	58.33
NA	NA	96.08	95.46	77.23	71.73
NA	NA	85.67	85.29	67.74	63.51
NA	NA	80.42	77.7	84.81	83.05
NA	NA	78.83	74.25	77.54	73.24
NA	NA	93.59	90.99	79.6	72.98
NA	NA	89.64	87.23	64.61	61.96
NA	NA	80.13	79.92	58.58	57.59
NA	NA	81.07	77.73	61.32	56.5
NA	NA	88.43	81.17	84.98	76.03
84.92	76.8	NA	NA	NA	NA
NA	NA	92.52	86.11	87.18	85.22
NA	NA	88.55	90.05	75.87	74.69
NA	NA	85.69	85.14	71.38	66.56

2013 School Status

NA	NA	84.1	79.47	72.04	72.23
75.1	67.86	NA	NA	NA	NA
NA	NA	90.95	88.83	64.32	61.89
NA	NA	83.99	79.81	73.92	68.3
NA	NA	78.13	77.57	53.13	47.12
NA	NA	81.48	73.68	83.29	78.07
87.46	84.23	NA	NA	NA	NA
95.1	NA	100	NA	95.49	NA
NA	NA	84.93	82.81	81.38	77.52
86.93	84.38	NA	NA	NA	NA
NA	NA	79.11	72.81	78.66	74.93
NA	NA	95.13	92.65	81.14	75.49
NA	NA	82.5	73.88	74.88	66.98
71.88	63.23	NA	NA	NA	NA
NA	NA	82.08	75.28	81.18	75.61
NA	NA	92.86	93.28	70.63	62.37
NA	NA	92.86	93.28	70.63	62.37
58.33	58.33	16.67	16.67	16.67	16.67
NA	NA	70.83	69.3	66.67	66.01
95.83	93.83	74.64	74.81	67.39	65.12
NA	NA	80.36	78.96	81.55	78.96
96.53	96.92	79.61	75.84	79.61	77.05
NA	NA	75.81	73.12	75.81	73.12
NA	NA	71.63	73.42	75.77	75.58
81.78	78.76	NA	NA	NA	NA
NA	NA	81.72	79.74	73.35	70.12
NA	NA	85.14	84.17	62.32	55.83
91.23	91.08	81.31	78.14	75.08	72.68
NA	NA	80.85	77.35	71.02	68.45
90.87	88.89	82.54	76.39	83.33	77.78
NA	NA	NA	NA	NA	NA
NA	NA	NA	NA	NA	NA
NA	NA	90.1	83.33	87.39	78.98
82.78	70.68	NA	NA	NA	NA
NA	NA	78.79	78.58	69.7	59.53
NA	NA	91.09	87.35	73.4	67.73
NA	NA	62.53	62.53	68.35	68.35
84.69	83.74	54.76	54.76	42.86	42.86
NA	NA	60.88	60.88	62.91	62.91
NA	NA	82.49	77.89	70.41	66.83

2013 School Status

91.13	87.66	71.15	60.86	76.77	69.7
NA	NA	93.06	91.98	74.31	74.6
93.59	94.32	NA	NA	NA	NA
NA	NA	85.42	81.86	82.29	77.83
NA	NA	85.93	83.52	74.44	70.61
NA	NA	86.06	80.42	79.83	74.5
75.79	72.62	NA	NA	NA	NA
NA	NA	85.93	83.52	74.44	70.61
NA	NA	80.98	79.73	75.54	72.98
92.65	91.08	80.77	76.39	75.43	72.23
83.77	76.67	71.36	71.13	70.7	67.83
NA	NA	76.19	77.19	76.19	77.19
NA	NA	NA	NA	NA	NA